

Product datasheet for SC118440

PPP4C (NM_002720) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PPP4C (NM_002720) Human Untagged Clone
Tag:	Tag Free
Symbol:	PPP4C
Synonyms:	PP-X; PP4; PP4C; PPH3; PPP4; PPX
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC118440 sequence for NM_002720 edited (data generated by NextGen Sequencing)

```

ATGGCGGAGATCAGCGACCTGGACCGGCAGATCGAGCAGTGCCTGCGCTCGCTGCGAGCTCATC
AAGGAGAGCGAAGTCAAGGCCCTGTGCGCTAAGGCCAGAGAGATCTTGGTAGAGGAGAGC
AACGTGCAGAGGGTGGACTCGCCAGTCACAGTGTGCGGGCAGATCCATGGACAATTCTAT
GACCTCAAAGAGCTGTTCAAGTAGGTGGCGACGTCCCTGAGACCAACTACCTCTTCATG
GGGGACTTTGTGGACCGTGGCTTCTATAGCGTCGAAACGTTCCCTCCTGCTGCTGGCACTT
AAGGTTTCGCTATCCTGATCGCATCACACTGATCCGGGGCAACCATGAGAGTCGCCAGATC
ACGCAGGTCTATGGCTTCTACGATGAGTGCCTGCGCAAGTACGGCTCGGTGACTGTGTGG
CGCTACTGCACTGAGATCTTTGACTACCTCAGCCTGTCAGCCATCATCGATGGCAAGATC
TTCTGCGTGCACGGGGCCTCTCCCCCTCCATCCAGACCCTGGATCAGATTCCGGACAATC
GACCGAAAGCAAGAGGTGCCTCATGATGGGCCATGTGTGACCTCCTCTGGTCTGACCCA
GAAGACACCACAGGCTGGGGCGTGAGCCCCGAGGAGCCGGCTACCTATTTGGCAGTGAC
GTGGTGGCCAGTTCAACGCAGCCAATGACATTGACATGATCTGCCGTGCCACCAACTG
GTGATGGAAGGTTACAAGTGGCACTTCAATGAGACGGTGTCTACTGTGTGGTCCGGACCC
AACTACTGCTACCGCTGTGGGAATGTGGCAGCCATCTTGGAGCTGGACGAGCATCTCCAG
AAAGATTTTCATCATCTTTGAGGCTGCTCCCAAGAGACACGGGGCATCCCCTCCAAGAAG
CCCGTGGCCGACTACTTCTGTGA

```

Clone variation with respect to NM_002720.1



[View online »](#)

5' Read Nucleotide Sequence:	<p>>OriGene 5' read for NM_002720 unedited</p> <p>NATTATGTAATACGACTCACTATAGGGCGGCCGGAATTCGGCACGAGGCGGCGGCGGGC GTCGAAAGCGGAGTAAAAGAGGGAGGCAGGGAGCCGGAGAGCCGGAACCGGAGTCGCAGC GGCGGAGACCCCTGTGCGGTGCGGAGGGGGCGGCGGCCCGACTCTGACCCGCGCCGGGG GTGGCCATGGCGGAGATCAGCGACCTGGACCGGCAGATCGAGCAGCTGCGTCGTCGCA GGAGAGCAACGTGCAGAGGGTGGACTCGCCAGTCACAGTGTGCGGCGACATCCATGGACA ATTCTATGACCTCAAAGAGCTGTTCAAGAGTAGGTGGCGACGTCCCTGAGACCAACTACCT CTTTCATGGGGACTTTGTGGACCGTGGCTTCTATAGCGTCGAAACGTTCCCTCCTGCTGCT GGCACCTAAGGTTGCTATCCTGATCGCATCACACTGATCCGGGGCAACCATGAGAGTCG CCAGATCACGCAGGTCTATGGCTTCTACGATGAGTGCCTGCGCAAGTACGGCTCGGTGAC TGTGTGGCGCTACTGCACTGAGATCTTTGACTACCTCAGCCTGTCAGCCATCATCGATGG CAAGATCTTCTGCGTGCACGNGGCCTCTCCCCTCCATCCAGACCCTGGATCAGATTGCG GACAATCGACCGANAGCAAGAAGTGCCATGATGGGCCATGTGTGACCTCCTCTGGTC TGACCCAGAAGACACCACAGGCTGGNGCGTGAGCCNCGAGAGCCGCTACCTANTTGGC AGTGACGTGGTGGCCAGNTCAACGCAGCAATGACATTGACATGATCTGCCGTGCCAC CACTGGTGATGGNAGGTTACAGTCACTTCATGAGACGTGCTCACTGGTGGTGCACCCAC TACGCTACGCTGTGGAT</p>
3' Read Nucleotide Sequence:	<p>>OriGene 3' read for NM_002720 unedited</p> <p>NTTTTCATTAGCTTGACCGTCGGCCGATNCTACGAGCGAGTTTTTTTTTTTTTTTTTTTT TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTAACCATTCTTTTTTTATTA TTTTTTCATTTTTTTCTCAAAATTTTTATCTAAAACCAACCCGAAAAAAGAAGGAAAA AAAAAAAAAAATTATTGAAAACCTTCATGGTTCAAGGGGGGAAAGAGGAGGAGGAACAT GGAGCTAGGTCTCCAGGCCTTTCCAAAAAGTCCTCACCTCAAAGCCCCCTTTTGGGGG ACAGCAAAGCCAGGACAGCCCCCCCCACCCCCAGCCTCCGTTTGGAGAAAAGGGCAAAC CCCCAGGGGGGCAAGGGCCAAAAGGGTTGGAGGGGGCAGGGCCCGGGCGGGGTACAGGA AATAATCGGCCCGGCCCTTTTGGAGGGGATGCCCGTGTCTTTTGGGGAGCCCCCTCAA AGAGGAGGAAATTTTTTGGAAAGGCTCGCCCCGCTCCAAAAGGGCTGCCACATCCCAC AGGGGAAACAGAAGTTGGGTGCCACCACCCAGTGAGCACCGTTTCATTGAAGGGCCCT TGTACCTTCCATCCCCAGTTGGGGGGCCCGAAAACCATGCCAAGGCCATTGGTGCCT TAAACTGGCCCACACGCCCTGCCAAATAGGTACCCGGCTCCTCGGGGGCTCACCCCC CCCCTGGGGTGCCTTTTGGGCCACACCAAGGAGGCCCCCCCTGGCCCCATCATGAGGCC ACCTTTGCTTTGGGGCATTGCCCAATCTCACACACGGTCTGGATGGAGGGGGAAAAGG CCCCTCTGGCACCCCAAAAACTTTGCCATCCAAAAGGCTTACACGCCCCAGGACCCA</p>
Restriction Sites:	NotI-NotI
ACCN:	NM_002720
Insert Size:	1550 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002720.1 , NP_002711.1
RefSeq Size:	1429 bp
RefSeq ORF:	924 bp
Locus ID:	5531
UniProt ID:	P60510
Cytogenetics:	16p11.2
Domains:	Metallophos, PP2Ac
Protein Families:	Druggable Genome, Phosphatase
Gene Summary:	<p>Protein phosphatase that is involved in many processes such as microtubule organization at centrosomes, maturation of spliceosomal snRNPs, apoptosis, DNA repair, tumor necrosis factor (TNF)-alpha signaling, activation of c-Jun N-terminal kinase MAPK8, regulation of histone acetylation, DNA damage checkpoint signaling, NF-kappa-B activation and cell migration. The PPP4C-PPP4R1 PP4 complex may play a role in dephosphorylation and regulation of HDAC3. The PPP4C-PPP4R2-PPP4R3A PP4 complex specifically dephosphorylates H2AFX phosphorylated on Ser-140 (gamma-H2AFX) generated during DNA replication and required for DNA double strand break repair. Dephosphorylates NDEL1 at CDK1 phosphorylation sites and negatively regulates CDK1 activity in interphase (By similarity). In response to DNA damage, catalyzes RPA2 dephosphorylation, an essential step for DNA repair since it allows the efficient RPA2-mediated recruitment of RAD51 to chromatin. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Both variants 1 and 2 encode the same isoform (1).</p>