

Product datasheet for **SC118544**

PDPK1 (NM_002613) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PDPK1 (NM_002613) Human Untagged Clone
Tag:	Tag Free
Symbol:	PDPK1
Synonyms:	PDK1; PDPK2; PDPK2P; PRO0461
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene ORF sequence for NM_002613 edited
 ATGGCCAGGACCACCAGCCAGCTGTATGACGCCGTGCCCATCCAGTCCAGCGTGGTGTTA
 TGTTCTGCCCCATCCCCATCAATGGTGAGGACCCAGACTGAGTCCAGCACGCCCCCTGGC
 ATTCCTGGTGGCAGCAGGCGAGGGCCCCGCCATGGACGGCACTGCAGCCGAGCCTCGGCC
 GGGCCGGCTCCCTGCAGCATGCCAGCCTCCGCCGAGCCTCGAAGAAGCGGCCTGAG
 GACTTCAAGTTTGGGAAAATCCTTGGGGAAGGCTCTTTTTCCACGGTTGCTCGCTCGA
 GAACTGGCAACCTCCAGAGAATATGCGATTAATAATTCTGGAGAAGCGACATATCATAAAA
 GAGAACAAGTCCCTATGTAACCAGAGAGCGGGATGTCATGTCGCGCCTGGATCACCCC
 TTCTTTGTTAAGCTTTACTTTCACATTTCCAGGACGACGAGAAGCTGTATTTTCGGCCTAGT
 TATGCCAAAAATGGAGAACTACTTAAATATATTCGCAAAATCGGTTCAATTCGATGAGACC
 TGTACCCGATTTTACACGGCTGAGATTGTGTCTGCTTTAGAGTACTTGCACGGCAAGGGC
 ATCATTACAGGGACCTTAAACCGGAAAACATTTTGTAAATGAAGATATGCACATCCAG
 ATCACAGATTTTGAACAGCAAAAGTCTTATCCCCAGAGAGCAACAAGCCAGGGCCAAC
 TCATTCGTGGGAACAGCGCAGTACGTTTCTCCAGAGCTGCTCACGGAGAAGTCCGCCTGT
 AAGAGTTCAGACCTTTGGGCTCTTGGATGCATAATATACCAGCTTGTGGCAGGACTCCCA
 CCATTCGAGCTGGAAACGAGTATCTTATATTTTCAAGATCATTAAAGTTGGAATATGAC
 TTTCCAGAAAAATTTCCCTAAGGCAAGAGACCTCGTGGAGAAAATTTTGGTTTTAGAT
 GCCACAAAGCGGTTAGGCTGTGAGGAAATGGAAGGATACGGACCTCTTAAAGCACACCCG
 TTCTTCGAGTCCGTACGTGGGAGAACCTGCACCAGCAGCGCCTCCGAAGCTCACCGCT
 TACCTGCCGGCTATGTCGGAAGACGACGAGGACTGCTATGGCAATTATGACAATCTCCTG
 AGCCAGTTTGGCTGCATGCAAGTGTCTTCGTCTCCTCCTCACACTCCCTGTCAGCCTCC
 GACACGGGCTGCCCCAGAGGTCAGGCAGCAACATAGAGCAGTACATTACAGTCTGGAC
 TCGAATCCTTTGAACTGGACTTACAGTTTTCCGAAGATGAGAAGAGGTTGTTGTTGGAG
 AAGCAGGCTGGCGAAACCTTGGCACCAGTTTGTAGAAAATAATTTAATACTAAAGATG
 GGCCAGTGGATAAGCGGAAGGGTTTTATTTGCAAGACGACGACAGCTGTTGCTCACAGAA
 GGACCACATTTATATTATGTGGATCCTGTCAACAAAGTCTGAAAGGTGAAATTCCTTGG
 TCACAAGAACTTCGACCAGAGGCAAGAATTTTAAACTTTCTTTGTCCACACGCCTAAC
 AGGACGTATTATCTGATGGACCCAGCGGGAACGCACACAAGTGGTGCAGGAAGATCCAG
 GAGTTTTGGAGGCAGCGATACCAGAGCCACCCGGACGCCGCTGTGCAGTGA

5' Read Nucleotide Sequence: >OriGene 5' read for NM_002613 unedited
 ATACGACTCACTATAGGGCGGCCGGAATTCGGCACGAGGCGCTGAGGAGGCGCCGAGCC
 GCGCAGCGCTGCGGGGAGGGCGCCCGCGCCGACGCGGGGCCATGGCCAGGACCACCAGC
 CAGCTGTATGACGCCGTGCCATCCAGTCCAGCGTGGTGTATGTTCTGCCCATCCCCA
 TCAATGGTGAGGACCCAGACTGAGTCCAGCACGCCCCCTGGCATTCTGGTGGCAGCAGG
 CAGGGCCCCGCCATGGACGGCACTGCAGCCGAGCCTCGGCCGGCGCCGCTCCCTGCAG
 CATGCCAGCCTCCGCCGAGCCTCGGAAGAAGCGGCTGAGGACTTCAAGTTTGGGAAA
 ATCCTTGGGGAAGGCTCTTTTTCCACGGTTGCTCGGCTCGAGAAGTGGCAACCTCCAGA
 GAATATGCGATTAATAATTCTGGAGAAGCGACATATCATAAAAAGAGAACAAGGTCCCTAT
 GTAACCAGAGAGCGGGATGTCATGTCGCGCCTGGATCACCCCTTCTTTGTTAAGCTTTAC
 TTCACATTTCCAGGACGACGAGAAGCTGTATTTCCGGCTTAGTTATGCCAAAAATGGAGAA
 CTACTTAAATATATTCGCAAAATCGGTTCAATTCGATGAGACCTGTACCCGATTNTACAG
 GCTGAGATTGTGTCTGCTTTAGAGTACTTGCACGGNCAGGGCATCATTACAGGGACCTT
 ANACCGNAAAACATTNTGTTAAATGAAGATATGCACATCCAGATCACAGATTNTGGAACA
 GCANAAGTCTTATCCCCAGAGAGCAACAGCCAGGCCACTCATTTCGTGGAACAGCGCNA
 GTACGTTCTCAGAGCTGCTCACGAAAAGTCCGCTGTAGAANTCAGACCTTTNGGCTCTG
 NAGCTATATACCAGCTGTGGCAGACTCCACATTCGACTGNAACGATATTTATATTA

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_002613 unedited CGCGGCCCAATCTANAGTCGAGTTTTTTTTTTTTTTTTTTTTTTCTTTTAAATAAAAAATGCTG CAAGGTTTCCGCCTCTGCGTTCCCCTTGTGATGGCTGGCAGGTGGTCTGGAAGCGTCCCG GATGGCGGCCAAGCCGCGCTGGGGCAGGTGTCTGGCAGCGAAGGGCAGCCCGGCCGAG GCCACGTACTGCACAGCGCGTCCGGGTGGCTCTGGTATCGCTGCCTCCAAACCTCCTG GATCTTCTGCACCACTTGTGTGCGTTCCCGCTGGGGTCCATCAGATAATACGTCCTGTT AGGCGTGTGGACAAAGAAAGTTTTAAAAATCTTGGCCTCTGGTCGAAGTCTTGTGACCA AGGAATTTACACCTTTCAGAACTTTGTTGACAGGATCCACATAATAAAATGTGGTCTTC TGTGAGCAACAGCTGTGCTGCTTGTCAAATAAACCTTCCGCTTATCCACTGGGCCAT CTTTAGTATTAATTAATTTCTACAACTGGTGCCAAGGGTTTTCCGCCAGCCTGCTTCT CCAACAACAACCTTTTTTCATCTTCGAAAAGTAAAGTCCCAGTCAAAGGAGTTCGAGC CCAGATCGGGAATGACTGCTCTATGTTGCTGCCTGACCTTGGGGCAGCCCTTATCG AACGCTTCCCGGATTCTGAGCAGGAGACCACCCCTGACTACCCACCCACCTGCC CAGGAAATCGACTCATTTGCCCTACCACCTCGGCGACCTTACGTCTTAAACCGTCAGA TATCGGACCACTAGACAGCAATATATGGCCCTAAAACCACCACATATCCATACATCC AACCACGTGAAACCTTTTCGATACAAATCATCCACTATTATACATCGGATCACTACCGT CATTTGTAACCGTCCGCTCCCTTACCGCCTTTTATACCGTCAACCAGCACTCT
Restriction Sites:	NotI-NotI
ACCN:	NM_002613
Insert Size:	1950 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002613.3 , NP_002604.1
RefSeq Size:	7254 bp

RefSeq ORF:	1671 bp
Locus ID:	5170
UniProt ID:	O15530
Cytogenetics:	16p13.3
Domains:	pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Endometrial cancer, Focal adhesion, Insulin signaling pathway, mTOR signaling pathway, Non-small cell lung cancer, PPAR signaling pathway, Prostate cancer
Gene Summary:	<p>Serine/threonine kinase which acts as a master kinase, phosphorylating and activating a subgroup of the AGC family of protein kinases. Its targets include: protein kinase B (PKB/AKT1, PKB/AKT2, PKB/AKT3), p70 ribosomal protein S6 kinase (RPS6KB1), p90 ribosomal protein S6 kinase (RPS6KA1, RPS6KA2 and RPS6KA3), cyclic AMP-dependent protein kinase (PRKACA), protein kinase C (PRKCD and PRKCZ), serum and glucocorticoid-inducible kinase (SGK1, SGK2 and SGK3), p21-activated kinase-1 (PAK1), protein kinase PKN (PKN1 and PKN2). Plays a central role in the transduction of signals from insulin by providing the activating phosphorylation to PKB/AKT1, thus propagating the signal to downstream targets controlling cell proliferation and survival, as well as glucose and amino acid uptake and storage. Negatively regulates the TGF-beta-induced signaling by: modulating the association of SMAD3 and SMAD7 with TGF-beta receptor, phosphorylating SMAD2, SMAD3, SMAD4 and SMAD7, preventing the nuclear translocation of SMAD3 and SMAD4 and the translocation of SMAD7 from the nucleus to the cytoplasm in response to TGF-beta. Activates PPARG transcriptional activity and promotes adipocyte differentiation. Activates the NF-kappa-B pathway via phosphorylation of IKKB. The tyrosine phosphorylated form is crucial for the regulation of focal adhesions by angiotensin II. Controls proliferation, survival, and growth of developing pancreatic cells. Participates in the regulation of Ca(2+) entry and Ca(2+)-activated K(+) channels of mast cells. Essential for the motility of vascular endothelial cells (ECs) and is involved in the regulation of their chemotaxis. Plays a critical role in cardiac homeostasis by serving as a dual effector for cell survival and beta-adrenergic response. Plays an important role during thymocyte development by regulating the expression of key nutrient receptors on the surface of pre-T cells and mediating Notch-induced cell growth and proliferative responses. Provides negative feedback inhibition to toll-like receptor-mediated NF-kappa-B activation in macrophages. Isoform 3 is catalytically inactive.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>