

## Product datasheet for SC118618

### NDUFB3 (NM\_002491) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	NDUFB3 (NM_002491) Human Untagged Clone
Tag:	Tag Free
Symbol:	NDUFB3
Synonyms:	B12; CI-B12; MC1DN25
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF sequence for NM_002491 edited ATGGCCCATGAACATGGACATGAGCATGGACATCATAAAATGGAACCTCCAGATTATAGACAATGGAAGATAGAAGGGACACCATTAGAACTATCCAGAAGAAGCTGGCTGCAAAGGGCTAAGGGATCCATGGGGCCGAATGAAGCTTGGAGATACATGGGTGGCTTTGCAAAGAGTGTTCCTTTCTGATGTATTCTTTAAAGGATTCAATGGGGATTGCTGCATTTGTGGTAGCTGTAGGAGCTGAATATTACCTGGAGTCCCTGAATAAAGATAAGAAGCATCACTGA
5' Read Nucleotide Sequence:	>OriGene 5' read for NM_002491 unedited TGCTGTCAGACATGGCCCATGAACATGGACATGAGCATGGACATCATAAAATGGAACCTCCAGATTATAGACAATGGAAGATAGAAGGGACACCATTAGAACTATCCAGAAGAAGCTGGCTGCAAAGGGCTAAGGGATCCATGGGGCCGAATGAAGCTTGGAGATACATGGGTGGCTTTGCAAAGAGTGTTCCTTTCTGATGTATTCTTTAAAGGATTCAATGGGGATTGCTGCATTTGTGGTAGCTGTAGGAGCTGAATATTACCTGGAGTCCCTGAATAAAGATAAGAAGCATCACTGAAGATAAATACCTGGAAGCATAATNAGTGGTTTCTTAACCTCCAAAATAAGATTTCTTCTGTAGCCTACNNTGTCTGGTTTATCCCTTACAGAATATTAGTAAGATTTAATCAATAAAATATATATATATGCCAAAAAAAAAAAAAAAAAACTCGATCTAGATTGCGGCC



[View online »](#)

<b>3' Read Nucleotide Sequence:</b>	>OriGene 3' read for NM_002491 unedited NNGGTTACGACTATGNNACCGCGCCGCATNCTANGATCGAGTTTTTTTTTTTTTTTTTTTT GGCATATATATATATTTTAATTGATTAATCTTACTAATATTCTGTAAGGGATAAACAG ACAAGTAGGCTACAGGAGAAGAAATCTTATTTGGAGAGTTAAGAAACCACTATGATGCT TCCAGGTATTATCTTCAGTGATGCTTCTTATCTTTATTCAGGGACTCCAGGTAATATTCA GTCCTACAGCTACCACAAATGCAGCAAATCCCCATTTGAATCCTTTAAGAATACATCA GAAAAGGAAACACTCTTTGCAAAGCCACCCATGTATCTCCAAGTTCATTGCGGCCCCAT GGATCCCTTAGCCCTTTTGCAGCCAGCTTCTTCTGGATAGTTTCTAATGGTGTCCCTTCT ATCTTCCATTGTCTATAATCTGGAAGTTCATTTTATGATGTCCATGCTCATGTCCATGT TCATGGGCCATGTCTGACAGCAATCTGACCTCGTGCCGAATTCGCGGCCGCCCTATAGTG AGTCGTATTACAAAATTCTGACGGTTCACTAAACGAGCTCTGCTTATATAGACCTCCCAC CGTACACGCCCTACCGCCATTTGCGTCAACGGGGCGGGGTTATTACGACATTTTGGAAA GTCCCCTTGATTTTGGTCCAAAACAACTCCCATTGACGTCAATGGGGTGGAGACTTG GAAATCCCGTGAGTCAAACCGCTATCCACGCCATTGGTGTACTGCCAAACCGCATCA CCATGGTAATAGCGATGACTAATACGTAGATGTACTGGCAAGTAAGAAAGTCCCCTAAGG TCATGTAAGTGGCATAATGCCAGCGGGCCATTTACCGTCATTGACGTCAATAGGGGGCG GACTTGGCCTATGATAC
<b>Restriction Sites:</b>	NotI-NotI
<b>ACCN:</b>	NM_002491
<b>Insert Size:</b>	500 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_002491.1</a></u> , <u><a href="#">NP_002482.1</a></u>
<b>RefSeq Size:</b>	693 bp
<b>RefSeq ORF:</b>	297 bp
<b>Locus ID:</b>	4709
<b>UniProt ID:</b>	<u><a href="#">O43676</a></u>
<b>Cytogenetics:</b>	2q33.1
<b>Protein Families:</b>	Transmembrane

<b>Protein Pathways:</b>	Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease
<b>Gene Summary:</b>	<p>This gene encodes an accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) which is the first enzyme in the electron transport chain of mitochondria. This protein localizes to the inner membrane of the mitochondrion as a single-pass membrane protein. Mutations in this gene contribute to mitochondrial complex 1 deficiency. Alternative splicing results in multiple transcript variants encoding the same protein. Humans have multiple pseudogenes of this gene. [provided by RefSeq, Mar 2012]</p> <p>Transcript Variant: This variant (1) lacks an exon in the 5' UTR, compared to variant 2. Variants 1 and 2 encode the same protein.</p>