

## Product datasheet for **SC118737**

### Laminin gamma 1 (LAMC1) (NM\_002293) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Laminin gamma 1 (LAMC1) (NM_002293) Human Untagged Clone
Tag:	Tag Free
Symbol:	Laminin gamma 1
Synonyms:	LAMB2
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_002293, the custom clone sequence may differ by one or more nucleotides

```

ATGAGAGGGAGCCATCGGGCCGCGCCGGCCCTGCGGCCCGGGGGCGGCTCTGGCCCGTGTGGCCGTGC
TGGCGGGCGCCGCGCGGGGTGTGCCAGGCAGCCATGGACGAGTGCACGGACGAGGGCGGGCGGCC
GCAGCGTGCATGCCGAGTTTCGTCACCGCCCTTCAACGTGACTGTGGTGGCCACCAACAGTGTGGG
ACTCCGCCGAGGAATACTGTGTGCAGACCGGGGTGACCGGGGTACCAAGTCTGTACCTGTGCGACG
CCGGGAGCCCACTGCAGCACGGGGCAGCCTTCTGACCGACTACAACAACAGGCCGACACCACCTG
GTGGCAAAGCCAGACCATGCTGGCCGGGTGCAGTACCCAGCTCCATCAACCTCAGCTGCACCTGGGA
AAAGCTTTTGACATCACCTATGTGCGTCTCAAGTTCACACCAGCCCGGGAGAGCTTTGCCATTTACA
AGCGCACAGGGAAGACGGGCCCTGGATTCCCTTACCAGTACTACAGTGGTTCTGTGAGAACACCTACTC
CAAGGCAAACCGCGCTTCATCAGGACAGGAGGGGACGAGCAGCAGGCCCTTGTGTACTGATGAATTCAGT
GACATTTCTCCCCTCACTGGGGCAACGTGGCCTTTTCTACCCTGGAAGGAAGGCCAGCGCCTATAACT
TTGACAAATAGCCCTGTGCTGCAGGAATGGTAAGTCCACTGACATCAGAGTAACTTAAATCGCCTGAA
CACTTTTGAGATGAAGTGTAAACGATCCCAAAGTCTCAAGTCTATTATTATGCCATCTCTGATTTT
GCTGTAGGTGGCAGATGTAATGTAATGGACACGCAAGCGAGTGTATGAAGAACAATTTGATAAGCTGG
TGTGTAATTGCAAACATAACACATATGGAGTAGACTGTGAAAAGTGTCTTCTTTCTTCAATGACCGGCC
GTGGAGGAGGGCAACTGCGGAAAGTGCCAGTGAATGCCCTGTGATTGCAATGGTCGATCCCAGGAA
TGCTACTTCGACCCTGAACTCTATCGTTCCACTGGCCATGGGGGCCACTGTACCAACTGCCAGGATAACA
CAGATGGCGCCCACTGTGAGAGGTGCCGAGAGAACTTCTTCCGCTTGGCAACAATGAAGCTGCTCTTC
ATGCCACTGTAGTCTGTGGCTCTCTAAGCACACAGTGTGATAGTTACGGCAGATGCAGCTGTAAGCCA
GGAGTGTGGGGACAAATGTGACCGTTGCCAGCCTGGATTCCATTCTCTCACTGAAGCAGGATGCAGGC
CATGCTCTTGATCCCTCTGGCAGCATAGATGAATGTAATATTGAAACAGGAAGATGTGTTTGAAAGA
CAATGTGCAAGGCTTCAATTGTGAAAGATGCAAACCTGGATTTTTAATCTGGAATCATCTAATCCTCGG
GGTTGCACACCCTGCTTCTGCTTTGGGCATTCTTCTGTCTGTACAACCGCTGTTGGCTACAGTGTATT
CTATCTCTCTACCTTTCAGATTGATGAGGATGGGTGGCTGCGGAACAGAGAGATGGCTCTGAAGCATC

```



[View online »](#)

TCTCGAGTGGTCCTCTGAGAGGCAAGATATCGCCGTGATCTCAGACAGCTACTTTCCTCGGTACTTCATT  
GCTCCTGCAAAGTTCTTGGGCAAGCAGGTGTTGAGTTATGGTCAGAACCTCTCCTTCTCCTTTCGAGTGG  
ACAGGGCAGATACTCGCCTCTCTGCAGAAGACCTTGCTGTTGAGGGAGCTGGCTTAAGAGTATCTGTACC  
CTTGATCGCTCAGGGCAATTCTATCCAAGTGAGACCACTGTGAAGTATGTCTTCAGGCTCCATGAAGCA  
ACAGATTACCCTTGGAGGCTGCTTACCCTTTTGAATTTGAGAAGCTCCTAAACAACCTTGACCTCTA  
TCAAGTACGTGGGACATACAGTGAGAGAAGTGTGGATATTTGGATGATGTCACCCTGGCAAGTGCTCG  
TCCTGGGCTGGAGTCCCTGCAACTTGGGTGGAGTCTGCACCTGCTGTTGGGATATGGAGGGCAGTTT  
TGTGAGATGTGCCTCTCAGGTTACAGAAGAGAACTCCTAATCTTGGACCATACAGTCCATGTGTGCTTT  
GCGCCTGCAATGGACACAGCGAGACCTGTGATCCTGAGACAGGTGTTTGAAGTGCAGAGACAATACGGC  
TGGCCCGCACTGTGAGAAGTGCAGTGTGGTACTATGGAGATTCAACTGCAGGCACCTCTCCGATTGC  
CAACCCTGTCCGTGCTGGAGTTCAAGTTGTGCTGTTGTTCCCAAGACAAAGGAGGTGGTGTGCCA  
ACTGCTCTACTGGCACCCTGGTAAGAGATGTGAGCTCTGTGATGATGGTACTTTGGAGACCCCTGGG  
TAGAAACGGCCCTGTGAGACTTGGCCCTGTGCCAGTGCAGTGACAACATCGATCCCAATGCAGTTGGA  
AATTGCAATCGCTTGACGGGAGAATGCCTGAAGTGCATCTATAACTGCTGGCTTCTATTGTGACCGGT  
GCAAAGACGGATTTTTGGAAATCCCCTGGCTCCCAATCCAGCAGACAAATGCAAAGCCTGCAATTGCAA  
TCTGTATGGGACCATGAAGCAGCAGAGCAGCTGTAAACCCGTGACGGGGCAGTGTGAATGTTGCTCAC  
GTGACTGGCCAGGACTGTGGTGTGTGACCCTGGATTCTACAATCTGCAGAGTGGGCAAGGCTGTGAGA  
GGTGTGACTGCCATGCCTTGGGCTCCACCAATGGGCAGTGTGACATCCGACCCGGCCAGTGTGAGTGCCA  
GCCCGGCATCACTGGTGCAGCACTGTGAGCGCTGTGAGGTCAACCACTTTGGGTTTGGACCTGAAGGCTGC  
AAACCCTGTGACTGTGATCCTGAGGGATCTCTTCACTTCAGTGCAAAGATGATGGTGCCTGTGAATGCA  
GAGAAGGCTTTGTGGAAATCGCTGTGACCAGTGTGAAGAAAATTTCTACAATCGGTCTTGGCCTGG  
CTGCCAGGAATGCCAGCTTGTACCCTGGTAAAGGATAAGGTTGCTGATCATAGAGTGAAGCTCCAG  
GAAATAGAGAGTCTCATAGCAAACCTTGGAACTGGGATGAGATGGTGCAGATCAAGCTTCGAGGCA  
GACTAAAGGAAGCAGAGAGGGAAGTTATGGACCTCCTTCGTGAGGCCAGGATGTCAAAGATGTTGACCA  
GAATTTGATGGATCGCCTACAGAGAGTGAATAACTCTGTCCAGCCAAATTAGCCGTTTACAGAATATC  
CGGAATACCATTGAAGAGACTGGAACCTTGGTGAACAAGCGCGTGCCCATGTAGAGAACACAGAGCGGT  
TGATTGAAATCGCATCCAGAGAACTTGAGAAAGCAAAGTCGCTGCTGCCAATGTGTCAGTCACTCAGCC  
AGAATCTACAGGGGACCCAAACAACATGACTCTTTTGGCAGAAGAGGCTCGAAAGCTTGTGAACGTCAT  
AAACAGGAAGCTGATGACATTGTTGAGTGGCAAAGACAGCCAAATGATACGTCAACTGAGGCATACAACC  
TGCTTCTGAGGACTGGCAGGAGAAAAACAACAGCATTGAGATTGAAGAGCTTAATAGGAAGTATGA  
ACAAGCGAAGAACATCTCACAGGATCTGGAAAAACAAGCTGCCCGAGTACATGAGGAGGCCAAAAGGGCC  
GGTGACAAAGCTGTGGAGATCTATGCCAGCGTGGCTCAGCTGAGCCCTTGGACTCTGAGACACTGGAGA  
ATGAAGCAAATAACATAAAGATGGAAGCTGAGAATCTGGAACAACCTGATTGACCAGAAATTAAGATTA  
TGAGGACCTCAGAGAAGATATGAGAGGGAAGAACTTGAAGTCAAGAACCTTCTGGAGAAAGGCAAGACT  
GAACAGCAGACCCGAGACCAACTCTAGCCGAGCTGATGCTGCCAAGGCCCTCGCTGAAGAAGCTGCAA  
AGAAGGGACGGGATACCTTACAAGAAGCTAATGACATTCTCAACAACCTGAAAGATTTTGTAGGCGTGT  
GAACGATAACAAGACGGCCGAGAGGAGGACTAAGGAAGATTCTGCCATCAACCAGACCATCACTGAA  
GCCAATGAAAAGACCAGAGAAGCCAGCAGGCCCTGGGCAGTGTGCGGGCGGATGCCACAGAGGCCAAGA  
ACAAGGCCCATGAGGCGGAGAGGATCGCGAGCGCTGTCCAAAAGAATGCCACCAGCACAAGGCAGAAGC  
TGAAAGAACTTTTGCAGAAGTTACAGATCTGGATAATGAGGTGAACAATATGTTGAAGCAACTGCAGGAA  
GCAGAAAAAGAGCTAAAGAGAAAAACAAGATGACGCTGACCAGGACATGATGATGGCAGGGATGGCTTAC  
AGGCTGCTCAAGAAGCCGAGATCAATGCCAGAAAAAGCCAAAAACTCTGTTACTAGCCTCCTCAGCATTAT  
TAATGACCTCTTGGAGCAGCTGGGGCAGCTGGATACAGTGGACCTGAATAAGCTAAACGAGATTGAAGGC  
ACCCTAAACAAAGCCAAAGATGAAATGAAGGTGAGCGATCTTGTAGGAAAGTGTCTGACCTGGAGAATG  
AAGCCAAGAAGCAGGAGGCTGCCATCATGGACTATAACCGAGATATCGAGGAGATCATGAAGGACATTCC  
CAATCTGGAGGACATCAGGAAGACCTTACCATCTGGCTGCTTCAACACCCCGTCCATTGAAAAGCCCTAG

**5' Read Nucleotide Sequence:**

>OriGene 5' read for NM\_002293 unedited  
 CTTGAATTTTGTAAACGACTTACTATAGGGCGGCCGCGACTTCGGCACGAGGGCAGGCT  
 GCTCCCGGGTAGGTGAGGGAAGCGCGGAGGCGCGCGGGGGCAGTGGTTCGGCGAGCA  
 GCGCGGTCTCGCTAGGGGCGCCACCCGTCAGTCTCTCCGGCGGAGCCGCCGCCACCG  
 CCCGCGCCGGAGTCAGGCCCTGGGCCCCAGGCTCAAGCAGCAAGCGGCCTCCGGGG  
 ACGCCGCTAGGCGAGAGAAACGCGCCGGTGCCTTGCCTTCGCGGTGACCCAGCGTGC  
 GCGGCGGATGAGAGGGAGCCATCGGGCCGCGCCGCGCCCTGCGGCCCGGGGGCGGCTCT  
 GGCCCGTGTGGCGTGTGGCGCGCCGCGCGCGGGGCTGTGCCAGGCAGCCATGG  
 ACGAGTGCACGGACGAGGCGGGCGGCCGAGCGCTGCATGCCCGAGTTCGTCAACGCCG  
 CTTTCAACGTGACTGTGGTGGCCACCAACACGTGTGGACTCCGCCGAGGAATACTGTG  
 TGCAGACCGGGGTGACCGGGGTACCAAGTCTGTACCTGTGCGACGCCGGGACGCCCC  
 ACCTGCAGCACGGGCGAGCCTTCTGACCGACTACAACAACCAGGCCGACACCACCTGGT  
 GGCAAAGCCAGACCATGCTGGCCGGAGTGCAGTACCCAGCTCCATCAACCTCACGTGC  
 ACCTGAGAAAAGCTTTTACATCACCTATGTGCGTCTCAAGTTCACACCAGCCGCCGG  
 AGAGCTTTGCCATTTATCAGCGCACCGGGAAGACGGGCCCTGGGATTCTTACCAGTA  
 CTACAGTGGTTNCTGCGANGACACCTACTCCAAGGCANNACCGGCTTNCCTCANGACAG  
 GNAGGGACGAGCAGCAGGCCCTTGTGTAAGTGCATGATGAAATCAGTGACATTTCTCCCTACTGAG  
 G

**3' Read Nucleotide Sequence:**

>OriGene 3' read for NM\_002293 unedited  
 NTTTTCTCTGGAACCGCGGCCGCAATCTAGNATCGAGTTTTTTTTTTTTTTTTTACAA  
 ATATTCAGATTTTATTATAAAATAAAATACTGTTTTTTCTTAAAACATAAAAATGCCAAGTG  
 TTGCATTTTATTAACCACCCTGGAGAGCAAGGCTGTAGAGATTAAGGCAAACAGCTAAAG  
 TGAAGGCACATATAAAAGGTCCACAGTTGGAATTCAAAGGAAAAAATTCAGGGAAAAAT  
 AGCAGTATAATAATCCCTGTGTCAACCAGCATTCTGCAGCAGCCATCCTGTCAATTACAT  
 TACATAAAATACAGATAACTGGAGCTAGACAATAAAATAATGGCTGTGTTGCGGGAGTGC  
 AATTAAGGTATCATCTTGTAAAGAACCTTTTATTTTAAAAAATAAAATTCGCTTAAAAA  
 ATATACCACACAGGTGGAGGAGAAAAGCAAATAACAAAAAGAAAGTTAAAAGGAAACCAA  
 ACCAAACCACCCATTGTGGACTGAGACTTGTGGAGTGAACCTCACCCAACTAACTTG  
 GAAGTAAATATTCAGACCTCTTGTGAAACCCTTGACCAAATGCATATGTCAGGATGCACC  
 CCACCTTAATGAAATGAACTACTCAGGAAACGATGACGCGAAAACCTTGTACCAAGCCACC  
 CCCTTTCCTGCACTAACTACAACAGGACCTGGTACAACCTTTTTCAGTGTCAACCTCCAG  
 AGTCTCTACTATACACACCTTGTGCCACCCTCCTGTTTATCCCCAGCCCTATGGCAACC  
 CGGAAGCGGGTACTCCACAACTAGCTCCCCACACCTCTCCACCTACATACCAATT  
 AATATTTCTGCCCTCTACCGACCCTAACCGCTCCTTCTTTACCTGCACCCATGTTCCAA  
 ATTCTCTCTTAACCCGGCTGTCCACACTCCGCAACAAGGTTANACTACACTCCTCTTA  
 CCTGACT

**Restriction Sites:**

NotI-NotI

**ACCN:**

NM\_002293

**Insert Size:**

7440 bp

**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_002293.2](#), [NP\\_002284.2](#)

**RefSeq Size:** 7923 bp

**RefSeq ORF:** 4830 bp

**Locus ID:** 3915

**UniProt ID:** [P11047](#)

**Cytogenetics:** 1q25.3

**Domains:** LamB, EGF\_Lam, laminin\_Nterm

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** ECM-receptor interaction, Focal adhesion, Pathways in cancer, Prion diseases, Small cell lung cancer

**Gene Summary:** Laminins, a family of extracellular matrix glycoproteins, are the major noncollagenous constituent of basement membranes. They have been implicated in a wide variety of biological processes including cell adhesion, differentiation, migration, signaling, neurite outgrowth and metastasis. Laminins, composed of 3 non identical chains: laminin alpha, beta and gamma (formerly A, B1, and B2, respectively), have a cruciform structure consisting of 3 short arms, each formed by a different chain, and a long arm composed of all 3 chains. Each laminin chain is a multidomain protein encoded by a distinct gene. Several isoforms of each chain have been described. Different alpha, beta and gamma chain isomers combine to give rise to different heterotrimeric laminin isoforms which are designated by Arabic numerals in the order of their discovery, i.e. alpha1beta1gamma1 heterotrimer is laminin 1. The biological functions of the different chains and trimer molecules are largely unknown, but some of the chains have been shown to differ with respect to their tissue distribution, presumably reflecting diverse functions in vivo. This gene encodes the gamma chain isoform laminin, gamma 1. The gamma 1 chain, formerly thought to be a beta chain, contains structural domains similar to beta chains, however, lacks the short alpha region separating domains I and II. The structural organization of this gene also suggested that it had diverged considerably from the beta chain genes. Embryos of transgenic mice in which both alleles of the gamma 1 chain gene were inactivated by homologous recombination, lacked basement membranes, indicating that laminin, gamma 1 chain is necessary for laminin heterotrimer assembly. It has been inferred by analogy with the strikingly similar 3' UTR sequence in mouse laminin gamma 1 cDNA, that multiple polyadenylation sites are utilized in human to generate the 2 different sized mRNAs (5.5 and 7.5 kb) seen on Northern analysis. [provided by RefSeq, Aug 2011]