

# Product datasheet for SC119650

## GSTA2 (NM\_000846) Human Untagged Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	GSTA2 (NM_000846) Human Untagged Clone
Tag:	Tag Free
Symbol:	GSTA2
Synonyms:	GST2; GSTA2-2; GTA2; GTH2
Mammalian Cell Selection:	None
Vector:	pCMV6-XL4
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF sequence for NM_000846 edited ATGGCAGAGAAGCCCAAGCTCCACTACTCCAATATACGGGGCAGAATGGAGTCCATCCGG TGGCTCCTGGCTGCAGCTGGAGTAGAGTTTGAAGAGAAATTTATAAAATCTGCAGAAGAT TTGGACAAGTTAAGAAATGATGGATATTTGATGTTCCAGCAAGTGCCAAGGTTGAGATT GATGGGATGAAGCTGGTGCAGACCAGAGCCATTCTCAACTACATTGCCAGCAAATACAAC CTCTATGGGAAAGACATAAAGGAGAAAGCCCTGATTGATATGTATATAGAAGGTATAGCA GATTTGGGTGAAATGATCCTTCTTCTGCCCTTTAGTCAACCTGAGGAACAAGATGCCAAG CTTGCCTTGATCCAAGAGAAAACAAAAAATCGCTACTTCCCTGCCTTTGAAAAAAGTCTTA

CTTGCCTTGATCCAAGAGAAAACAAAAAAATCGCTACTTCCCTGCCTTTGAAAAAGTCTTA AAGAGCCACGGACAAGACTACCTTGTTGGCAACAAGCTGAGCCGGGCTGACATTCACCTG GTGGAACTTCTCTACTACGTGGAAGAGCTTGACTCTAGCCTTATTTCCAGCTTCCCTCTG CTGAAGGCCCTGAAAACCAGAATCAGTAACCTGCCCACAGTGAAGAAGTTTCTACAGCCT GGCAGCCCAAGGAAGCCTCCCATGGATGAGAAATCTTTAGAAGAATCAAGGAAGATTTTC AGGTTTTAA



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# 

5' Read Nucleotide Sequence:	<pre>&gt;OriGene 5' read for NM_000846 unedited NCGTTCANCATTTGTNATACGACTCACTATAGGCGGCCGCGAATTCGCACGAGATTTAAC AAAGCTTANAGAAACCTCCAGNAGACTGCTACCATGGCAGCAGAGAAGCCCAAGCTCCACTAC TCCAATATACGGGGCAGAATGGAGTCCATCCGGTGGCTCCTGGCTGCAGCTGGAGTAGAG TTTGAAGAGAAAATTTATAAAATCTGCAGAAGATTTGGACAAGTTAAGAAATGATGGATAT TTGATGTTCCAGCAAGTGCCAATGGTTGAGATTGATGGGATGAAGCTGGTGCAGACCAGA GCCATTCTCAACTACATTGCCAGCAAATACAACCTCTATGGGAAAGACATAAAGGAGAAA GCCCTGATTGATATGTATATAGAAGGTATAGCAGATTTGGGTGAAAGCATAAAGGAGAAA GCCCTGATTGATATGTATATAGAAGGTATAGCAGGATTGGCTGGTGCAAGACCTTCTTCTG CCCTTTAGTCAACCTGAGGAACAAGATGCCAAGCTTGCCTTGATCCAAGAGAAAACAAAA AATCGCTACTTCCCTGCCTTTGAAAAAGTCTTAAAGAGCCCACGGACCAGGACAAGACTACCTTGTT GGCAACAAGCTGAGCCGGGCTGACATTCACCTGGTGGAACTTCTCTACTACGTGGAAGAG CTTGACTCTAGCCTTATTTCCAGCTTCCCTCGCTGAAGGCCCTGAAAACCAGAATCAGT AACCTGCCCACAGTGAAGAAGATTCTACAGGCTGGCAGCCCAAGGAAGCCTCCCATGGAT GAGAAACTTTTAGAAAGATCAAGGAAGATTTTCAGGTTTTAATAAACCAGCCATGAGGT CAAGAAACATGCAGACCAGTATTCTAAAGTCTTTCAATTAAGTGCTTTACTAAGTGCTTTACTAAGTGCT TGATTGTGCCTGTTGTGAAGCTAATGAACTCTTTCAATTAATAGCCTTTTAATAATACAC TCCTATTCACCACTTATTAAAAATGATTC</pre>
Restriction Sites:	Notl-Notl
ACCN:	NM_000846
Insert Size:	3000 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 000846.3, NP 000837.2</u>
RefSeq Size:	976 bp

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	GSTA2 (NM_000846) Human Untagged Clone – SC119650
RefSeq ORF:	669 bp
Locus ID:	2939
UniProt ID:	<u>P09210</u>
Cytogenetics:	6p12.2
Domains:	GST_N, GST_C
Protein Pathway	<b>vs:</b> Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by cytochrome P450
Gene Summary:	Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. These enzymes function in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding these enzymes are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of some drugs. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-tranferase belonging to the alpha class. The alpha class genes, located in a cluster mapped to chromosome 6, are the most abundantly expressed glutathione S-transferases in liver. In addition to metabolizing bilirubin and certain anticancer drugs in the liver, the alpha class of these enzymes exhibit glutathione peroxidase activity thereby protecting the cells from reactive oxygen species and the products of peroxidation. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US