

Product datasheet for **SC119840**

IL6R (NM_000565) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	IL6R (NM_000565) Human Untagged Clone
Tag:	Tag Free
Symbol:	IL6R
Synonyms:	CD126; gp80; HIES5; IL-1Ra; IL-6R; IL-6R-1; IL-6RA; IL6Q; IL6QTL; IL6RA; IL6RQ
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC119840 representing NM_000565.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GAATTCGGCACGAGGCGGGCGGGGCGGAGGGACTCGCAGTGTGTGTAGAGAGCCGGGCTCCTGCGGAT
GGGGGTGCCCGGGGCTGAGCCCGCTGCCCGCCACCGCCCGCCCGCCCTGCCACCCCTGCC
GCCCGTTCCATTAGCCTGTCCGCCTGCGGGACCATTGGAGTGGTAGCCGAGGAGGAAGCATGCTGG
CCGTGGCTGCGCGCTGCTGGCTGCCCTGCGCCGCGCCGGAGCGGCGCTGGCCCCAAGGCGTGCC
CTGCGCAGGAGGTGGCGAGAGGCGTGTGACCAGTCTGCCAGGAGACAGCGTGACTCTGACCTGCCCG
GGTAGAGCCGGAAGACAATGCCACTGTTCACTGGGTGCTCAGGAAGCCGGCTGCAGGCTCCACCCCA
GCAGATGGGCTGGCATGGGAAGGAGGCTGCTGCTGAGGTCGGTGCAGCTCCACGACTCTGAAAATATT
CATGCTACCGGGCCGCCAGCTGGGACTGTGCACTTGTGGTGGATGTTCCCGGAGGAGCCCC
AGCTCTCCTGCTCCGGAAGAGCCCTCAGCAATGTTGTTTGTGAGTGGGGTCTCGGAGCACCCTAT
CCCTGACGACAAAGGCTGTGCTTGTGGTGGGAAGTTTTCAGAACAGTCCGGCCGAAGACTCCAGGAGC
CGTGCCAGTATCCAGGAGTCCAGAAGTTCTCTGCCAGTTAGCAGTCCCGGAGGAGACAGCTCTT
TCTACATAGTGTCCATGTGCGTCCAGTGTGTCGGGAGCAAGTTTCAGCAAACTCAAACCTTTTACGG
GTTGTGGAATCTTGACGCTGATCCGCCTGCCAACATCACAGTCACTGCCGTGGCCAGAAACCCCGCT
GGCTCAGTGTACCTGGCAAGACCCCACTCCTGGAACATCATCTTTTACAGACTACGGTTTGAGCTCA
GATATCGGGTGAACGGTCAAAGACATTCACAACATGGATGGTCAAGGACCTCCAGCATCACTGTGTCA
TCCACGACGCCTGGAGCGGCTGAGGCACGTGGTGCAGCTTCGTGCCAGGAGGATTCGGGCAAGGCG
AGTGGAGCGAGTGGAGCCCGGAGGCCATGGGCACGCCTTGACAGAAATCCAGGAGTCTCCAGCTGAGA
ACGAGGTGTCCACCCCATGCAGGCACTACTACTAATAAAGACGATGATAATTTCTTTCAGAGATT
CTGCAAAATGCGACAAGCCTCCAGTGAAGCTTCTTCTCAGTACCAGTCCACATTCCTGGTTGCTG
TGGGGAGCTGGCCTTCGGAACGCTCCTGCTGCAATGCAATGTTTCTGAGGTTCAAGAAGAGCTGGAAGC
TGGGGGCTCTGAAGGAAGGCAAGACATGCATCCGCGTACTCTTTGGGGCAGCTGGTCCCGGAGA
GGCCTCGACCCACCCAGTGCTTGTCTCTCATCTCCACCGGTGTCGCCAGCAGCCTGGGGTCTG
ACAATACCTCGAGCCACAACCGACCAGATGCCAGGACCCACGGAGCCCTATGACATCAGCAATACAG
ACTACTTCTTCCAGATAGCTGGTGGTGGCACCAGCAGCCTGGACCTGTGGATGACAAAACACAA
ACGGGCTCAGCAAAAGATGCTTCTCACTGCCATGCCAGCTTATCTCAGGGGTGTGCGGCCTTTGGCTT
ACGGAAGAGCCTTGGGAAGGTTCTACGCCAGGGGAAAATCAGCCTGCTCCAGCTGTTCCAGTGGTTGA
GGTTTCAAACCTCCCTTCCAAATGCCAGCTTAAAGGGGTTAGAGTGAAGTGGGCCACTGTGAAGAG
AACCATATCAAGACTCTTGGACTCACATGGACTCAAAGCTGGGAGGTTGGTGGGGCCTCGG
TGTGGAGAAGCGCTGGCAGCCACCCCTCAACACCTCTGCACAAGCTGCACCCTCAGGCAGGTGGGAT
GGATTTCCAGCCAAAGCCTCCTCCAGCCGCATGCTCCTGGCCACTGCATCGTTTCATCTTCAAAC
AACTCTTAAACCCAAGTGCCTTAGCAAAATCTGTTTTTCTAGGCTGGGGACGGCTTTTACTTAAAC
CGCCAAGGCTGGGGGAAGAAGCTCTCTCTCCCTTCTTCCCTACAGTTGAAAAACAGCTGAGGGTGAG
TGGGTGAATAATACAGTATCTCAGGCTGGTGGTTTTCAACAGAATTATAATTAGTTTCTCATTAGCA
TTTTGCTAAATGTGAATGATGATCCTAGGCATTTGCTGAATACAGAGGCAACTGCATTGGCTTTGGGT
GCAGGACTCAGGTGAGAAGCAGAGGAAGGAGAGAGGGGCACAGGCTCTACCATCCCTGTAGA
GTGGGAGCTGAGTGGGGATCACAGCCTCTGAAAACCAATGTTCTCTCTTCCACCTCCACAAAAGGA
GAGCTAGCAGCAGGAGGCTTCTGCCATTTCTGAGATCAAACGGTTTTACTGCAGCTTTGTTTGTG
TCAGCTGAACCTGGGTAAGTAAAGGAAAGATAATATTAAGGAAGACAATGTGAAAAGAAAAATGAGCCTGG
CAAGAATGCGTTTAAACTTGGTTTTTAAAAAACTGCTGACTGTTTTCTCTTGGAGGGTGGAAATATCC
AATATTCGCTGTGCAGCATAGAAGTAAGTACTTAGGTGGGGGAAGCACCATAAATTTGTTTAGCC
CAAAACCAAGTCAAGTAAAAAGGAGGAAGAGAAAAAATATTTTCTGCCAGGCATGGTGGCCACGCA
CTTCGGGAGTGCAGGCAGGAGGATCAGTGTGAGTCCAGAAGTTTGGATCAGCCTGGGCAATGTGATAA
AACCCCATCTCTACAAAAAGCATAAAAAATAGCCAAGTGTGGTAGAGTGTGCTGAAAGTCCAGACT
TGGGGGCTGAGGTGGGAGGATCTTGTAGCCTGGGAGGTCAAGGCTGCAGTGGCCGAGATTGCACCA
CTGCACTCCAGCCTGGGTGACAGAGCAAGTGGACCCCTGTCTCAAAAAAGAAAAAAGAAAAA
CTCGACTCTAGA
  
```

5' Read Nucleotide Sequence:

>OriGene 5' read for NM_000565 unedited
CACATTTTGTAAACGACTCACTATAGGGCGGCCGCAATTCGCACGAGGCGGCGGGG
CCGAGGGACTCGCAGTGTGTGTAGAGAGCCGGGCTCCTGCGGATGGGGGCTGCCCCGGG
GCCTGAGCCCGCTGCCCGCCACCGCCCGCCCGCCCTGCCACCCCTGCCGCCCCGT
TCCCATTAGCCTGTCCGCTCTGCGGGACCATGGAGTGGTAGCCGAGGAGGAAGCATGCT
GGCCGTGGCTGCGCGCTGCTGGCTGCCCTGCTGGCCGCGCCGGAGCGGCGCTGGCCCC
AAGGCGTGCCCTGCGCAGGAGGTGGCGAGAGGCGTGTGACCACTGTCCAGGAGACAG
CGTGACTCTGACCTGCCCGGGGTAGAGCCGGAAGACAATGCCACTGTCTACTGGGTGCT
CAGGAAGCCGGTGCAGGCTCCCACCCAGCAGATGGGCTGGCATGGGAAGGAGGCTGCT
GCTGAGGTCGGTGCAGCTCCACGACTCTGGAACTATTATGCTACCGGGCCGGCCGCC
AGCTGGGACTGTGCACTTGTGGTGGATGTTCCCCCGAGGAGCCCACTCTCTGCTT
CCGGAAGACCCCTCAGCAATGTTGTTTGTGAGTGGGCTCCTCGGAGCACCCATCCCT
GACGACAAAGGCTGTGCTCTTGGTGAGGAAGTTTTCAGAACAGTCCGGCCGAGACTTCCA
GGAGCCGTGCCAGTATCCAGGAGTCCCAGAAGTTCTCTGCCATTTAGCAGTCCCCG
GNAGGGAGACAGCTCTTTTACATAGTGTCTTGTGCGTGCAGTANTGTCNGGAAGCAA
GTTTCAGCAAACTCAACCTTCAGGGGTTGGGGAACTGTCAGCCTGATCCGCTGNCACA
TCACATCACTGCCGTGCCAGAACCCCGTGGCTCAAGTACCTGGCAGACCCACTCTGGA
ACTATCTCTT

3' Read Nucleotide Sequence:

>OriGene 3' read for NM_000565 unedited
GCCGGCAACCCCCCCCCCTCCNNNNNNGNNAATTGTGAACCGGGCCGCATTCTAGAT
CGTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTGTGAGACGGGTCTCACTTGTCTGTCAACC
AGGCTGGAGTGCAGTGGTGAATCTCGGCTCACTGCAGCCTTGACCTCCCAGGCTCAAGA
GATCCTCCCACCTCAGCCCCCAAGTATCTGGGACTTCAGGCACACTCTACCACACTTGG
CTAATTTTTATGCTTTTTGTAAAGATGGGGTTTTATCACATTGCCAGGCTGATCTCAA
CTTCTGGACTCAAGTATCCTCTGCCTCGACCTCCCGAAGTGCCTGGGCCACCATGCCT
GGCAGGAAAATTTTTTCTCTCTCTTTTTTCACTTGACTTGGTTTTGGGCTAAACAA
AGTTATGGTGTCTCCCCACACCTAAGTAAGTACTTCTATGCTGACACAGCGAATATTG
GATATTCACCCCTCTCAAGAGAAAACAGTCAGCAGTTTTTTTTAAAAACCAAGTTTACACG
CATTCTTGCCAGGCTCATTTTTTTCTTTTACATTGCCTTCTTAATATTATCTTCCCCTAG
TTACCCAGGTTACAGTGCACCAAAACAAAGTGCAGTAAAACCCGTTTTGATCTCAGAAA
TGGCAGAAGCCCTCCCTGCTGCTAGCTCTCCCTTTGTGGGAGGTGGGAGAAGAAAGCACA
TTGGTTTTAAGAGGCCTGGGATCCCCCTTAGCTCCCACTCTACAGGGGATGTTAGAAAC
CCTGGGCCCTTCTTTACTTTCCCTGGGTTAACCTGAAGTCTGCAACCAAAGCCAT
GCAGTTGCCTTTGTATTACAGAAAAGCCTTGGATCATCTTCCATTTACCAAAGCCTAG
GAGAACCTATTTTTATTTGTTGAAACCACAGCCCTCGGATACTGTTTATCCCCCTCC
CCCTACTGTTTTAATGTTGGGAAAAGAGGGGAAAACCTTCC

Restriction Sites:

NotI-NotI

ACCN:

NM_000565

Insert Size:

3117 bp

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_000565.2
RefSeq Size:	4176 bp
RefSeq ORF:	3117 bp
Locus ID:	3570
UniProt ID:	P08887
Cytogenetics:	1q21.3
Domains:	ig, IGc2, IG, FN3
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
Protein Pathways:	Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway
MW:	112.9 kDa
Gene Summary:	<p>This gene encodes a subunit of the interleukin 6 (IL6) receptor complex. Interleukin 6 is a potent pleiotropic cytokine that regulates cell growth and differentiation and plays an important role in the immune response. The IL6 receptor is a protein complex consisting of this protein and interleukin 6 signal transducer (IL6ST/GP130/IL6-beta), a receptor subunit also shared by many other cytokines. Dysregulated production of IL6 and this receptor are implicated in the pathogenesis of many diseases, such as multiple myeloma, autoimmune diseases and prostate cancer. Alternatively spliced transcript variants encoding distinct isoforms have been identified in this gene. A pseudogene of this gene is found on chromosome 9. [provided by RefSeq, Aug 2020]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>