

## Product datasheet for **SC122287**

### UBXN8 (BC020694) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	UBXN8 (BC020694) Human Untagged Clone
Tag:	Tag Free
Symbol:	UBXN8
Synonyms:	D8S2298E; REP8; Reproduction/chromosome 8; reproduction 8; UBXD6; UBX domain containing 6; UBX domain protein 8
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for BC020694 edited CCCGCCACCATGGCTTCACGTGGGGTTGTTGGCATTTTCTCCTCTCTGCTGTCCCCTT GTGTGTCTGGAGCTCCGGCGTGGGATCCCGGATATAGGAATCAAGGATTTCTTTTGCTT TGTGGCCGGATTTGCTACTGCTTGTCTTCTTACTTTAATTATTCTGTGACTACCTCA TGGCTTAACTCATTTAAATCTCCCAAGTTTATCTGAAGGAAGAAGAAGAAAAGAATGAG AAAAGACAAAAACTTGTGAGAAAAAACAACAAGAAGCACAAGGAGAGAAGGCCAGCAGA TACATAGAGAATGTTTTAAACCTCACCAGGAAATGAAATTGAGAAAACTGGAGGAGCGC TTTTATCAAATGACGGGTGAAGCCTGAAATTAAGCAGTGGTCACAACTGGGGGTGAT GAAGGTACAAGTCAGACATCTTTTGAACATCAAACAGAGAAGCAGCAAAGAGCCAGAAC TTGCCTAAACCTTAACTGAATTTCCGTCTCCTGCTGAACAGCCACATGCAAGGAGATT CCTGATTTACCTGAAGAACCTTCTCAAACAGCAGAAGAAGTAGTTACTGTTGCTCTCCGA TGTCCCAGTGGGAATGTCCTGAGGAGAAGTTTTTGAAGTCTACAGCTCACAGGTCTTA TTTGACTGGATGACGAGAATTGGGTACCACATATCTCTATACAGCCTTTCTACTTCTTT CCCAGACGGCCTCTGGCAGTGGAGGGAGGCCAGTGCCTGGAGGACATAGGAATAACTGTG GACACTGTACTCATCCTGGAGGAGAAGGAGCAGACCAACTAGGAAAGAAGGGAGAGCTCC CTGTTTGCATGAAGTCAGTTATGCTATGACCTTCTGGCACAATAAAGGCTTCACTTTCAA ATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA



[View online »](#)

<b>5' Read Nucleotide Sequence:</b>	>OriGene 5' read for BC020694 unedited AAAAAGGTCAAATTTGTATACGACTCACTATAGGCGGCCGCAATTCGGCCATTACGGCC GGGNGCCCGCCACCATGGCTTACGTGGGGTTGTTGGCATTCTTCTCTCTGTGTC CCCTTGTGTGTCTGGAGCTCCGGCGTGGGATCCCGGATATAGGAATCAAGGATTTCTTT TGCTTTGTGGCCGATTTTGCTACTGCTTGCTCTTCTTACTTTAATTATTCTGTGACTA CCTCATGGCTTAACTCATTAAATCTCCCAAGTTTATCTGAAGGAAGAAGAAGAAAAGA ATGAGAAAAGACAAAACTTGTGAGAAAAAACAACAAGAAGCACAAAGGAGAGAAGGCCA GCAGATACATAGAGAATGTTTTAAACCTCACCAGGAAATGAAATTGAGAAAAGTGGAGG AGCGCTTTTATCAATGACGGGTGAAGCCTGAAATTAAGCAGTGGTCACAAAAGTGGGG GTGATGAAGGTACAAGTCAGACATCTTTTGAACATCAAACAGAGAAGCAGCAAAGAGCC AGAACTTGCCAAACCTTAACTGAATTTCCGTCTCCTGCTGAACAGCCACATGCAAGG AGATTCCTGATTTACCTGAAGAACCTTCTCAAACAGCAGAAGAAGTAGTTACTGTTGCTC TCCGATGTCCCAGTGGGAATGTCCTGAGGAGAAGGTTTTTGAAGTCTACAGCTCACAGG TCTATTTGACTGGATGACGAGAATTGGGTACCACATATCTCTATACAGCCTTTCTACTT CCTTTCCAGACGGCCTCTGGCAGTGAAGGAGGCCAGTCGCTGGAGGACTANGAATAAC TGTGGCACTGACTCATCTGGAGGAAAGGAGCAGACCCTAGGAAAGAGGAGACTCCT GTTGCATGAA
<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	BC020694
<b>Insert Size:</b>	934 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u>BC020694.1, AAH20694.1</u>
<b>RefSeq Size:</b>	934 bp
<b>RefSeq ORF:</b>	810 bp
<b>Locus ID:</b>	7993
<b>Cytogenetics:</b>	8p12
<b>Protein Families:</b>	Transmembrane

**Gene Summary:**

p97 or VCP (valosin-containing protein) is a versatile ATPase complex, and many cofactors are required for the p97 functional diversity. This gene encodes one of the p97 cofactors. This cofactor is a transmembrane protein and localized in the endoplasmic reticulum (ER) membrane. It tethers p97 to the ER membrane via its UBX domain. The association of this cofactor with p97 facilitates efficient ER-associated degradation of misfolded proteins. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Aug 2013]