

## Product datasheet for **SC123533**

### LD78 beta (CCL3L1) (BC027888) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	LD78 beta (CCL3L1) (BC027888) Human Untagged Clone
Tag:	Tag Free
Symbol:	LD78 beta
Synonyms:	chemokine (C-C motif) ligand 3-like 1; D17S1718; G0S19-2; LD78; LD78BETA; MGC12815; MGC104178; MGC182017; MIP1AP; SCYA3L; SCYA3L1; small inducible cytokine A3-like 1
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for BC027888 edited GCAGCAAAGAGTAGTCAGTCCCTTCTTGGCTCTGCTGACACTCGAGCCCACATTCCATCA CCTGCTCCCAATCATGCAGGTCTCCACTGCTGCCCTTGCCGTCTCCTCTGCACCATGGC TCTCTGCAACCAGGTCTCTCTGCACCACTTGCTGCTGACACGCCGACCGCCTGTGCTT CAGCTACACCTCCCGACAGATTCCACAGAATTTTCATAGCTGACTACTTTGAGACGAGCAG CCAGTGCTCCAAGCCCAGTGTATCTTCCCTAACCAAGAGAGGCCGCGCAGGTCTGTGCTGA CCCCAGTGAGGAGTGGGTCCAGAAATACGTCAAGTACCTGGAGCTGAGTGCCTGAGGGGT CCAGAAGCTTCGAGGCCAGCGACCTCAGTGGGCCAGTGGGAGGAGCAGGAGCCTGAG CCTTGGGAACATGCGTGTGACCTCTACAGCTACCTCTTCTATGGACTGGTTATTGCCAAA CAGCCACACTGTGGGACTCTTCTAACTTAAATTTTAAATTTTATACTATTTAGTTTT TATAATTTATTTTGTATTTACAGTGTGTTTGTGATTGTTTGTCTGAGAGTTCCCCCTG TCCCCTCCACCTCCCTCACAGTGTGCTGGTGACGACCGAGTGGCTGTCATCGGCCTGT GTAGGCAGTCATGGCACCAAAGCCACCAGACTGACAAATGTGTATCAGATGCTTTTGTTT AGGGCTGTGATCGGCCTGGGAAATAATAAAGATGTTCTTTTAAACGGTAAAAAAAAAAAA AAAAAAAAAAAAA



[View online »](#)

<b>5' Read Nucleotide Sequence:</b>	>OriGene 5' read for BC027888 unedited NAACGTTCAAATTTGTAATACGACTCACTATAGGCGGCCGGAATCCCGGNAGCAGCA AAGATAGTCAGTCCCTTCTTGGCTCTGCTGACACTCGAGCCCACATTCCATCACCTGCTC CCAATCATGCAGGTCTCCACTGCTGCCCTTGCCGTCTCTCTGCACCATGGCTCTCTGC AACCAGTCTCTCTGCACCACTTGCTGCTGACACGCCGACCCGCTGCTGCTTCAGCTAC ACCTCCCGACAGATTCACAGAATTTATAGCTGACTACTTTGAGACGAGCAGCCAGTGC TCCAAGCCAGTGCATCTTCTAACCAAGAGAGGCCGCGCAGGTCTGTGCTGACCCAGT GAGGAGTGGGTCCAGAAATACGTCACTGACCTGGAGCTGAGTGCCTGAGGGGTCCAGAAG CTTGAGGCCAGCGACCTCAGTGGGCCAGTGGGGAGGAGCAGGAGCCTGAGCCTTGGG AACATGCGTGTGACCTCTACAGCTACCTCTTCTATGGACTGGTTATTGCCAAACAGCCAC ACTGTGGGACTCTTCTAACTTAAATTTAATTTATTTATACTATTTAGTTTTTATAATT TATTTTTGATTTACAGTGTGTTTGTGATTGTTTGTCTGAGAGTTCCCTGTCCCTC CACCTTCCCTCACAGTGTGCTGGTGACGACCGAGTGGTGTGATCGGCCTGTGTAGGCA GTCATGGACCAAAGCCACCAGACTGACAAATGTGTATCAAATGCTTTTGTTCAGGGCTG TGATCGGCCTGGGAAATAATAAAGATGTTCTTTTAAACGGTAAAAAAAAAAAAAAAAAA AAAAAAGGCCCGCGGTACACTGTTCCGAAAAATCCCGTGGGAATCCTTGTGC CT
<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	BC027888
<b>Insert Size:</b>	793 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u>BC027888.1, AAH27888.1</u>
<b>RefSeq Size:</b>	793 bp
<b>Locus ID:</b>	6349
<b>Cytogenetics:</b>	17q21.1
<b>Protein Families:</b>	Druggable Genome, Secreted Protein
<b>Protein Pathways:</b>	Chemokine signaling pathway, Cytokine-cytokine receptor interaction

**Gene Summary:**

This gene is one of several cytokine genes that are clustered on the q-arm of chromosome 17. Cytokines are a family of secreted proteins that function in inflammatory and immunoregulatory processes. The protein encoded by this gene binds to several chemokine receptors, including chemokine binding protein 2 and chemokine (C-C motif) receptor 5 (CCR5). CCR5 is a co-receptor for HIV, and binding of this protein to CCR5 inhibits HIV entry. The copy number of this gene varies among individuals, where most individuals have one to six copies, and a minority of individuals have zero or more than six copies. There are conflicting reports about copy number variation of this gene and its correlation to disease susceptibility. This record represents one of two copies that are present on the ALT\_REF\_LOCI\_2 alternate haplotype of the GRCh38 human reference genome assembly. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Apr 2014]