

Product datasheet for **SC123918**

KCNH6 (NM_030779) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KCNH6 (NM_030779) Human Untagged Clone
Tag:	Tag Free
Symbol:	KCNH6
Synonyms:	ERG-2; ERG2; hERG-2; HERG2; Kv11.2
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene ORF within SC123918 sequence for NM_030779 edited (data generated by NextGen Sequencing)

```

ATGCCGGTCCGCAGGGGCCACGTCGCTCCCCAAAACACTTACCTGGACACCATCATCCGCAAGTTCGAGG
GCCAAAGTCGGAAGTTCCTGATTGCCAATGCTCAGATGGAGAAGTGCCCATCATTTACTGCAACGACGG
CTTCTGCGAAGTCTTCGGCTACTCCCGAGTGGAGGTGATGCAGCAACCCGCACCTGCGACTTCTCACA
GGCCCCAACACACCAAGCAGCGCGTGTCCCGCTAGCGCAGGCCTGCTGGGGGCTGAGGAGTGAAGG
TGGACATCCTCTACTACCGCAAGGATGCCTCCAGCTTCCGCTGCCTGGTAGATGTGGTGCCCGTGAAGAA
CGAGGACGGGGTGTATCATGTTCACTTCAACTTCGAGGACCTGGCCAGCTCCTGGCCAAGTGCAGC
AGCCGCAGCTTGTCCAGCGCTGTTGTCCAGAGCTTCTGGGCTCCGAGGGCTCTCACGGCAGGCCAG
GCGGACCAGGGCCAGGCACAGGCAGGGGCAAGTACAGGACCATCAGCCAGATCCCACAGTTCACGCTCAA
CTTCGTGGATTTCAACTTGAGAAGCACCCTCCAGCTCCACCACGGAGATTGAGATCATCGCGCCCAT
AAGGTGGTGGAGCGGACACAGAAGTCACTGAGAAGTCAACCAGTCTGTCCCTGGGCGGGATGTGC
TGCCGGAGTACAAGCTGCAGGCGCGCGCATCCACCGCTGGACCATCCTGCACTACAGCCCTTCAAGGC
CGTGTGGGACTGGCTCATCTGTGCTGTGCTACACGGCTGTCTTACGCCCCACTACGCCCCCTTCTC
CTGCTCAGCGACCAGGACGAATCAGGGCGTGGGGCTGCAGCTATACCTGCAGTCCCCTCACTGTGGTGG
ATCTCATCGTGGACATCATGTTCTGCTGGACATCGTCACTCAACTTCCGCACCACCTATGTCAACACCAA
TGATGAGGTGGTCCAGCCACCCCGCCGATCGCCGTCCACTACTTCAAGGGCTGGTTCCTCATTGACATG
GTGGCCGCATCCCTTTCGACCTCTGATCTTCCGCACTGGTCCGATGAGACCACAACCCGATGGGGC
TATTGAAGACAGCGCGGTGTGCGGCTGGTGCAGTGCAGGAAAGTGGACCGCTACTCTGAGTATGG
GGCGGCTGTGCTTCTTGTCTATGTGCACCTTCGCGCTCATAGCGCACTGGCTGGCTGGTGTGCGTAC
GCCATCGGCAATGTGGAGCGGCCCTACCTAGAACAACAAGATCGGCTGGCTGGACAGCCTGGTGTGCG
TTGGCAAGCGCTACAACGGCAGCGACCCAGCCTCGGGCCCTCGGTGCAGGACAAGTATGTCACAGCCCT
CTACTTACCTTTCAGCAGCCTCACCAGCGTGGGCTTCGGCAATGTCTCGCCCAACACCAACTCCGAGAAG
GTCTTCTCCATCTGCGTATGCTCATCGGCTCCCTGATGTACGCCAGCATCTTCGGGAACGTGTCCGCGA
TCATCCAGCGCTGACTCGGGCACCAGCGCTACCACACGCAGATGCTGCGTGTCAAGGAGTTCATCCG
CTTCCACCAGATCCCCAACCCACTGCGCCAGCGCTGGAGGAGTATTTCCAGCACGCTGGTCTACACC
AATGGCATTGACATGAACGCGGTGCTGAAGGGCTTCCCGAGTGCCTGCAGGCTGACATCTGCCTGCACC
TGCACCGCGCACTGCTGCAGCACTGCCAGCTTTCAGCGCGCCGCAAGGGCTGCCTGCGCGCGTACG
CGTCAAGTTCAAGACCACCCACGCGCCCTGGGGACACGCTGGTGCACCTCGGGACGCTGCTCTCCACC
CTCTACTTTCATCTCCCGAGGCTCCATCGAGATCCTGCGCGACGAGTGGTGGTGGCCATCCTAGGAAAGA
ATGACATCTTTGGGAACCCGTACGCTCCATGCCAGCCAGGCAAGTCCAGTGCAGACGTGCGGGCTCT
GACCTACTGCGACCTGCAACAAGATCCAGCGGGCAGATCTGCTGGAGGTGCTGGACATGTACCCGGCTTT
GCGGAGAGCTTCTGGAGTAAGCTGGAGGTACCTTCAACTGCGGGACGCAGCCGGGGTCTCCACTCAT
CCCCCGACAGGCTCCTGGCAGCCAAGACCACCAAGGTTTCTTTCTCAGTGACAACCAAGTCCAGGGTCTCC
CCATGAGCTGGGGCCCAAGTCCCCTTAAGGGCTACAGCCTCCTGGGTCTGGGAGCCAGAAGTCCATG
GGGGCAGGACCTTGTGCTCCAGGGCACCCAGATGCAGCCCCTCCCTGAGCATCTCAGATGCATCTGGCC
TCTGGCCTGAGCTACTGCAGGAAATGCCCCAAAGGCACAGCCCAAGCCCTCAGGAAGACCCAGATTG
CTGGCCTCTGAAGCTGGGCTCCAGGCTAGAGCAGCTCCAGGCCAGATGAACAGGCTGGAGTCCCGCGTG
TCCTCAGACCTCAGCCGATCTTGCAGCTCCTCCAGAAGCCATGCCCCAGGGCCACGCCAGCTACATTC
TGAAGCCCTGCCTCCAATGACCTGGCCTTGGTTCTATAGCCTCGGAGACGACGAGTCCAGGGCCAG
GCTGCCCCAGGGCTTTCTGCCTCCTGCACAGACCCCAAGCTATGGAGACTTGGATGACTGTAGTCCAAAG
CACAGGAACTCCTCCCCAGGATGCCTCACCTGGCTGTGGCAACGGACAAAACCTGGCACCATCCTCAG
AACAGGAACAGCCTGAGGGGCTCTGGCCACCCCTAGCCTCACCTACATCCCCTGGAAGTACAAGGACT
CATCTGTGGTCCCTGCTTCTCCTCCCTCCCTGAACACCTTGGCTCTGTTCCCAAGCAGCTGGACTCCAG
AGACATGGCTCAGATCCTGGATTTCAGGGAGTTGGGGCCACTGA
    
```

Clone variation with respect to NM_030779.3
 480:c=>t 570:t=>g 852:c=>t

Restriction Sites: Please inquire

ACCN:	NM_030779
Insert Size:	3800 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_030779.2 , NP_110406.1
RefSeq Size:	3891 bp
RefSeq ORF:	2985 bp
Locus ID:	81033
UniProt ID:	Q9H252
Cytogenetics:	17q23.3
Protein Families:	Druggable Genome, Ion Channels: Other, Transmembrane
Gene Summary:	<p>Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily H. This member is a pore-forming (alpha) subunit. Alternative splicing results in multiple transcript variants that encode different isoforms. [provided by RefSeq, Jul 2013]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).</p>