

Product datasheet for SC124052

HDAC9 (NM_178423) Human Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	HDAC9 (NM_178423) Human Untagged Clone
Tag:	Tag Free
Symbol:	HDAC9
Synonyms:	HD7; HD7b; HD9; HDAC; HDAC7; HDAC7B; HDAC9B; HDAC9FL; HDRP; MITR
Mammalian Cell Selection:	None
Vector:	pCMV6-XL4
E. coli Selection:	Ampicillin (100 ug/mL)



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Fully Sequenced ORF:

>SC309265 representing NM_178425.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

ATGCACAGTATGATCAGCTCAGTGGATGTGAAGTCAGAAGTTCCTGTGGGCCCTGGAGCCCATCTCACCT TTAGACCTAAGGACAGACCTCAGGATGATGATGCCCGTGGTGGACCCTGTTGTCCGTGAGAAGCAATTG CAGCAGGAATTACTTCTTATCCAGCAGCAGCAACAAATCCAGAAGCAGCTTCTGATAGCAGAGTTTCAG AAACAGCATGAGAACTTGACACGGCAGCACCAGGCTCAGCTTCAGGAGCATATCAAGGAACTTCTAGCC ATAAAACAGCAACAAGAACTCCTAGAAAAGGAGCAGAAACTGGAGCAGCAGAGGCAAGAACAGGAAGTA GAGAGGCATCGCAGAGAACAGCAGCTTCCTCCTCCTCAGAGGCAAAGATAGAGGACGAGAAAGGGCAGTG GCAAGTACAGAAGTAAAGCAGAAGCTTCAAGAGTTCCTACTGAGTAAATCAGCAACGAAAGACACTCCA ACTAATGGAAAAAATCATTCCGTGAGCCGCCATCCCAAGCTCTGGTACACGGCTGCCCACCACACATCA TTGGATCAAAGCTCTCCACCCCTTAGTGGAACATCTCCATCCTACAAGTACACATTACCAGGAGCACAA GATGCAAAGGATGATTTCCCCCCTTCGAAAAACTGCCTCTGAGCCCAACTTGAAGGTGCGGTCCAGGTTA AAACAGAAAGTGGCAGAGAGGAGGAGCAGCCCCTTACTCAGGCGGAAGGATGGAAATGTTGTCACTTCA TCACCAAACAATGGGCCAACTGGAAGTGTTACTGAAAATGAGACTTCGGTTTTGCCCCCTACCCCTCAT GCCGAGCAAATGGTTTCACAGCAACGCATTCTAATTCATGAAGATTCCATGAACCTGCTAAGTCTTTAT ACCTCTCCTTCTTTGCCCAACATTACCTTGGGGCTTCCCGCAGTGCCATCCCAGCTCAATGCTTCGAAT TCACTCAAAGAAAAGCAGAAGTGTGAGACGCAGACGCTTAGGCAAGGTGTTCCTCTGCCTGGGCAGTAT GGAGGCAGCATCCCGGCATCTTCCAGCCACCCTCATGTTACTTTAGAGGGAAAGCCACCCAACAGCAGC CACCAGGCTCTCCTGCAGCATTTATTATTGAAAGAACAAATGCGACAGCAAAAGCTTCTTGTAGCTGGT GGAGTTCCCTTACATCCTCAGTCTCCCTTGGCAACAAAGAGAGAATTTCACCTGGCATTAGAGGTACC CACAAATTGCCCCGTCACAGACCCCTGAACCGAACCCAGTCTGCACCTTTGCCTCAGAGCACGTTGGCT CAGCTGGTCATTCAACAGCAACACCAGCAATTCTTGGAGAAGCAGAAGCAATACCAGCAGCAGATCCAC ATGAACAAACTGCTTTCGAAATCTATTGAACAACTGAAGCAACCAGGCAGTCACCTTGAGGAAGCAGAG GAAGAGCTTCAGGGGGACCAGGCGATGCAGGAAGACAGAGCGCCCTCTAGTGGCAACAGCACTAGGAGC GACAGCAGTGCTTGTGTGGATGACACACTGGGACAAGTTGGGGGCTGTGAAGGTCAAGGAGGAACCAGTG GACAGTGATGAAGATGCTCAGATCCAGGAAATGGAATCTGGGGAGCAGGCTGCTTTTATGCAACAGCCT GGATTAGAGAAACACCGTCTCGTCTCCAGGACTCACTCTTCCCCTGCTGCCTCTGTTTTACCTCACCCA GCAATGGACCGCCCCCTCCAGCCTGGCTCTGCAACTGGAATTGCCTATGACCCCTTGATGCTGAAACAC CAGTGCGTTTGTGGCAATTCCACCACCCACCCTGAGCATGCTGGACGAATACAGAGTATCTGGTCACGA CCCAGGATACTCCTAGGTGATGACTCTCAAAAGTTTTTTTCCTCATTACCTTGTGGTGGACTTGGGGTG GACAGTGACACCATTTGGAATGAGCTACACTCGTCCGGTGCTGCACGCATGGCTGTTGGCTGTCATC GAGCTGGCTTCCAAAGTGGCCTCAGGAGAGCTGAAGAATGGGTTTGCTGTGAGGCCCCCTGGCCAT CACGCTGAAGAATCCACAGCCATGGGGTTCTGCTTTTTTAATTCAGTTGCAATTACCGCCAAATACTTG AGAGACCAACTAAATATAAGCAAGATATTGATTGTAGATCTGGATGTTCACCATGGAAACGGTACCCAG CAGGCCTTTTATGCTGACCCCAGCATCCTGTACATTTCACTCCATCGCTATGATGAAGGGAACTTTTTC CCTGGCAGTGGAGCCCCAAATGAGGTTGGAACAGGCCTTGGAGAAGGGTACAATATAAATATTGCCTGG ACAGGTGGCCTTGATCCTCCCATGGGAGATGTTGAGTACCTTGAAGCATTCAGGACCATCGTGAAGCCT GTGGCCAAAGAGTTTGATCCAGACATGGTCTTAGTATCTGCTGGATTTGATGCATTGGAAGGCCACACC CCTCCTCTAGGAGGGTACAAAGTGACGGCAAAATGTTTTGGTCATTTGACGAAGCAATTGATGACATTG GCTGATGGACGTGTGGTGTTGGCTCTAGAAGGAGGACATGATCTCACAGCCATCTGTGATGCATCAGAA GCCTGTGTAAATGCCCTTCTAGGAAATGAGCTGGAGCCACTTGCAGAAGATATTCTCCACCAAAGCCCG AATATGAATGCTGTTATTTCTTTACAGAAGATCATTGAAAATTCAAAGCAAGTATTGGAAGTCAGTAAGG ATGGTGGCTGTGCCAAGGGGCTGTGCTCTGGCTGGTGCTCAGTTGCAAGAGGAGACAGAGACCGTTTCT GCCCTGGCCTCCCTAACAGTGGATGTGGAACAGCCCTTTGCTCAGGAAGACAGCAGAACTGCTGGTGAG **CCTATGGAAGAGGAGCCAGCCTTGTGA**

Restriction Sites:

Notl-Notl

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	HDAC9 (NM_178423) Human Untagged Clone – SC124052
ACCN:	NM_178423
Insert Size:	3201 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution N	 Alethod: 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 178423.1</u>
RefSeq Size:	4659 bp
RefSeq ORF:	3201 bp
Locus ID:	9734
UniProt ID:	<u>Q9UKV0</u>
Cytogenetics:	7p21.1
Protein Families	: Druggable Genome, Transcription Factors
MW:	117.2 kDa
Gene Summary:	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene has sequence homology to members of the histone deacetylase family. This gene is orthologous to the Xenopus and mouse MITR genes. The MITR protein lacks the histone deacetylase catalytic domain. It represses MEF2 activity through recruitment of multicomponent corepressor complexes that include CtBP and HDACs. This encoded protein may play a role in hematopoiesis. Multiple alternatively spliced transcripts have been described for this gene but the full-length nature of some of them has not been determined. [provided by RefSeq, Jul 2008] Transcript Variant: This variant (4) has an alternate 3' sequence including the coding region and UTR, compared to variant 1. The resulting isoform 4, also known as HDAC9fl, has a distinct C-terminus, compared to isoform 1.
	and UTR, compared to variant 1. The resulting isoform 4, also known as HDAC9fl, has a

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US