

Product datasheet for **SC124097**

Sodium Iodide Symporter (SLC5A5) (NM_000453) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Sodium Iodide Symporter (SLC5A5) (NM_000453) Human Untagged Clone
Tag:	Tag Free
Symbol:	Sodium Iodide Symporter
Synonyms:	NIS; TDH1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_000453, the custom clone sequence may differ by one or more nucleotides

```

ATGGAGGCGTGGAGACCGGGGAACGGCCACCTCGGAGCCTGGGACTACGGGGTCTTTGCCCTCATGC
TCCTGGTGTCCACTGGCATCGGGCTGTGGTCTGGGCTGGCTCGGGGCGGGCAGCGCAGCGCTGAGGACTT
CTTACCAGGGGGCCGGCGCTGGCGGCCCTGCCGTGGGCTGTGCTGTCTGCCAGCTTATGTGCGCC
GTGCAGGTGCTGGGCGTGCCTCGGAGGCTATCGCTATGGCCTCAAGTTCTCTGGATGTGCCTGGGCC
AGCTTCTGAACCTCGTCTCACCGCCCTGCTCTTCATGCCCGTCTTCTACCGCCTGGGCCTCACCAGCAC
CTACGAGTACCTGGAGATGCGCTTCAGCCGCGCAGTGCAGGCTCTGCGGGACTTTGCAGTACATTGTAGCC
ACGATGCTGTACACCGGCATCGTAATCTACGCACCGGCCCTCATCCTGAACCAAGTGACCGGGCTGGACA
TCTGGGCGTCGCTCCTGTCCACCGGAATTATCTGCACCTTCTACACGGCTGTGGGCGGCATGAAGGCTGT
GGTCTGGACTGATGTGTTCCAGGTGCTGGTGTGCTAAGTGGCTTCTGGGTTGCTCCTGGCACGCGGTGTC
ATGCTTGTGGGCGGGCCCGCCAGGTGCTCACGCTGGCCAGAACCCTCCGGATCAACCTCATGGACT
TTAACCTGACCCGAGGAGCCGCTATACATTCTGGACTTTTGTGGTGGGTCACGTTGGTGTGGCTCTC
CATGTATGGCGTGAACAGGCGCAGGTGCAGCGCTACGTGGCTTGCCGCACAGAGAAGCAGGCCAAGCTG
GCCCTGCTCATCAACCAGGTCCGGCTGTTCTGATCGTGTCCAGCGCTGCCTGCTGTGGCATCGTCATGT
TTGTGTTCTACACTGACTGCGACCTCTCCTCCTGGGGCGCATCTCTGCCCCAGACCAGTACATGCCTCT
GCTGGTGTGGACATCTTGAAGATCTGCCTGGAGTCCCCGGGCTTTTCTGGCCTGTGCTTACAGTGGC
ACCCTCAGCACAGCATCCACCAGCATCAATGCTATGGTGCAGTCACTGTAGAAGACCTCATCAAACCTC
GGCTGCGGAGCCTGGCACCCAGGAACTCGTGATTATCTCAAGGGGCTCTCACTCATCTACGGATCGGC
CTGTCTCACCGTGGCAGCCCTGCTCCTACTGCTCGGAGGAGGTGCTCCTCAGGGCTCCTTACCCTCATG
GGAGTCAACAGCGGCCCTGCTGGGAGCCTTCACTTTGGGAATGTTCTTCCCGGCTGCAACACACCGG
GGTCTCCTCGCGGGACTAGGCGCGGGCTTGGCGCTGTCGCTGTGGTGGCTTGGGCGCCACGCTGTACCC
ACCCAGCGAGCAGACCATGAGGGTCTGCCATCGTCGGCTGCCGCTGCGTGGCTCTCTCAGTCAACGCC
TCTGGCCTCCTGGACCGGCTCTCCTCCTGCTAACGACTCCAGCAGGGCCCCAGCTCAGGAATGGACG
CCAGCCGACCCGCTTAGCTGACAGTTCTATGCCATCTCCTATCTATTACGGTGGCCTGGGCACGCT
GACCACTGTGCTGTGCGGAGCCCTCATCAGCTGCCTGACAGGCCCAAGCGCAGCACCTGGCCCCG
GGATTGTTGGTGGGACCTCGCACGGCAGACAGCATCAGTGGCCCCAAGGAAGAAGTGGCCATCTGG
ATGACAACTTGGTCAAGGGTCTGAAGAACTCCCCTGAAACAAGAAGCCCCCTGGCTTCTGCCAC
CAATGAGGATCGTCTGTTTTCTTGGGCGAGAAGGAGCTGGAGGGGCTGGCTCTTGACCCCTGTGTT
GGACATGATGGTGGTGGAGACCAGCAGGAGACAAACCTCTGA
    
```

Chromatograms: https://cdn.origene.com/chromatograms/ja1788_a02.zip

Restriction Sites: Please inquire

ACCN: NM_000453

Insert Size: 4000 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_000453.1](#), [NP_000444.1](#)

RefSeq Size: 2490 bp

RefSeq ORF: 1932 bp

Locus ID: 6528

UniProt ID: [Q92911](#)

Cytogenetics: 19p13.11

Protein Families: Druggable Genome, Transmembrane

Gene Summary: This gene encodes a member of the sodium glucose cotransporter family. The encoded protein is responsible for the uptake of iodine in tissues such as the thyroid and lactating breast tissue. The iodine taken up by the thyroid is incorporated into the metabolic regulators triiodothyronine (T3) and tetraiodothyronine (T4). Mutations in this gene are associated with thyroid dysmorphogenesis 1.[provided by RefSeq, Sep 2009]