

Product datasheet for **SC124301**

MRPL30 (NM_145212) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Tag Free
Symbol:	MRPL30
Synonyms:	L28MT; L30MT; MRP-L28; MRP-L30; MRPL28; MRPL28M; RPML28
Mammalian Cell	None
Selection:	
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC124301 sequence for NM_145212 edited (data generated by NextGen Sequencing) ATGGCTGGGATTTTGGCCTTAGTAGTTCAATGGCCCCAGGCAGACTACAGACTGTGACA AAAGGTGTGGAGTCTCTTATTGTACAGATTGGATTCGTCACAAATTCACCAGATCAAGA ATTCCAGAAAAAGTGTTTCAGGCCTCACCTGAAGATCATGAAAAATACGGTGGGGATCCA CAGAACCCTCATAAACTGCATATTGTTACCAGAATAAAAAGTACAAGAAGACGTCCATAT TGGGAAAAAGATATAATAAAGATGCTTGGATTAGAAAAAGCACATACCCCTCAAGTTCAC AAGAATATCCCTTCAGTGAATGCAAAATTGAAAGTAGTTAAGCATTTGATAAGAATCAAG CCCTTGAAGTTGCCACAAGGACTTCAGCAGAGGAGAACATGTCTAACACGTGCCTCAA AGCACTGGGGAGTTAGTAGTGAGTGGCATCTGAAACCTGTGGAGCAGAAAGCACATGAG TCCTAA Clone variation with respect to NM_145212.3



5' Read Nucleotide Sequence:	>OriGene 5' read for NM_145212 unedited <pre> GGGTGCACATTTGTATACGACTCATATAGGCGGCCGCGNAATTCGCACGAGCTCTCTCTC TCGGTTTAGCGGGTGCCGCCTCTAAAGAGAGCAATCACTACACTTATGGCTGGGATTTTG CGCTTAGTAGTTCAATGGCCCCCAGGCAGACTACAGACTGTGACAAAAGGTGTGGAGTCT CTTATTTGTACAGATTGGATTCGTCACAAATTCACCAGATCAAGAATTCAGAAAAAGTG TTTCAGGCCTCACCTGAAGATCATGAAAAATACGGTGGGGATCCACAGAACCCTCATAAA CTGCATATTGTTACCAGAATAAAAAGTACAAGAAGACGTCCATATTGGGAAAAAGATATA ATAAAGATGCTTGGATTAGAAAAAGCACATACCCTCAAGTTCACAAGAATATCCCTTCA GTGAATGCAAAATTGAAAGTAGTTAAGCATTTGATAAGAATCAAGCCCTTGAAAGTTGCCA CAAGGACTTCCAGCAGAGGAGAACATGTCTAACACGTGCCTCAAAAGCACTGGGGAGTTA GTAGTGCAGTGGCATCTGAAACCTGTGGAGCAGAAAGCACATGAGTCCTAATGCCCCAGC AGCTTCCGATTGGAAAATGCAAATTGTTTTATTAAAGATGGTGAGAAAGTGTTCAT TAAATATGTTTTCAAACCATTTTCAGGCCGGGCACGGTGGCTCACCTGTAATCCCAGC ACTTTTGGAGGCCAANGCGGCAGATCAACCTGAGTCAAGAGTTCGAGACCAGCCTGACC AACATGGAGAAACCCCATCTCTACTGAAATACAGAATACGCTTTGGGGGGGGGCACATG CCTGTACCACTCCTNCGGGGAGGGTTTANNNGGGGAAAATCCCTTGACCCCGGGGGGGG GAAGAGGTTTCCTTTACCCCAAATGGGGCCAC </pre>
Restriction Sites:	NotI-NotI
ACCN:	NM_145212
Insert Size:	2250 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_145212.1</u> , <u>NP_660213.1</u>
RefSeq Size:	2408 bp
RefSeq ORF:	486 bp
Locus ID:	51263

UniProt ID: Q8TCC3

Cytogenetics: 2q11.2

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Alternative splicing results in multiple transcript variants. Pseudogenes corresponding to this gene are found on chromosomes 6p and 12p. Read-through transcription also exists between this gene and the neighboring upstream lipoyltransferase 1 (LIPT1) gene. [provided by RefSeq, Mar 2011]
 Transcript Variant: This variant (1) represents the longer transcript and encodes the supported protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.