

Product datasheet for **SC124800**

PCDHA9 (NM_031857) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PCDHA9 (NM_031857) Human Untagged Clone
Tag:	Tag Free
Symbol:	PCDHA9
Synonyms:	PCDH-ALPHA9
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_031857, the custom clone sequence may differ by one or more nucleotides

```

ATGTTATACTCAAGTCGAGGAGATCCAGAGGGTCAGCCTCTACTGCTCTCGTTCTGATCCTCGCAATGT
GGGTGGTGGGGAGCGGCCAGCTCCACTACTCCGTCGCGGAGGAAGCCGAACACGGCACCTTCGTGGGCCG
CATCGCGCAGGACCTGGGGCTGGAGCTGGCGGAGCTGGTCCCGCCTGTCCAGTTGGATTCCAAAGGC
CGCGGGGACCTTCTGGAGGTAATCTGCAGAATGGCATTGTTGTTGTGAATTCTCGGATCGACCGCGAGG
AGCTGTGCGGGCGGAGCGCGGAGTGCAGCATCCACCTGGAGGTGATCGTAGACAGGCCGCTGCAGGTTTT
CCATGTGGACGTGGAGGTGAAGGACATTAACGACAACCCTCCAGTGTCCAGCGACACAAAAGAATCTG
TTCATCGCGGAATCCAGGCCGCTTGACTCTCGTTTCCACTAGAGGGCGCGTCCGATGCAGATATCGGGG
AGAACGCCCTGCTCACTTACAGACTGAGCCCAATGAGTATTTCTTCTGGACGTGCCAACCAGCAACCA
GCAGGTAACACCTCTGGACTTGTATTACGAAACTTTTAGACAGAGAAGAACTCCGGAGCTTCATTTA
TTGCTCACGGCCACCGATGGAGGCAAACCCGAGCTGACTGGCACCGTTCAATTACTCATCAGGACTGG
ACAACAATGACAATGCCCAAGTGTTCGACAGAACCCTGTATACGGTGAAATTACCAGAAAACGTTTCTAT
CGGAACGCTGGTGATTACCCCAATGCCTCAGATTTAGACGAAGGCTTGAATGGGGATATATTTACTCC
TTCTCCAGTGATGTTTCTCCAGATATAAAATCCAAGTTCACATGGACCCCTTAAGTGGGGCAATCACAG
TGATAGGACATATGGATTTGAAGAAAGTAGAGCACACAAGATCCAGTCGAGGCTGTCGATAAAGGCTT
CCCACCCCTGGCTGGTCATTGTACACTTCTGTGGAAGTTGTGGATGTAATGACAATGTCCACAGTTG
ACTATCAAACCGTCTCGGTTCTGTAAAGAGGACGCACAACGGGGACAGTTATTGCCCTGATTAGTG
TGATCGACCTAGACGCAGATGCCAACGGGCAGGTTACCTGCTCCCTGACGCCCCACGTCCCTTCAAGCT
GGTGTCCACCTACAAGAATTACTACTCGTTGGTGTGACAGAGCTCTGGACCGGAGAGTGTGTCCGCC
TACGAGCTGGTGGTTACCGCGCGGGACGGGGCTCGCCTTCACTGTGGCCACGGCCAGGTTGTCTGG
AGGTGGCCGACGTGAACGACAACGCACACGCGTTTCGCGCAGTCCGAGTACACGGTGTTCGTGAAGGAGAA
CAACCCGCGGGGCTGCCACATCTTACGGTGTCTGCGCGGACGCTGACGCGCAGGAGAACGCCCTGGTG
TCTACTCGTGGTGGAGCGCGGTTGGGCGAGCGCTCGCTGTCGAGCTACGTGTCAGTGACGCGGAGA
GCGGCAAGGTGTACGCGCTGCAGCCGTTGGACCAGGAGCTGGAGCTGCTACAGTTCCAGGTGAGCGC
GCGCGACGCGGGCGTCCCGCTCTGGGCAGCAACGTGACGCTGCAGGTGTTCTGCTGGACGAGAACGAC
AATGCGCCGGCGTGTGACACCTCGGATGAGGGGCACTGACGGCGCAGTGAGCGAGATGGTGTGCGGT
CGGTGGGCGCCGCGTAGTGGTGGGAAGGTGCGCGCAGTGGACGCCGACTCGGGCTACAACGCGTGGCT
TTCATACGAGCTGCAGCCAGAAACGGCCAGCGCAGCATCCCGTTCGCGTGGGGCTGTACACGGGCGAG
ATCAGCACAAACGCGTCCCTGGACGAAACGGACGCACCGCGCCAGCGCCTACTGGTGTGGTGAAGACC
ACGGGGAGCCAGCGCTGACGGCCACGGCCACTGTGCTGGTGTGCTGGTGGAGAGCGGCCAGGCGCCAAA
GTCATCGTCGCGGGCGTCACTGGGTGCCACGGGCCCGAGGTGACGCTGGTGGATGTCAACGTGTACCTG
ATCATCGCATCTGCGCGGTGTCTAGCCTGTTGGTTCTCACGCTGCTGCTGTACTGTGCTGCGGTGCT
CGGCGATGCCACCGAGGGCGAGTGCAGCGCTGGCAAGCCGACGCTGGTGTGTTCTAGCGCGGTGGGGAG
TTGGTCTACTCGCAGCAGAGGAGGCAGAGGGTGTGCTCTGGCGAGGGTAAGCAGAAGACCGACCTCATG
GCCTTCAGCCCGGGCCTTCTCCTTGTGCTGGATCTACAGAGCGAACGGGAGAACCCTCTGCTTCTCAG
ATTCAACTGGGAAGCCACGACAGCCCAACCCTGACTGGCGTTACTCTGCCTCCCTGAGAGCAGGCATGCA
CAGCTCTGTGCACCTAGAGGAGGCTGGCATTCTACGGGCTGGTCCAGGAGGGCCTGATCAGCAGTGGCCA
ACAGTATCCAGTGCAACACCAGAACAGAGGCAGGAGAAGTGTCCCTCCAGTCGGTGGGGTGTCAACA
GCAACAGCTGGACCTTTAAATACGGACCAGGCAACCCCAAACAATCCGGTCCCGGTGAGTTGCCGACAA
ATTATTATCCCAGGATCTCCTGCAATCATCTCCATCCGGCAGGAGCCTACTAACAGCCAAATTGACAAA
AGTGACTTCATAACCTTCGGCAAAAAGGAGGAGACCAAGAAAAAGAAAAAGAAAGGGTAACAAGA
CCCAGGAGAAAAAGAAAAAGGAAACAGCAGACTGACAACAGTGACCAGTGA
    
```

Restriction Sites: NotI-NotI

ACCN: NM_031857

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_031857.1 , NP_114063.1
RefSeq Size:	5984 bp
RefSeq ORF:	2853 bp
Locus ID:	9752
UniProt ID:	Q9Y5H5
Cytogenetics:	5q31.3
Domains:	CA
Protein Families:	Druggable Genome, Transmembrane
Gene Summary:	<p>This gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (1) includes the constant region exons and encodes the longest isoform (1).</p>