

Product datasheet for **SC124962**

MRPL36 (NM_032479) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MRPL36 (NM_032479) Human Untagged Clone
Tag:	Tag Free
Symbol:	MRPL36
Synonyms:	BRIP1; L36mt; MRP-L36; PRPL36; RPMJ
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC124962 sequence for NM_032479 edited (data generated by NextGen Sequencing)

```
ATGGCAAATCTTTTTATAAGGAAAATGGTGAACCCTCTGCTCTATCTCAGTCGTCACACG
GTGAAGCCTCGAGCCCTCTCCACATTTCTATTTGGATCCATTTCGAGGTGCAGCCCCGTG
GCTGTGGAACCCGGGGCAGCAGTGCCTCACTTCTCTCACCCGGCCTCTGCCCATCTG
CTGCCTGCGCTGGGGTTCAAAAACAAGACTGTCCTTAAGAAGCGCTGCAAGGACTGTTAC
CTGGTGAAGAGCGGGGTGCGGTGACGTCTACTGTAAAACCCATCCGAGGCACAAGCAG
AGACAGATGTAG
```

Clone variation with respect to NM_032479.3

5' Read Nucleotide Sequence: >OriGene 5' read for NM_032479 unedited

```
GCCGCGAATTCGGCACGAGCGCCGGGTGAGAGNCGTGCGGCCGATTCCACCACAACATGG
CAAATCTTTTTATAAGGAAAATGGTGAACCCTCTGCTCTATCTCAGTCGTCACACGGTGA
AGCCTCGAGCCCTCTCCACATTTCTATTTGGATCCATTTCGAGGTGCAGCCCCGTGGCTG
TGAACCCGGGGCAGCAGTGCCTCACTTCTCTCACCCGGCCTCTGCCCATCTGCTGC
CTGCGCTGGGGTTCAAAAACAAGACTGTCCTTAAGAAGCGCTGCAAGGACTGTTACCTGG
TGAAGAGCGGGGTGCGGTGACGTCTACTGTAAAACCCATCCGAGGCACAAGCAGAGAC
AGATGTAGACCCTTTCCCTCCAGAGTCACGCACATACTCGTCATCGCATCACTTGGGAGA
ATGGTTGTATCTTATGGAAGGAATTATCACATCAAGGAGTCAGGGGAANAGTGACTGGAA
GCAAACGCCCTAAAAGTTACCCATCACGTTTCAGTGTAATGAGTAACTATAGAAGACAT
TGCGTTATCTTATTTCAAAAACGTTCCAATAAAAACATTTTCCTATTAATTAGACCTT
CCGAAAAAAAAAAAAAAAAAACTCACTTAGATTGCGGCCGCGGCATAGCTGGTTCTGAA
CAATCCCCGGTGGCATCCCTGTGGACCTTCCAGTGCCTCTCTGGCCCTGGAAGTTGCC
CCT
```



[View online »](#)

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_032479 unedited NTTCTGTTACTAGNACCGCGCCGCATCTANATCGATTTTTTTTTTTTTTTTTTTTTTCGAGG TCTATTTAATAGGAAAAGTTTTTAGTTGGAACGTTTTGGAAATAAGATAACGCAATGTC TTCTATAGTTACTCATTACACTGAAACGTGATGGGTAACTTTTAGGGCGTTTGCCTCCA GTCACCTTCCCCTGACTCCTTGATGTGATAATTCCTCCATAAGATAACAACCATCTCCC AAGTGATGCGATGACGAGTATGTGCGTGACTCTGGAGGGAAAGGGTCTACATCTGTCTCT GCTTGTGCCTCGGATGGGTTTTACAGTAGACGTACCACCGACCCCGCCTTTCACCAGGT AACAGTCTTGCAGCGCTTCTTAAGGACAGTCTTGTTTTGAACCCAGCGCAGGCAGCA GATGGGGCAGGAGCCGGGTGAGAGAAGTGAGCGCACTGCTGCCCGGGTTCCACAGCCA CGGGGGCTGCACCTCGAATGGATCCAAATAGAAATGTGGAGAGGGCTCGAGGCTTACC TGTGACGACTGAGATAGAGCAGAGGGTTCACCATTTTCTTATAAAAAGATTTGCCATGT TGTGGTGAATCCGGCCGACGCTCTACCCGGCGCTCGTGCCGAATTCGGGCCGCCCTA TAGTGAGTCGATTACAAAATTCTGACGGTTCACTAAACGAGCTCTGCTTATATAGACCT CCCACCGTACACGCTACCGCCATTTGCGTCAACGGGGCGGGTATTACGACATTTTG GAAAGTCCCGTTGATTTTGGTGCCAAAACAACTCCCATTGACGTCAATGGGGTGGGAGA CTTGAAATCCCGTGAGTCAAACCGCTATCCACGCCATTGGTGTACTGCCAAAACGCA TCACATGGC
Restriction Sites:	NotI-NotI
ACCN:	NM_032479
Insert Size:	640 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_032479.2</u> , <u>NP_115868.1</u>
RefSeq Size:	604 bp
RefSeq ORF:	312 bp
Locus ID:	64979
UniProt ID:	<u>Q9P0J6</u>
Cytogenetics:	5p15.33
Domains:	Ribosomal_L36

Gene Summary:

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. A pseudogene corresponding to this gene is found on chromosome 2p. [provided by RefSeq, Jul 2008]