

Product datasheet for SC125343

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thymidine Kinase 2 (TK2) (NM_004614) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Thymidine Kinase 2 (TK2) (NM_004614) Human Untagged Clone

Tag: Tag Free

Symbol: Thymidine Kinase 2

Synonyms: MTDPS2; MTTK; PEOB3; SCA31

Mammalian Cell

Selection:

None

Vector: pCMV6-XL4

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene ORF within SC125343 sequence for NM_004614 edited (data generated by NextGen

Sequencing)

CGGAAGCATTGCCCATAG

Clone variation with respect to NM_004614.4





5' Read Nucleotide Sequence: >OriGene 5' read for NM_004614 unedited

AATCCGGGGACCTTTTT

1000 bp

Restriction Sites: Please inquire ACCN: NM_004614

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

Components:

Insert Size:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004614.2</u>, <u>NP 004605.2</u>

RefSeq Size: 2387 bp RefSeq ORF: 924 bp



Thymidine Kinase 2 (TK2) (NM_004614) Human Untagged Clone - SC125343

 Locus ID:
 7084

 UniProt ID:
 000142

 Cytogenetics:
 16q21

 Domains:
 dNK

Protein Families: Druggable Genome

Protein Pathways: Drug metabolism - other enzymes, Metabolic pathways, Pyrimidine metabolism

Gene Summary: This gene encodes a deoxyribonucleoside kinase that specifically phosphorylates thymidine,

deoxycytidine, and deoxyuridine. The encoded enzyme localizes to the mitochondria and is required for mitochondrial DNA synthesis. Mutations in this gene are associated with a myopathic form of mitochondrial DNA depletion syndrome. Alternate splicing results in multiple transcript variants encoding distinct isoforms, some of which lack transit peptide, so

are not localized to mitochondria. [provided by RefSeq, Dec 2012]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.