

Product datasheet for SC125691

MICAL1 (BC052983) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MICAL1 (BC052983) Human Untagged Clone
Tag:	Tag Free
Symbol:	MICAL1
Synonyms:	CasL interacting molecule; DKFZp434B1517; FLJ11937; FLJ21739; MICAL; MICAL-1; microtubule associated monooxygenase, calponin and LIM domain containing 1; NEDD9 interacting protein with calponin homology and LIM domains; NICAL
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Cell Selection:	None
Fully Sequenced ORF:	>OriGene sequence for BC052983 edited

```

CTGCTGCCCTCCCCAGGAGGCCTCCATGGCTTACCTACCTCCACCAACCCAGCGCATGC
CCACTTTGAGAGCTTCTGCAGGCCAGCTGTGCCAGGACGTGCTGAGCAGCTTCCAGGA
GCTGTGTGGGGCCCTGGGGCTGGAACCCGGTGGGGGGCTGCCCCAGTACCACAAGATCAA
GGACCAGCTCAACTAGGAGCGCAAGTCACTGTGGACCAAGCTGGACAAGCGAGCAGG
CCAGCCTGTCTACCAGCAGGGCCGGCCTGCACCAGCACCAAGTGCCTGGTGGTGGTGC
TGGACCTTGGGGCTGCGGGTGCCTGTGGAGCTGGCGCTGCTGGGGGCCGAGTGGTGT
GGTGGAAAAGCGCACCAAGTTCTCTCGCCACAACGTGCTCCACCTCTGGCCCTTACCAT
CCACGACCTGCGGGCACTCGGTGCTAAGAAGTTCTACGGGCGCTTCTGCACCGGCACCT
GGACCACATCAGCATCAGGCAGCTCCAGCTGCTTCTGCTGAAGGTAGCATTGCTGCTGG
GGTGGAAATTCAGTGGGGTGTCACTTTCACTGGCCTCCAGCCCCCTCTAGGAAGGGGAG
TGGCTGGCGTGCCAGCTCCAACCAACCCCCCTGCCAGCTGGCCAATATGAATTTGA
CGTCCTTATCTCGGCTGCAGGAGGTAATTCGTCCTGAAGGCTTCAAAGTTCGAGAAAT
GCGAGGCAAACCTGGCCATTGGCATCACAGCCAACCTTTGTGAATGGACGCACCGTGGAGGA
GACACAGGTGCCGGAGATCAGTGGTGTAGCCAGGATCTACAACCAGAGCTTCTCCAGAG
CCTTCTCAAAGCCACAGGCATTGATCTGGAGAACATTGTGTAACAAGGACGACACCCA
CTACTTTGTGATGACAGCCAAGAAGCAGTGCCTGCTGCGGCTGGGGGTGCTGCGCCAGGA
CTGGCCAGACCAATCGGCTGCTGGGCAGTGCCAATGTGGTGGCCGAGGCTCTGCAGCG
CTTTACCCGGGCACTGCTGACTTTGCCACCATGGCAAGCTCGGAAACTAGAGTTTGC
CCAGGATGCCCCATGGGCAGCCTGATGTCTTGCCTTTGACTTACGAGCATGATGCGGGC
AGAGAGTTCTGCTCGTGTGCAAGAGAAGCATGGCGCCCGCTGCTGCTGGGACTGGTGGG
GGACTGCCTGGTGGAGCCCTTCTGGCCCTGGGCACTGGAGTGGACGGGGCTTCTGGC
AGCCTTTGATGCAGCCTGGATGGTGAAGCGGTGGGCAGAGGGCGCTGAGTCCCTAGAGGT
GTTGGCTGAGCGTGAGAGCCTGTACCAGCTTCTGTACAGACATCCCCAGAAAACATGCA
TTGCAATGTGGCCAGTATGGGCTGGACCCAGCCACCCGCTACCCCAACCTGAACCTCCG
GGCAGTGACTCCAATCAGGTACGAGACCTGTATGATGTGCTAGCCAAGGAGCCTGTGCA

```



[View online »](#)

GAGGAACAACGACAAGACAGATACAGGGATGCCAGCCACCGGGTCGGCAGGCACCCAGGA
 GGAGCTGTACGCTGGTCCAGGAGCAGACAGCTGGGTACCCGGGAGTCCACGTCTCCGA
 TTTGTCTTCTCTGGGCTGATGGGCTAGCTCTGTGTGCCTGGTGTACCGGCTGCAGCC
 TGGCCTGCTGGAACCTCAGAGCTGCAGGGGCTGGGAGCTCTGGAAGCAACTGCTTGGGC
 ACTAAAGTGGCAGAGAATGAGCTGGGCATCACACCGTGGTGTCTGCACAGGCCGTGGT
 AGCAGGGAGTGACCCACTGGGCTCATTGCCTACCTCAGCCACTCCACAGTGCCTCAA
 GAGCATGGCCACAGCCAGCCCTGTCAAGCCAGGCTCCAGGGACCTCCAGTGTGT
 ATTATTCCTTAGTAACTTCAGAGGACCTGCAGCGATCCCGGGCAAGGAAAATGCAGA
 GGATGCTGGTGGCAAGAAGCTGCCTTGGAGATGGAGGCCGAGACCCCAAGTACTGAGGT
 GCCACCTGACCCAGAGCCTGGTGTACCCCTGACACCCCATCCCAACACCAGGAGGCCGG
 TGCTGGGACCTGTGTCACTTTGTGGGAACACCTCTATGTCCTGGAACGCCTCTGTGT
 CAACGGCCATTTCTCCACCGAGCTGCTCCGCTGCCATACCTGTGAGGCCACACTGTG
 GCCAGGTGGTACGAGCAGCACCAGGAGATGGACATTTCTACTGCCTCCAGCACCTGCC
 CCAGACAGACCACAAAGCGGAAGGCAGCGATAGAGGCCCTGAGAGTCCGGAGCTCCCCAC
 ACCAAGTGAGAAATAGCATGCCACCAGGCCTCTCAACTCCACAGCCTCGCAGGAGGGGGC
 CGGTCTGTTCCAGATCCAGCCAGCCACCCGTCGGCAGATCCGCTCTCCAGCCCGGA
 GCGCCAGCGGTTGTCTCCCTAACCTTACCCCTGACCCGAAATGGAGCCTCCACCCAA
 GCCTCCCCGAGCTGCTCCGCTTGGCCCGCCACGCCCTGGAGAGCAGCTTTGTGGGCTG
 GGGCCTGCCAGTCCAGAGCCCTCAAGCTTTGTGGCCATGGAGAAGGAGGAAAAAGAGAG
 TCCCTTCTCCAGTGAAGAGGAAGAAGAAGATGTGCCTTTGGACTCAGATGTGGAACAGGC
 CCTGCAGACCTTTGCCAAGACCTCAGGCACCATGAATAACTACCAACATGGCGTCGGAC
 TCTGCTGCGCCGTGCGAAGGAGGAGGAGATGAAGAGTTCTGCAAGGCCAGACCATCCA
 AGGCTGAGCTAAATGAGATTGAGGCTGCCCTGAGGGAGTAGAGGCCGAGGGCGTGAAGT
 GGAGCTGGCCTTGAAGGCCAGAGCAGTTCCCCAGAACGCAAAAAGAACTATGGGTAGG
 ACAGCTGTACAGCTCGTTGACAAGAAAAACAGCCTGGTGGCTGAGGAGGCCGAGCTCAT
 GATCACGGTGCAGGAATTGAATCTGGAGGAGAAACAGTGGCAGCTGGACCAGGAGCTACG
 AGGCTACATGAACCGGGAAGAAACCTAAAGACAGCTGCTGATCGGCAGGCTGAGGACCA
 GGTCTGAGGAAGCTGGTGGATTTGGTCAACCAGAGAGATGCCCTCATCCGCTTCCAGGA
 GGAGCGCAGGCTCAGCGAGCTGGCCTTGGGGACAGGGGCCAGGGCTAGACGAGGGTGGG
 CCGTCTGCTTTCGTTCCACAAAGAAAGCACCTCACCCAGCACAGTGCCACCCCTGTTT
 ATCTGGGCTGCCTGGCAGAGAGCCTTGTGTTTACAATTAATGTTTCTGCCAAAAAAA
 AA
 AA

5' Read Nucleotide Sequence:

>OriGene 5' read for BC052983 unedited
 NGAGTTCTTAATTTGTAATACCCTTACTATAGGGCGCCGCAATTCGGGATCTGCTG
 CCCTCCCCAGAAGCCTCCTGGCTTACCTACCTCCACCAACCCAGCGCATGCCACTTTG
 AGAGCTTCTGCAAGGCCAGCTGTGCCAGGACGTGCTGAGCAGCTTCCAGGAGCTGTGTG
 GGGCCCTGGGGCTGGAACCCGGTGGGGGCTGCCCAAGTACCACAAGATCAAGGACCAGC
 TCAACTACTGGAGCGCAAGTCACTGTGGACCAAGCTGGACAAGCGAGCAGGCCAGCCTG
 TCTACCAGCAGGGCCGGGCTGCACCAGCACAAGTGCCTGGTGGTGGGTGCTGGACCTT
 GCGGGCTGCGGGTGTGGAGCTGGCGCTGTGGGGCCCGAGTGGTGTGGTGGAAA
 AGCGCACCAAGTTCTCTGCCACAACGTGCTCCACCTCTGGCCCTTACCATCCACGACC
 TGCGGGCACTCGGTGCTAAGAAGTTCTACGGGCGCTTCTGCACCGGCACCTGGACCACA
 TCAGCATCAGGCAGCTCCAGCTGCTTCTGCTGAAGGTAGCATTGCTGCTGGGGTGGAAA
 TTCCTGGGGTGTCACTTTCACCTGGCCTCCAGCCCTCCTANGAAGGGGAGTGGCTGGC
 GTGCCAGCTCCAACCAACCCCTGCCAGCTGGCCAATATGAATTTGACGTCTTAA
 TCTCGGCTGCAGGAGGTAATTCGTCCTGAAAGCTTCAAAGTTCGAGAAATGCGAGGCA
 AACTGGCCATTGGCATCACAGCCAACTTTGTGAATGGACGCACCGTGGAGGAGACACAGG
 TGCCGGAGATCAGTGGTGTAGCCAGGATCTACACCAGAGCTTCTT

Restriction Sites:

NotI-NotI

ACCN:	BC052983
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC052983.1</u> , <u>AAH52983.1</u>
RefSeq Size:	3447 bp
Locus ID:	64780
Cytogenetics:	6q21
Gene Summary:	This gene encodes an enzyme that oxidizes methionine residues on actin, thereby promoting depolymerization of actin filaments. This protein interacts with and regulates signalling by NEDD9/CAS-L (neural precursor cell expressed, developmentally down-regulated 9). Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2015]