

Product datasheet for **SC126015**

MOV10 (BC009312) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MOV10 (BC009312) Human Untagged Clone
Tag:	Tag Free
Symbol:	MOV10
Synonyms:	DKFZp667O1423; FLJ32791; fSAP113; functional spliceosome-associated protein 113; gb110; KIAA1631; Mov10, Moloney leukemia virus 10, homolog; Mov10, Moloney leukemia virus 10, homolog (mouse); OTTHUMP00000013677; OTTHUMP00000013679; OTTHUMP00000013680
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for BC009312 edited

```

AGGGAAAGCTCAGGGCCGCAACTTCCAGCTGCAGCGGGACTTTTCAGTTTCATTTCCAC
GGACCCTCCTGCCTGGGCGCAGCCGCCCGCGATGCCAGTAAGTTCAGCTGCCGGCA
GCTCCGGGAGGCGGGCCAGTGTTCGAGAGTTTCTGGTCTGGGGACTGGACATGGA
GACAGATCGCGAGCGGCTGCGGACCATTATAACCGCGACTTCAAGATCAGCTTTGGGAC
CCCCGCCCTGGCTTCTCCTCCATGCTGTATGGAATGAAGATTGCAAATCTGGCTACGT
CACCAAGACTCGGGTCAGGTTCTTCAGACTCGACCGCTGGGCGGACTGCGGTTCCGAGA
AAAGAGGAGAATGAAGCTGGGGTCAGATATCAGCAAACACACAAGTCACTGCTAGCCAA
GATCTTTTATGACAGGGCTGAGTATCTTCATGGGAAACATGGTGTGGATGTGGAAGTCCA
GGGGCCCCATGAAGCCGAGATGGGCAGCTCCTTATCCGCTGGATTTGAACCGCAAAGA
GGTGTGACCCTGAGGCTTCGGAATGGCGGAACCCAGTCTGTTACCCTCACTCACCTCTT
CCCCTCTGCCGGACACCCAGTTTGTCTTCTACAATGAAGACCAGGAGTTGCCCTGTCC
ACTGGGCCCCGGTGAATGCTATGAACTCCATGTCCATTGAAGACCAGCTTTGTGGGCTA
CTTCCCAGCCACAGTGTCTGGGAGCTGCTGGGACCTGGGGAGTCGGGTTCAGAAGGAGC
CGGCACATTCTACATTGCCGCTTCTTGGCTGCCGTCGCCACAGCCCCCTGGCTGCACA
GCTGAAGCCCATGACTCCCTCAAGCGGACCCGGATCACCGGAAACCCTGTGGTGACCAA
TCGGATAGAGGAAGGAGAGACCTGACCGCGTAAGGGCTATGACCTGGAGTTAAGTAT
GGCGCTGGGGACATACTACCCACCTCCCCGCTCAGGCAGCTGCTCCCCATGCTTCTTCA
GGGAACAAGTATCTTCACTGCCCTAAGGAGATCGCAGAGATCAAGGCCAGCTGGAGAC
AGCCCTGAAGTGGAGGAACTATGAGGTGAAGCTGCGGCTGCTGCTGCACCTGGAGAACT
GCAGATGGAGCATGATATCCGGCACTATGACCTGGAGTCGGTCCCATGACCTGGGACCC
TGTGGACCAGAACCCAGGCTGCTCACGCTGGAGGTTCTGGAGTGAAGTGAAGAGCCGCC
CTCAGTCTACGGGGCGACCACCTGTTTGCCTTTTGTCCCTCGGAGACACACCAGGAGGA
CCCATCACATATAAGGGCTTTGTGCACAAGGTGGAATTGGACCGTGTCAAGCTGAGCTT
TTCCATGAGCCTCCTGAGCCGCTTTGTGGATGGGCTGACCTTCAAGTGAACCTTACCTT

```



View online »

CAACCGCCAGCCGCTGCGAGTCCAGCACCGTGCCTGGAGCTGACAGGGCGCTGGCTGCT
 GTGGCCATGCTCTTTCCTGTGGACCTCGGGACGTCCCCTGCTGCCCTCAGATGTGAA
 ACTCAAGCTGTACGACCGGAGTCTGGAGTCAAACCCAGAGCAGCTGCAGGCCATGAGGCA
 CATTGTTACGGGCACCACCCGTCCAGCCCCCTACATCATCTTTGGGCCTCCAGGCACCGG
 CAAGACTGTCACGTTAGTGGAGGCAATTAAGCAGGTGGTGAAGCACTTGCCCAAAGCCCA
 CATCTTGGCCTGCGCTCCATCCAACCTCAGGGCTGACCTACTCTGTCAAAGGCTCCGGGT
 CCACCTTCTAGCTCCATCTACCGCCTCCTGGCCCCAGCAGGGACATCCGCATGGTACC
 TGAGGACATCAAGCCCTGCTGCAACTGGGACGCAAAGAAGGGGGAGTATGTATTTCCCGC
 CAAGAAGAAGCTGCAGGAATACCGGTCTTAATTACCACCTCATCACTGCCGGCAGGTT
 GGTCTCGGCCAGTTTCCATTGATCACTTACACACATCTTCATCGATGAGGCTGGCCA
 CTGCATGGAGCCTGAGAGTCTGGTAGCTATAGCAGGGCTGATGGAAGTAAAGGAAACAGG
 TGATCCAGGAGGGCAGCTGGTCTGGCAGGAGACCCTCGGCAGCTGGGGCCTGTGCTGCG
 TTCCCACTGACCAGAAGCATGGACTGGGATACTCACTGCTGGAGCGGCTGCTCACCTA
 CAACTCCCTGTACAAGAAGGGCCCTGATGGCTATGACCCCAAGTTCATAACCAAGCTGCT
 CCGCAACTACAGGTCTCATCCCACCATCCTGGACATTCCTAACCCAGCTCTATTATGAAGG
 GGAGCTGCAGGCCTGTGCTGATGTCGTGGATCGAGAACGTTCTGCCGCTGGGCGGGCCT
 ACCTCGACAGGGCTTTCCCATCATCTTTCACGGCGTAATGGGCAAAGATGAGCGTGAAGG
 CAACAGCCATCCTTCTTCAACCCTGAAGAGGCTGCCACAGTGACTTCTACCTGAAGCT
 GCTCCTGGCCCCCTCCTCCAAGAAGGGCAAAGCTGCCTGAGCCCTCGAAGTGTGGGCGT
 CATCTCCCGTACCGGAAACAGGTGGAGAAAATCCGTTACTGCATCACCAAAATTGACAG
 GGAGCTTCGAGGACTGGATGACATCAAGGACTTGAAGTGGGTTCAAGTAGAAGAATTCCA
 AGGCCAAGAACGAAGCGTCATCCTCATCTCCACCGTGCAGGAGCCAGAGCTTTGTGCA
 GCTGGACTCTGGACTTTAATCTGGGTTTCTTAAGAACCCTAAGAGTTCAATGTAGCTGT
 GACCCGGGCCAAGGCCCTGCTCATCTGTTGGGAAACCCCTTCTCCTGGGCCATGACCC
 TGACTGGAAGTATTCTGGAGTCTGTAAAGAAAACGGAGGATACCGGGTGTCCCTT
 CCCTGCCAAACTGGACCTGCAACAGGGACAGAATTTACTGCAAGGTCTGAGCAAGCTCAG
 CCCCTCTACCTCAGGGCCCCACAGCCATGACTACCTCCCCAGGAGCGGGAGGGTGAAGG
 GGGCCTGTCTCTGCAAGTGGAGCCAGAGTGGAGGAATGAGCTCTGAAGACACAGCACCCA
 GCCTTCTCGCACCAGCAAGCCTTAAGTGCCTGCCTGACCCTGAACCAGAACCAGCTGA
 ACTGCCCTCCAAGGGACAGGAAGGCTGGGGGAGGGAGTTTACAACCAAGCCATTCCAC
 CCCCTCCCTGCTGGGGAGAATGACACATCAAGCTGCTAACAATTGGGGGAAGGGGAAGG
 AAGAAAATCTGAAAACAAAATCTTGTCTATGCAAAAAAAAAAAAAAAAAA

5' Read Nucleotide Sequence:

>OriGene 5' read for BC009312 unedited
 NAAGTCAAATTTGTATACGACTCATATAGGGCGCCGCGAATTCGCACGAGGNAGGGAA
 AGCTCAGGGCCGCAACTTCCAGCTGCAGCGGCGACTTTCAGTTTCATTTCCACGGACCC
 TCCTGCCTGGGCCGAGCCGCCCGCGATGCCAGTAAGTTCAGCTGCCGGCAGCTCCG
 GGAGGCGGGCCAGTGTTCGAGAGTTTCTGGTCTTCGGGGACTGGACATGGAGACAGA
 TCGCGAGCGGCTCGGGACATTTATAACCGCGACTTCAAGATCAGCTTTGGGACCCCGC
 CCCTGGCTTCTCCTCCATGCTGTATGGAATGAAGATTGCAAACTGGCCTACGTCACCAA
 GACTCGGGTCAGGTTCTTCCAGACTCGACCGCTGGGCCGACGTGCGGTTCCAGAAAAGAG
 GAGAATGAAGCTGGGGTCAAGATATCAGCAAACACCACAAGTCACTGCTAGCCAAGATCTT
 TTATGACAGGGCTGAGTATCTTCATGGGAAACATGGTGTGGATGTGGAAGTCCAGGGCC
 CCATGAAGCCCGAGATGGGCAGCTCCTTATCCGCTGGATTTGAACCGCAAAGAGGTGCT
 GACCTGAGGCTTCGGAATGGCGGAACCCAGTCTGTTACCCTCACTCACCTTCCCCTACT
 CTGCCGGACACCCAGTTTGTCTTCTACAATGAAGACCAGGAGTTGCCCTGTCCACTGGG
 CCCCGGTGAATGCTATGAACTCCATGTCCATTGTAAAGACCAGCTTTGTGGGCTACTTCCC
 AGCCACAGTGTCTGGGAGCTGTGGGACCTGGGGAGTNGGTTGAGAAGGAGCCGCACA
 TTCTACATTGCCGCTTCTGCTGCCGTCGCCAAGCCCCCTGGCTGACAGCTGAAGCCAT
 GACTCCCTTCA

Restriction Sites:

Please inquire

ACCN:	BC009312
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC009312.2 , AAH09312.1
RefSeq Size:	3352 bp
Locus ID:	4343
Cytogenetics:	1p13.2
Gene Summary:	5' to 3' RNA helicase contributing to UPF1 mRNA target degradation by translocation along 3' UTRs (PubMed:24726324). Required for microRNA (miRNA)-mediated gene silencing by the RNA-induced silencing complex (RISC). Required for both miRNA-mediated translational repression and miRNA-mediated cleavage of complementary mRNAs by RISC (PubMed:16289642, PubMed:17507929, PubMed:22791714). In cooperation with FMR1, regulates miRNA-mediated translational repression by AGO2 (PubMed:25464849). Restricts retrotransposition of long interspersed element-1 (LINE-1) in cooperation with TUT4 and TUT7 counteracting the RNA chaperone activity of L1RE1 (PubMed:30122351, PubMed:23093941). Facilitates LINE-1 uridylation by TUT4 and TUT7 (PubMed:30122351). Required for embryonic viability and for normal central nervous system development and function. Plays two critical roles in early brain development: suppresses retroelements in the nucleus by directly inhibiting cDNA synthesis, while regulates cytoskeletal mRNAs to influence neurite outgrowth in the cytosol (By similarity). May function as a messenger ribonucleoprotein (mRNP) clearance factor (PubMed:24726324).[UniProtKB/Swiss-Prot Function]