

Product datasheet for **SC126494**

TTC35 (EMC2) (NM_014673) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TTC35 (EMC2) (NM_014673) Human Untagged Clone
Tag:	Tag Free
Symbol:	TTC35
Synonyms:	KIAA0103; TTC35
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL6</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_014673, the custom clone sequence may differ by one or more nucleotides

```
ATGGCGAAGGTCTCAGAGCTTTACGATGTCACTTGGGAAGAAATGAGAGATAAAATGAGAAAATGGAGAG
AAGAAAATCAAGAAATAGTGAGCAAATGTGGAAGTTGGAGAAGAATTAATTAATGAATATGCTTCTAA
GCTGGGAGATGATATTTGGATCATATATGAACAGGTGATGATTGCAGCACTAGACTATGGTCGGGATGAC
TTGGCATTGTTTTGTCTCAAGAGCTGAGAAGACAGTTCCTGGCAGTCACAGAGTCAAGCGATTAACAG
GCATGAGATTTGAAGCCATGGAAAGATATGATGATGCTATACAGCTATATGATAGGATTTTACAAGAAGA
TCCAATAACACTGCTGCAAGAAAGCGTAAGATTGCCATTCGAAAAGCCCAGGGGAAAAATGTGGAGGCC
ATTCGGGAGCTGAATGAGTATCTGGAACAATTTGTTGGAGACCAAGAAGCCTGGCATGAACCTGCAGAAC
TTTACATCAATGAACATGACTATGCAAAAAGCAGCCTTTTGTGTTAGAGGAACTAATGATGACTAATCCACA
CAACCACTTATACTGTCAGCAGTATGCTGAAGTTAAGTATACCCAAGGTGGACTTGAAAACCTCGAACTT
TCAAGAAAGTATTTTGCACAGGCATTGAAACTGAACAACAGAAATATGAGAGCTTTGTTGGACTTTATA
TGTTCGGCAAGTCATATTGCTTCTAATCCAAAAGCAAGTGCAAAAACGAAAAGGACAACATGAAATATGC
TAGTTGGGCAGCTAGTCAAATAAACAGAGCTTATCAGTTTGCAGGTGCAAGTAAGAAGGAAACCAATAT
TCTCTTAAGGCTGTCGAAGACATGTTGAAACATTGCAGATCACCCAGTCTTAA
```



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_014673 unedited CCCATTTCCCGCCCGTTGCCGATTGGGCGGCAGGCGTGTCCGGTGGGAGGTCTATAT AAGCAGATTTTCATTTAGGTGACACTATAGAATACAAGCTACTTGTCTTTTTGCAGCGGC CGCGAATTCGGCACGAGGGGAAGATGGCGAAGGTCTCAGAGCTTTACGATGTCACCTGGG AAGAAATGAGAGATAAAATGAGAAAATGGAGAGAAGAAAACCAAGACATAGTGAGCAAA TTGTGGAAGTTGGAGAAGAATTAATTAATGAATATGCTTCTAAGCTGGGAGATGATATTT GGATCATATATGAACAGGTGATGATTGCAGCACTAGACTATGGTCGGGATGACTTGGCAT TGTTTTGTCTTCAAGAGCTGAGAAGACAGTTCCCTGGCAGTCACAGAGTCAAGCGATTAA CAGGCATGAGATTTGAAGCCATGCAAAGATATGATGATGCTATACAGCTATATGATAGGA TTTTACAAGACGATCCAACCTAAGCTGCTGCAAGAAAAGCGTAAGAGTGCCATTCGAAAAG CCCAGGGGAAAAATGTGGAGGCCATTCGGGAGCTGAATGAGTATCTGGAACAATTTGTTG GAGACCAAGACAGCCTGGCATGAACTTGCAGAACCTTACATCAATGAACATGACTATGCA AAAGCAGTCTTTTGTAGAGGAACTAATGATGACTAATCCACACAACCCTTATACTGT CAGCAGTATGCTGAAGTTAAGTATACCCAAGGTGGACTTGAACACCTCGAACTTTCAAGA GAGTATTTTGCACAGGCATTGAACTGAACACTAGAATATGAGAGCCTTGTTTGGACTTA TTATGTGCAGTCATATTGCTTCTAATCCAACAGCAGTGCACAACGCACAAGGACACATG AATATGCTAGTTGGGCGCTAGTCCAATAACAGG
Restriction Sites:	NotI-NotI
ACCN:	NM_014673
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_014673.2 , NP_055488.1
RefSeq Size:	1273 bp
RefSeq ORF:	894 bp
Locus ID:	9694
UniProt ID:	Q15006
Cytogenetics:	8q23.1
Domains:	TPR
Protein Families:	Protease

Gene Summary:

Part of the endoplasmic reticulum membrane protein complex (EMC) that enables the energy-independent insertion into endoplasmic reticulum membranes of newly synthesized membrane proteins (PubMed:30415835, PubMed:29809151, PubMed:29242231, PubMed:32459176, PubMed:32439656). Preferentially accommodates proteins with transmembrane domains that are weakly hydrophobic or contain destabilizing features such as charged and aromatic residues (PubMed:30415835, PubMed:29809151, PubMed:29242231). Involved in the cotranslational insertion of multi-pass membrane proteins in which stop-transfer membrane-anchor sequences become ER membrane spanning helices (PubMed:30415835, PubMed:29809151). It is also required for the post-translational insertion of tail-anchored/TA proteins in endoplasmic reticulum membranes (PubMed:29809151, PubMed:29242231). By mediating the proper cotranslational insertion of N-terminal transmembrane domains in an N-exo topology, with translocated N-terminus in the lumen of the ER, controls the topology of multi-pass membrane proteins like the G protein-coupled receptors (PubMed:30415835). By regulating the insertion of various proteins in membranes, it is indirectly involved in many cellular processes (Probable). [UniProtKB/Swiss-Prot Function]