

Product datasheet for **SC126778**

SEP15 (NM_004261) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SEP15 (NM_004261) Human Untagged Clone
Symbol:	SEP15 (SEP15)
Synonyms:	SEP15
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL6</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene ORF within SC126778 sequence for NM_004261 edited (data generated by NextGen Sequencing)

```
ATGGTAGCGATGGCGGCTGGGCCGAGTGGGTGTCTGGTGCCGGCGTTTGGGCTACGGTTG
TTGTTGGCGACTGTGCTTCAAGCGGTGTCTGCTTTTGGGCAGAGTTTTTCATCGGAGGCA
TGCAGAGAGTTAGGCTTTTCTAGCAACTTGCTTTGCAGCTCTTGTGATCTTCTCGGACAG
TTCAACCTGCTTCAGCTGGATCCTGATTGCAGAGGATGCTGTCAGGAGGAAGCACAAATTT
GAAACCAAAAAGCTGTATGCAGGAGCTATTCTTGAAGTTTGTGGATGAAAATTGGGAAGG
TTCCCTCAAGTCCAAGCTTTTGTAGGAGTGATAAACCCAACTGTTTCAGAGGACTGCAA
ATCAAGTATGTCCGTGGTTCAGACCCTGTATTAAGCTTTTGGACGACAATGGGAACATT
GCTGAAGAAGTGAAGCATTCTCAAATGGAACACAGACAGTGTAGAAGAATTCCTGAGTGAA
AAGTTGGAACGCATATAA
```

Clone variation with respect to NM_004261.3



[View online »](#)

5' Read Nucleotide Sequence:	>OriGene 5' read for NM_004261 unedited TCTATTACCGCCCGTTGNCNCAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAG CAGAGCTCATTTAGGTGACACTATAGAATACAAGCTACTTGTCTTTTTGCAGCGGCCGC GAATTCGGCAGAGGGGAAAGTGCCTGGTTTGGTAATCGAAAGCACCCAGTGATTGTAT TTGATGACTTTTAAGCTTTCATATGCCGTTATTTAATACCTGTCACTTCCAAATGAGAGA TGTAAGGGCAACGGCCGTTAGCGTCTGTTTTGGATCAGGCTCTGGAGTGGACGCCCTA GCTTAGGGTCTTCTAGGCAGCCAGAAACCTGCGGAAAATGGTAGCGATGGCGGCTGGG CCGAGTGGGTGTCTGGTCCCGGCTTTGGGCTACGGTTGTTGTTGGCGACTGTGCTTCAA GCGGTGTCTGCTTTTGGGCAGAGTTTTTCATCGGAGGCATGCAGAGAGTTAGGCTTTTCT AGCAACTTGCTTTCAGCTCTTGTGATCTTCTCGGACAGTTCAACCTGCTTCAGCTGGAT CCTGATTGCAGAGGATGCTGTCAGGAGGAAGCACAATTTGAAACCAAAAAGCTGTATGCA GGAGCTATTCTTGAAGTTTGTGGATGAAAATTGGGAAGTTCCCTCAAGTCCAAGCTTTT GTTAGGAGTGATAAACCCAAACCTGTCAGAGGACTGCAATCAAGTATGTCGGTGGTTCA GACCCTGATTAAGCTTTTTGGACGACAATGGGAACATTGCTGAAGAAGTGAACATCCTC AATGGAACCCAGACAGTGTAATAAATTCCTGATGAAAATGTGAACCCTTTAAAATTGCT TAAATTTGGGCTATCCTTTGTTCTTTCCAATGAAATTCGGGCACCTAAAAAATTTAGT TTGCTGCTTCATTGATAGCTTTACTA
Restriction Sites:	NotI-NotI
ACCN:	NM_004261
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). The expression of this clone is not guaranteed due to the nature of selenoproteins.
OTI Annotation:	This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is encoded by UGA codon, which normally signals translational termination. Expression of this clone is not guaranteed due to the nature of selenoproteins.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_004261.3</u> , <u>NP_004252.2</u>
RefSeq Size:	1851 bp
Locus ID:	9403
UniProt ID:	<u>O60613</u>
Cytogenetics:	1p22.3

Gene Summary:

The protein encoded by this gene belongs to the SEP15/selenoprotein M family. The exact function of this protein is not known; however, it has been found to associate with UDP-glucose:glycoprotein glucosyltransferase (UGTR), an endoplasmic reticulum(ER)-resident protein, which is involved in the quality control of protein folding. The association with UGTR retains this protein in the ER, where it may play a role in protein folding. It has also been suggested to have a role in cancer etiology. This protein is a selenoprotein, containing the rare amino acid selenocysteine (Sec). Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Nov 2016]

Transcript Variant: This variant (1) represents the predominant transcript and encodes the longer isoform (1).