

Product datasheet for **SC126974**

Aconitase 1 (ACO1) (NM_002197) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Aconitase 1 (ACO1) (NM_002197) Human Untagged Clone
Tag:	Tag Free
Symbol:	Aconitase 1
Synonyms:	ACONS; HEL60; IREB1; IREBP; IREBP1; IRP1
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene ORF within SC126974 sequence for NM_002197 edited (data generated by NextGen Sequencing)

```

ATGAGCAACCCATTGCGCACCTTGCTGAGCCATTGGATCCTGTACAACCAGGAAAGAAA
TTCTTCAATTTGAATAAATTGGAGGATTCAAGATATGGGCGCTTACCATTTTCGATCAGA
GTTCTTCTGGAAGCAGCCATTCGGAATTGTGATGAGTTTTTGGTGAAGAAACAGGATATT
GAAAATATTCTACATTGGAATGTCACGCAGCACAAGAACATAGAAGTGCCATTTAAGCCT
GCTCGTGCATCCTGCAGGACTTTACGGGTGTGCCCGCTGTGGTTGACTTTGCTGCAATG
CGTGATGCTGTGAAAAAGTTAGGAGGAGATCCAGAGAAAAATAAACCCCTGTCTGCCCTGCT
GATCTTGAATAGATCATTCCATCCAGGTTGATTTCAACAGAAGGGCAGACAGTTTACAG
AAGAATCAAGACCTGGAATTTGAAAGAAAATAGAGAGCGATTTGAATTTTTAAAGTGGGGT
TCCCAGGCTTTTCAACATGCGGATTATCCCCCTGGCTCAGGAATCATCCACCAGGTG
AATTTGGAATATTTGGCAAGAGTGGTATTTGATCAGGATGGATATTATTACCCAGACAGC
CTCGTGGGCACAGACTCGCACACTACCATGATTGATGGCTTGGCATTCTGGTTGGGGT
GTCGGTGGTATTGAAGCAGAAGCTGTCATGCTGGGTGAGCAATCAGTATGGTGTCTCT
CAGGTGATTGGCTACAGGCTGATGGGGAAGCCCCACCCTCTGGTAACATCCACTGACATC
GTGCTCACCATTACCAAGCACCTCCGCCAGGTTGGGGTAGTGGGCAAATTTGTCGAGTTC
TTCGGGCTGGAGTAGCCAGTTGTCCATTGCTGACCGAGCTACGATTGCTAACATGTGT
CCAGAGTACGGAGCAACTGCTGCCTTTTTCCCAGTTGATGAAGTTAGTATCACGTACCTG
GTGCAACAGGTCGTGATGAAGAAAAATTAAGTATATTAATAAATATCTTCAGGCTGTA
GGAATGTTTTGAGATTTCAATGACCCTTCTCAAGACCCAGACTTCACCCAGGTTGTGGAA
TTAGATTTGAAAACAGTAGTGCCTTGTGTAGTGGACCCAAAAGGCTCAGGACAAAAGTT
GCTGTGTCGACATGAAAAAGGACTTTGAGAGCTGCCTTGGAGCCAAGCAAGGATTTAAA
GGATTTCAAGTTGCTCCTGAACATCATAATGACCATAAGACCTTTATCTATGATAACACT
GAGTTCCACCTTGTCTGATGTTCTGTGGTCTGCTGCCATTACTAGCTGCACAAACACC
AGTAATCCGTCGTGATGTTAGGGGCAGGATTGTTAGCAAAGAAAAGCTGTGGATGCTGGC
CTGAACGTGATGCCTTACATCAAACTAGCCTGTCTCCTGGGAGTGGCGTGGTCACCTAC
TACCTACAAGAAAGCGGAGTCATGCCTTATCTGTCTCAGCTTGGGTTTGACGTGGTGGGC
TATGGCTGCATGACCTGCATTGGCAACAGTGGGCTTTACCTGAACCTGTGGTAGAAGCC
ATCACACAGGGAGACCTTGTAGCTGTTGGAGTACTATCTGGAAACAGGAATTTTGAAGGT
CGAGTTACACCCCAACACCCGGGCAACTATTTAGCCTCTCCCCCTTAGTAATAGCATAT
GCAATTGTGGAACCATCAGAATCGACTTTGAGAAAGAGCCATTGGGAGTAAATGCAAAG
GGACAGCAGGTATTTCTGAAAGATATCTGGCCGACTAGAGACGAGATCCAGGCAGTGGAG
CGTCAGTATGTCATCCCGGGGATGTTTAAAGGAAGTCTATCAGAAAATAGAGACTGTGAAT
GAAAGCTGGAATGCCTTAGCAACCCCATCAGATAAGCTGTTTTTCTGGAATTCAAATCT
ACGTATATCAAATCACCACCATTTCTTTGAAAACCTGACTTTGGATCTTCAGCCCCCTAAA
TCTATAGTGGATGCCTATGTGCTGCTAAATTTGGGAGATTCGGTAACAACCTGACCACATC
TCCCCAGCTGGAAATATTGCAAGAAACAGTCTGCTGCTGCTACTTAACTAACAGAGGC
CTAACTCCACGAGAATTCAACTCCTATGGCTCCCGCCGAGGTAATGACGCCGTGATGGCA
CGGGGAACATTTGCCAACATTCGCTTGTAAACAGATTTTTGAACAAGCAGGCACCACAG
ACTATCCATCTGCCTTCTGGGAAATCCTTGATGTGTTTGTATGCTGCTGAGCGGTACCAG
CAGGCAGGCTTCCCCTGATCGTTCTGGCTGGCAAAGAGTACGGTGCAGGCAGCTCCCGA
GACTGGGCAGCTAAGGGCCCTTCTGCTGGGAATCAAAGCCGTCTGGCCGAGAGCTAC
GAGCGCATTACCCGAGTAACCTGGTTGGGATGGGTGTGATCCCCTTGAATATCTCCCT
GGTGAGAAATGCAGATGCCCTGGGGCTCACAGGGCAAGAACGATACACTATCATTATTCCA
GAAAACCTCAAACCACAAATGAAAGTCCAGGTCAAGCTGGATACTGGCAAGACCTTCCAG
GCTGTCATGAGGTTTGACACTGATGTGGAGCTCACTTATTTCTCAACGGGGGCATCCTC
AACTACATGATCCGCAAGATGGCCAAGTAG
    
```

Clone variation with respect to NM_002197.2
1263 a=>g

5' Read Nucleotide Sequence: >OriGene 5' read for NM_002197 unedited
 GGCCGCGAATTCGGCACCAGCGCACGGGAACGCGTCCCCTGCTTGGGTGAGTTTCGCCG
 GTCGCGGGAGCCCCGCGTGCAGTCGGAGGAACACGTGGCCATCAGTAATCATGAGCAAC
 CCATTCGCACACCTTGTCTGAGCCATTGGATCCTGTACAACCAGGAAAGAAATTTCTCAAT
 TTGAATAAATTGGAGGATTCAAGATATGGGCGCTTACCATTTTCGATCAGAGTCTTCTG
 GAAGCAGCCATTCGGAATTGTGATGAGTTTTTGGTGAAGAAACAGGATATTGAAAATATT
 CTACATTGGAATGTCACGCAGCACAAGAACATAGAAGTGCCATTTAAGCCTGCTCGTGTC
 ATCCTGCAGGACTTTACGGGTGTGCCCGCTGTGGTTGACTTTGCTGCAATGCGTGATGCT
 GTGAAAAAGTTAGGAGGAGATCCAGAGAAAATAAACCTGTCTGCCCTGCTGATCTTGTA
 ATAGATCATTCCATCCAGTTGATTTCAACAGAAGGGCAGACAGTTTACAGAAGAATCAA
 GACCTGGAATTTGAAAGAAATAGAGAGCGATTTGAATTTTTAAAGTGGGGTTCCAGGCT
 TTTCAACATGCGGATTATCCCCTGGCTCAGGAATCATCCACCAGGTGAATTTGGAA
 TATTTGGNCAGAGTGGTATTTGATCAGGATGGATATTATTACCCAGACAGCCTCGTGGG
 ACAGACTCGCACACTACCT

3' Read Nucleotide Sequence: >OriGene 3' read for NM_002197 unedited
 CGCATTGTGCTGAANCGCGCCCGCAAACCTACCAGTCGAGCTTTTTTTTTTTTTTTTTTTT
 TTCATGAAAAAGATTCATTTTCAATCAAATCAGAAATGTGTTCTCCAAACCGCTCCAC
 AAAGGTCTCTGCTTGATCAATGAAAAGATAGTAAAAGAAACCTTACATTTCTTTTTATG
 TGGATCTATTAAGGGTACATAATCAAAACAACTTAACACCCGACCTATCCATGAGGAG
 TCTGGATGATTCCTGACGAAAAGGGGAGAGAAGAGAGAATCACTGCTCTGATTCTGA
 AGCGTGAACGTTCTTATCTATGCCACTCACCCTGGTATACTTAATACTGACGGGAAAC
 TGACCTTCAAAAGGAAGGCTTATTGACCAGACCGTAACAGGAACAATACGAGGGCAGGA
 GACACCTCCTGAGAAGGATTGCTTGCGCTCAGCTGACCATTACTCGGAACCCACTAACAC
 CCCATCGTCTGCGACCACTCACTTTAACAGACCCCTTGGCTTCTATCTTTCTGCCAATA
 CTGCCATCCCCCCTTCTACCTCCACATTCTGCACACCGACATGACGCTACCACCCC
 TTCCGACTGCACTACCCTCCTGCCTCCGTTCTCCACGGATTGGCACCAAAACCTCTGGGC
 TCACTTCTTTTTTTTACCGACCAACCCCTACCACAAGAACTCGTGAGGACTTTTCAAC
 CGGGATTTGTAATACCTGTAGCATCCGCCTACCTCCTTTGCACCCACCATCACAACCTCA
 CCATCCCCCTACACCCCCTATCTACCACACTGCCACAATTAACCTTTCCCCACG
 TTCCACCCTAAATATCCGCCCATCCACATACACATATCCCTCCTCTACTTCCATCCCTA
 CTCTACGCGCTCTATCAAACTCACAACCACATGCTCATCGGCCACTTTACCTCAACN
 ACCACCTACCGCTCTTACCTACAATAAG

Restriction Sites: NotI-NotI

ACCN: NM_002197

Insert Size: 3460 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002197.1 , NP_002188.1
RefSeq Size:	3498 bp
RefSeq ORF:	2670 bp
Locus ID:	48
UniProt ID:	P21399
Cytogenetics:	9p21.1
Domains:	Aconitase_C, aconitase
Protein Families:	Druggable Genome
Protein Pathways:	Citrate cycle (TCA cycle), Glyoxylate and dicarboxylate metabolism, Metabolic pathways
Gene Summary:	<p>The protein encoded by this gene is a bifunctional, cytosolic protein that functions as an essential enzyme in the TCA cycle and interacts with mRNA to control the levels of iron inside cells. When cellular iron levels are high, this protein binds to a 4Fe-4S cluster and functions as an aconitase. Aconitases are iron-sulfur proteins that function to catalyze the conversion of citrate to isocitrate. When cellular iron levels are low, the protein binds to iron-responsive elements (IREs), which are stem-loop structures found in the 5' UTR of ferritin mRNA, and in the 3' UTR of transferrin receptor mRNA. When the protein binds to IRE, it results in repression of translation of ferritin mRNA, and inhibition of degradation of the otherwise rapidly degraded transferrin receptor mRNA. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Alternative splicing results in multiple transcript variants [provided by RefSeq, Jan 2014]</p> <p>Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1, 2 and 3 encode the same protein.</p>