

Product datasheet for **SC126979**

KIFAP3 (NM_014970) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KIFAP3 (NM_014970) Human Untagged Clone
Tag:	Tag Free
Symbol:	KIFAP3
Synonyms:	dj190116.1; FLA3; KAP-1; KAP-3; KAP3; SMAP; Smg-GDS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC126979 representing NM_014970.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGCAAGGGGAGGACGCCAGATACCTCAAAGGAAAGTTAAAGGAGGGAATATAGATGTACATCCATCA
GAAAAAGCACTCATTGTTCACTATGAAGTGAAGCTACCATTCTTGAGAAATGGGGACCCCATGTTG
GGAGAACGAAAAGAAATGTCAAAAAATCATTGACTTAAGAGTCTCAATGCCAACACAGATAAATTCC
CTGGCAAGGAAGGTGGTTGAAGAATGTAAACTCATTATCCTTCAAACTAAATGAGGTAGAACAGCTG
TTGTACTATCTACAGAACCGCCGTGATTCATTGTCAGGAAAAGAGAAAAAGAAAAATCAAGCAAGCCT
AAAGATCCACCTCCTTTTGAAGGAATGGAGATTGATGAAGTTGCTAACATTAATGACATGGATGAATAT
ATTGAGTTATTATGAAGATATTCCTGACAAAGTTCGGGTTCTGCTTTGATCCTGCAGCTTGCTCGA
AATCCTGATAACTGGAAGAACTACTATTGAATGAACTGCCCTTGGTGCATTAGCAAGGGTCTGAGA
GAAGACTGGAAGCAAAGTGTGAGTTAGCTACAAACATAATTTACATCTTTTTTTGTTTCCAGCTTT
TCTCAATTTTCATGGACTTATTACTCACTATAAAATGGAGCTCTGTGTATGAATATTATTGATCATGAG
TAAAAAGACATGAGCTTTGGCAAGAAGAACTCTCAAAGAAGAAGAAAGCTGTTGATGAAGACCCTGAA
AACCAACCTTGAGAAAGGATTGAAAAACCTTTAAAAAGTACCAGGGGCTTGTGGTAAAACAGGAA
CAGCTATTACGAGTTGCTCTTTATTTGCTTCTGAATCTTGCTGAGGATACTCGTACCGAACTGAAAAATG
AGGAACAAGAACATAGTTCACATGTTGGTGAAGCCCTTGATCGGGACAATTTTGAGCTGCTAATTTTA
GTTGTGTCATTCTTGAAGAACTCAGCATTTTTATGGAGAATAAAAAATGATATGGTGGAAATGGATATT
GTTGAAAACTGGTGAAGATGATACCTTGTGAGCATGAAGACCTGCTGAATATCACCTCCGACTTTTA
CTAAACCTATCCTTTGACACAGGACTGAGGAATAAGATGGTACAAGTTGGACTGCTTCCCAAGCTCACT
GCACCTTAGGCAATGACAACACAAACAAATAGCAATGTGTCTTTACCACATAAGCATGGATGAC
CGCTTTAAATCAATGTTTGCATACACTGACTGTATACCACAGTTAATGAAGATGCTGTTGAATGTTCA
GATGAACGAATTGACTTGGAACTCATTTCTTTCTGCATTAATCTTGCTGTAACAAAAGAAATGTACAG
CTTATCTGTGAAGGAAATGGGCTGAAGATGCTCATGAAGAGGGCTCTGAAGTTTAAAGATCCATTGCTG
ATGAAAAATGATTAGAAACATTTCTCAGCATGATGGACCAACTAAAAATCTGTTTATTGATTATGTTGGG
GACCTTGACGCCAGATCTCTAATGATGAAGAAGAGGAGTTTGTGATTGAATGTTGGGAACTCTTGCA
AACTTGACCATTCCAGACTTAGACTGGGAATTGGTTCTTAAAGAATATAAGTTGGTTCCATACCTCAAG
GATAAACTAAAACCAGGTGCTGCAGAAGATGATCTTGTGTTTGAAGTGGTTATAATGATTGGAAGTGA
TCCATGGATGACTCTTGTGCTGCATTGCTAGCCAAATCTGGCATAATCCCTGCACCTATTGAATTGCTA
AATGCTCAACAAGAAGATGATGAATTTGTGTGTCAGATAATTTATGTCTTCTACCAGATGGTTTTCCAC
CAAGCCACAAGAGACGTCAATCAAGGAAACACAGGCTCCAGCATATCTCATAGACCTAATGCATGAT
AAGAATAATGAAATCCGAAAGGTCTGTGATAATACATTAGATATTATAGCGGAATATGATGAAGAATGG
GCTAAGAAAAATTCAGAGTGAAAAGTTTCGCTGGCATAACTCTCAGTGGCTGGAGATGGTAGAGAGTCGT
CAGATGGATGAGAGTGAGCAGTACTTGTATGGTGTGATCGAATTGAGCCATACATTATGAAGGAGAT
ATTCTCGAAAGACCTGACCTTTTCTACAACCTCAGATGGATTAATTGCCTCTGAAGGAGCCATAAGTCCC
GATTTCTTCAATGATTACCACCTTCAAATGGAGATGTTGTTGGGCAGCATTCAATTTCTGGCAGCCTT
GGAATGGATGGCTTTGGCCAACCAAGTTGGCATTCTTGGACGCCCTGCCACAGCATATGGATTCCGCCCT
GATGAACCTTACTACTATGGCTATGGATCTTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-Mlul
ACCN: NM_014970
Insert Size: 2379 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_014970.3](#)

RefSeq Size: 3011 bp

RefSeq ORF: 2379 bp

Locus ID: 22920

UniProt ID: [Q92845](#)

Cytogenetics: 1q24.2

Domains: Armadillo_seg

Protein Families: Druggable Genome

MW: 91.2 kDa

Gene Summary:

The small G protein GDP dissociation stimulator (smg GDS) is a regulator protein having two activities on a group of small G proteins including the Rho and Rap1 family members and Ki-Ras; one is to stimulate their GDP/GTP exchange reactions, and the other is to inhibit their interactions with membranes. The protein encoded by this gene contains 9 'Armadillo' repeats and interacts with the smg GDS protein through these repeats. This protein, which is highly concentrated around the endoplasmic reticulum, is phosphorylated by v-src, and this phosphorylation reduces the affinity of the protein for smg GDS. It is thought that this protein serves as a linker between human chromosome-associated polypeptide (HCAP) and KIF3A/B, a kinesin superfamily protein in the nucleus, and that it plays a role in the interaction of chromosomes with an ATPase motor protein. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2011]

Transcript Variant: This variant (1) encodes the longest isoform (1).