

Product datasheet for **SC127421**

PYK2 (PTK2B) (NM_173175) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PYK2 (PTK2B) (NM_173175) Human Untagged Clone
Tag:	Tag Free
Symbol:	PYK2
Synonyms:	CADTK; CAKB; FADK2; FAK2; PKB; PTK; PYK2; RAFTK
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL6</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_173175, the custom clone sequence may differ by one or more nucleotides

```

ATGTCTGGGGTGTCCGAGCCCTGAGTCGAGTAAAGTTGGGCACGTTACGCCGCCCTGAAGGCCCTGCAG
AGCCCATGGTGGTACCAGTAGATGTGGAAAAGGAGGACGTGCGTATCCTCAAGTCTGCTTCTATAG
CAACAGCTTCAATCCTGGGAAAACTTCAAAGTGGTCAAATGCACTGTCCAGACGGAGATCCGGGAGATC
ATCACCTCCATCCTGCTGAGCGGGCGGATCGGGCCCAACATCCGGTTGGCTGAGTGTATGGGCTGAGGC
TGAAGCACATGAAGTCCGATGAGATCCACTGGCTGCACCCACAGATGACGGTGGGTGAGGTGCAGGACAA
GTATGAGTGTCTGCACGTGGAAGCCGAGTGGAGGTATGACCTTCAAATCCGCTACTTGCCAGAAGACTTC
ATGGAGAGCCTGAAGGAGGACAGGACCACGCTGCTCTATTTTTACCAACAGCTCCGGAACGACTACATGC
AGCGCTACGCCAGCAAGGTGAGCAGGGCATGGCCCTGCAGCTGGGCTGCCTGGAGCTCAGGCGGTTCTT
CAAGGATATGCCCAACAATGCACTTGACAAGAAGTCAAATTCGAGCTCCTAGAAAAGGAAGTGGGGCTG
GACTTGTTTTTCCAAAGCAGATGCAGGAGAATTAAGCCCAACAGTTCGGAAAGATGATCCAGCAGA
CCTTCCAGCAGTACGCCCTCGCTCAGGGAGGAGGTGCGTCATGAAGTTCTTCAACTCTCGCCGGCTT
CGCCAACATCGACCAGGAGACCTACCGCTGTGAACCTATTCAAGGATGGAACATTAAGTGTGGACCTGGTC
ATTGGCCCTAAAGGGATCCGCCAGCTGACTAGTCAGGACGCAAAGCCACCTGCCTGGCCGAGTTAAGC
AGATCAGGTCCATCAGGTGCCTCCCGCTGGAGGAGGGCCAGGCAGTACTTCAGCTGGGCATTGAAGGTGC
CCCCCAGGCCCTTGTCCATCAAAACCTCATCCCTAGCAGAGGCTGAGAACATGGCTGACCTCATAGACGGC
TACTGCCGGCTGCAGGGTGAACCAAGGCTCTCTCATCATCCATCCTAGGAAAGATGGTGAAGAGCGGA
ACAGCCTGCCCCAGATCCCATGCTAAACCTGGAGGCCCGGGCGGTCCACCTCTCAGAGAGCTGCAGCAT
AGAGTCAGACATCTACGACAGAGATCCCGACGAAACCTGCGAAGGCCCGGAGGTCCACAGTATGGCATT
GCCCGTGAAGATGTGGTCTGAATCGTATTCTTTGGGGAAGGCTTTTTTTGGGGAGGTCTATGAAGGTCT
ACACAAATCACAAAGGGGAGAAAATCAATGTAGCTGTCAAGACCTGCAAGAAAGACTGCACTCTGGACAA
CAAGGAGAAGTTCATGAGCGAGGAGTGCATGAAGAACCTCGACCACCCGCACATCGTGAAGCTGATC
GGCATCATTGAAGAGGAGCCACCTGGATCATCATGGAATTGTATCCCTATGGGGAGCTGGGCCACTACC
TGGAGCGGAACAAGAACTCCCTGAAGGTGCTCACCCCTCGTGTACTACTGCAGATATGCAAAGCCAT
GGCCTACTGGAGAGCATCAACTGCGTGCACAGGGACATTGCTGTCCGGAACATCCTGGTGGCCTCCCT
GAGTGTGTGAAGCTGGGGACTTTGGTCTTTCCCGGTACATTGAGGACGAGGACTATTACAAAGCCTCTG
TGACTCGTCTCCCATCAAATGGATGTCCCCAGAGTCCATTAACCTCCGACGCTTACGACAGCCAGTGA
CGTCTGGATGTTGCGCGTGTGCATGTGGGAGATCTGAGCTTTGGGAAGCAGCCCTTCTTCTGGCTGGAG
AACAAAGGATGTCATCGGGGTGCTGGAGAAAGGAGACCGGCTGCCAAGCCTGATCTGTGCCACCGGTCC
TTTATACCTCATGACCCGCTGTGGGACTACGACCCAGTGACCGGCCCGCTTACCCGAGCTGGTGTG
CAGCCTCAGTGACGTTTATCAGATGGAGAAGGACATTGCCATGGAGCAAGAGAGGAATGCTCGTACCGA
ACCCCCAAAATCTTGGAGCCACAGCCTTCCAGGAACCCCAAGCCAGCCGACCTAAGTACAGAC
CCCCTCCGCAAACCAACCTCCTGGCTCCAAAGTGCAGTTCAGGAGGAGGACTTCATCCAACCCAGCAG
CCGAGAAGAGGCCAGCAGCTGTGGGAGGCTGAAAAGGTCAAATGCGGCAAATCCTGGACAAACAGCAG
AAGCAGATGGTGGAGGACTACCAGTGGCTCAGGCAGGAGGAGAAGTCCCTGGACCCATGGTTTATATGA
ATGATAAGTCCCATTGACGCCAGAGAAGGAGGTGGCTACCTGGAGTTCACAGGGCCCCACAGAAGCC
CCCGAGGCTGGGCGCACAGTCCATCCAGCCACAGCTAACCTGGACCGGACTGATGACCTGGTGTACCTC
AATGTCATGGAGCTGGTGCGGGCGTGTGGAGCTCAAGAATGAGCTCTGTGAGCTGCCCCCGAGGGCT
ACGTGGTGGTGGTGAAGAATGTGGGGCTGACCCTGCGGAAGCTCATCGGGAGCGTGGATGATCTCCTGCC
TTCCTTGGCGTCACTTACGGACAGAGATCGAGGGCACCCAGAACTGCTCAACAAAGACCTGGCAGAG
CTCATCAACAAGATGGGGTGGCACAGCAGAACCGGTGACCTCCCTAAGTGAAGGAGTGAAGAGGCAGA
TGCTGACGGCTTACACACCCTGGCTGTGGACGCCAAGAACCTGCTCGACGCTGTGGACCAGGCCAAGGT
TCTGGCCAATCTGGCCACCCACCTGCAGAGTGA
    
```

3' Read Nucleotide Sequence:	>OriGene 3' read for NM_173175 unedited ACTGTGGACCCGCGGCCCAATCTAGAGTCGAGTTTTTTTTTTTTTTTTTTTCAAATGGGA CAATTTTAATTCAACCACAAGTCAAATAGAAAGAAGTTAAAGAATGTTTATGCAAACAC ATGAGAAAAGAAGGGTGCAGATGAGAATGGGGTTGGGGAGAGAAAGAGGAGGAGTAAGA AAAGAGGGAAAAGCAAGGGAAAGTAAAGGAAGAAAGAGAAAGAGGGGCAGGAAGAGAGCG GATTTGGCCCAAGGTCTATCTTGGCCGCATCTCTGCTTCTTCCCCCTGATGCTTGGT TTGTTGACAACACAGCATCCTGTGCCTGGACTCCCAATTAGCTTGTTCCTGGACTGTGCC CCAGGTCTCCCTCAGGAGGGCAGATGCTGTCAGTCCAGACCAAACACTCACATTAATAAA TTTCAATATACACTGTACAAGAATGCCAGGCCATCCCTCATCTCACTGGCTGCCTGACC CCCAAAACAAAGCTCCTCCCCAGCTTCTGTGCATCAAGGGACATCTGAGGGCCGAAGA GGAAGGGAAAGGAATAGCTTGGTCCCAAATCGGCCTGCCATGTCCATATATAAGCTAG GGGCACCATGTGACACCTCCCCACCCAGGAGCCCCCTGCATGGACCAGGCTGGCTTAG GGAGCAGTGGGCCAGCAGCAGTCCCCCTCTGAGCCATCTTTGTCACCGTCACCCTGT GTCCATAGCCCAGAGTCCCCTCTGTCCAGCTGCAGCCTGAGCAGTACAGCCAGGGNTAGG GGTGGGGGAGAAGGGCGTNTGCAAAGTGGNCAGGGAANGGTGACTCCCCTTGGCCTTCC CCCTGNAAGACCCACATGACCAACAGCAAGGCAGGGGAGGTACATGNGCAGCAGGGGCGG AAAGACGCAGCAGGTGGGCCCCACCTCCGTCACCTCTGCAGGTGGTC
Restriction Sites:	NotI-NotI
ACCN:	NM_173175
Insert Size:	4000 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_173175.1 , NP_775267.1
RefSeq Size:	3936 bp
RefSeq ORF:	2904 bp
Locus ID:	2185
UniProt ID:	Q14289
Cytogenetics:	8p21.2
Protein Families:	Druggable Genome, Protein Kinase

Protein Pathways:	Calcium signaling pathway, Chemokine signaling pathway, GnRH signaling pathway, Leukocyte transendothelial migration, Natural killer cell mediated cytotoxicity
Gene Summary:	<p>This gene encodes a cytoplasmic protein tyrosine kinase which is involved in calcium-induced regulation of ion channels and activation of the map kinase signaling pathway. The encoded protein may represent an important signaling intermediate between neuropeptide-activated receptors or neurotransmitters that increase calcium flux and the downstream signals that regulate neuronal activity. The encoded protein undergoes rapid tyrosine phosphorylation and activation in response to increases in the intracellular calcium concentration, nicotinic acetylcholine receptor activation, membrane depolarization, or protein kinase C activation. This protein has been shown to bind CRK-associated substrate, nephrocystin, GTPase regulator associated with FAK, and the SH2 domain of GRB2. The encoded protein is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Four transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (4) lacks an alternate in-frame exon compared to variant 1, resulting in a shorter isoform (b) compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>