

Product datasheet for SC127832

Topoisomerase II alpha (TOP2A) (NM_001067) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Topoisomerase II alpha (TOP2A) (NM_001067) Human Untagged Clone
Tag:	Tag Free
Symbol:	Topoisomerase II alpha
Synonyms:	TOP2; TOP2alpha; TOPIIA; TP2A
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC127832 representing NM_001067 Red=Cloning site Blue=ORF

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGAAGTGCACCATTGCAGCCTGTAATGAAAATATGCAAGTCAACAAAATAAGAAAAATGAAGATG
CTAAGAAAAGACTGTCTGTTGAAAGAATCTATCAAAGAAAACACAATTGGAACATATTTTGCTCCGCC
AGACACCTACATTGGTTCTGTGGAATTAGTGACCCAGCAAATGTGGGTTTACGATGAAGATGTTGGCATT
AACTATAGGGAAGTCACTTTTGTCTGGTTTGTACAAAATCTTGTATGAGATTCTAGTTAATGCTCGCG
ACAACAAAAGGGACCCAAAATGTCTTGTATTAGAGTCACAATTGATCCGAAAACAATTTAATTAG
TATATGGAATAATGAAAAGGTATTCTGTTGTTGAACACAAAGTTGAAAAGATGTATGTCCAGCTCTC
ATATTTGGACAGCTCCTAACTTCTAGTAACTATGATGATGATGAAAAGAAAGTGACAGGTGGTCCGAATG
GCTATGGAGCCAAATTGTGTAACATATTCAGTACCAAAATTTACTGTGAAAACAGCCAGTAGAGAATACAA
GAAAATGTTCAAACAGACATGGATGGATAATATGGGAAGAGCTGGTGAGATGGAACCAAGCCCTCAAT
GGAGAAGATTATACATGTATCACCTTTCAGCCTGATTTGTCTAAGTTTAAAATGCAAAGCCTGGACAAA
ATATTGTTGCACTAATGGTCAGAAGAGCATATGATATTGCTGGATCCACCAAGATGTCAAAGTCTTTCT
TAATGGAATAAACTGCCAGTAAAAGGATTTCTGATTTATGTGGACATGATTTGAAGGACAAGTTGGAT
GAAACTGGTAACCTCTTGAAGTAATACATGAACAAGTAACACAGGTGGGAAGTGTGTTAACTATGA
GTGAAAAGGCTTTCAGCAAATTAGCTTTGTCAACAGCATTGCTACATCCAAGGGTGGCAGACATGTTGA
TTATGTAGCTGATCAGATTGTGACTAACTTGTGATGTTGTGAAGAAGAAGAACAAGGGTGGTGTGCA
GTAAAAGCACATCAGGTGAAAATCACATGTGGATTTTGTAAATGCCTTAATTGAAAACCAACCTTTG
ACTCTCAGACAAAAGAAAACATGACTTTACAACCAAGAGCTTTGGATCAACATGCCAATTGAGTGAAAA
ATTTATCAAAGCTGCCATTGGCTGTGGTATTGTAGAAAGCATACTAACTGGGTGAAGTTTAAGGCCAA
GTCCAGTTAAACAAGAAGTGTTCAGCTGTAAAACATAATAGAATCAAGGGAATCCCAAACCTCGATGATG
CCAATGATGCAGGGGCCGAAACTCCACTGAGTGTACGCTTATCCTGACTGAGGGAGATTCAGCCAAAAC
TTTGGCTGTTTCAGGCCTTGGTGTGGTGGGAGAGACAAATATGGGGTTTCCCTCTTAGAGGAAAAATA



[View online »](#)

CTCAATGTTTCGAGAAGCTTCTCATAAGCAGATCATGGAAAATGCTGAGATTAACAATATCATCAAGATTG
 TGGGTCTTCAGTACAAGAAAAATATGAAGATGAAGATTCATTGAAGACGCTTCGTTATGGGAAGATAAT
 GATTATGACAGATCAGGACCAAGATGGTCCCACATCAAAGGCTTGCTGATTAATTTTATCCATCACAAC
 TGGCCCTCTCTTCTGCGACATCGTTTTCTGGAGGAATTTACTCTCCATTGTAAAGGTATCTAAAAACA
 AGCAAGAAATGGCATTTCACAGCCTTCTGAATTTGAAGAGTGAAGAGTCTACTCCAAATCATAAAAA
 ATGGAAAGTCAAATATTACAAGGTTTGGGCACCAGCAGCATCAAAGGAAGCTAAAGAATACTTTGCAGAT
 ATGAAAAACAGATAGATGATCGAAAGGAATGGTTAACTAATTTTCATGGAGGATAGAAGACAACGAAAGTT
 ACTTGGGCTTCTGAGGATTACTTGATGGACAACTACCACATATCTGACATATAATGACTTCATCAAC
 AAGGAACTTATCTGTTCTCAAATCTGATAACGAGAGATCTATCCCTTCTATGGTGGATGGTTTGAAC
 CAGGTCAGAGAAAGGTTTTGTTTACTTGCTTCAAACGGAATGACAAGCGAGAAGTAAAGGTTGCCAATT
 AGCTGGATCAGTGGCTGAAATGTCTTATCATCATGGTGAAGATGCTACTAATGATGACCATTATCAAT
 TTGGCTCAGAATTTTGGGTAGCAATAATCTAAACCTTTCAGCCATTGGTCAGTTTGGTACCAGGC
 TACATGGTGGCAAGGATTCTGCTAGTCCACGATACATCTTACAATGCTCAGCTCTTTGGCTCGATTGTT
 ATTTCCACAAAAGATGATCACACGTTGAAGTTTTATATGATGACAACCAGCGTGTGAGCCTGAATGG
 TACATTCCTATTATCCCATGGTCTGATAAATGGTGTGAAGGAATCGGTACTGGGTGGTCTGCAAAA
 TCCCAACTTTGATGTGCGTGAATTTGAAATAACATCAGGCGTTTGTGGATGGAGAAGAACCCTTGGC
 AATGCTTCCAAGTTACAAGAACTCAAGGGTACTATTGAAGAAGTGGCTCCAAATCAATATGTGATTAGT
 GGTGAAGTAGCTATTCTTAATCTACAACCATTGAAATCTCAGAGCTTCCCGTCAGAACATGGACCCAGA
 CATACAAAGAACAAGTTCTAGAACCATGTTGAATGGCACCAGAGAAGACACCTCTCTATAACAGACTA
 TAGGGAATACCATACAGATACCACTGTGAAATTTGTTGTGAAGATGACTGAAGAAAACTGGCAGAGGCA
 GAGAGAGTTGGACTACACAAAGTCTTCAAACCTCAAACAGTCTCACATGCAACTCTATGGTGTCTTTTG
 ACCAGTAGGCTGTTTAAAGAAATATGACACGGTGTGGATATTCTAAGAGACTTTTTTGAACCTCAGACT
 TAAATATTATGGATTAAGAAAAGAAATGGCTCCTAGGAATGCTTGGTGTGAATCTGCTAAACTGAATAAT
 CAGGCTCGCTTTATCTTAGAGAAAATAGATGGCAAAATATCATTGAAAATAAGCCTAAGAAAAGAAATTA
 TAAAGTCTGATTGAGAGGGGATGATTGCGATCCTGTGAAGGCTGGAAAAGAGCCAGCAAAAAGGT
 TCCAGATGAAGAAGAAAATGAAGAGAGTGACAACGAAAAGGAACTGAAAAGAGTGACTCCGTAACAGAT
 TCTGGACCAACCTTCAACTATCTTGTATGCCCCCTTGGATTTAACCAAGGAAAAGAAAGATGAAC
 TCTGCAGGCTAAGAAATGAAAAGAACAAGAGCTGGACACATTAAGAAAAGAGTCCATCAGATTTGTG
 GAAAGAAGACTTGGCTACATTTATTGAAGAAATGGAGGCTGTTGAAGCCAAGGAAAACAAGATGAACAA
 GTCGGACTTCTGGGAAAGGGGGAAGGCCAAGGGGAAAAAACACAAATGGCTGAAGTTTTGCCTTCTC
 CGCGTGGTCAAAGAGTCAATCCACGAATAACCATAGAAATGAAAGCAGAGGCAGAAAAGAAAAATAAAA
 GAAAATTAAGAATGAAAATACTGAAGGAAGCCCTCAAGAAGATGGTGTGGAAGTGAAGGCCATAAACAA
 AGATTAGAAAAGAAAAGAAAAGAGAACCAGGTACAAAGACAAAAGAAAACAACTACATTGGCATTAAAGC
 CAATCAAAAAGGAAAAGAGAATCCCTGGTCTGATTGAGAAATCAGATAGGAGCAGTGACGAAAGTAA
 TTTTGTGATGTCCTCCACGAGAAACAGAGCCACGGAGAGCAGCAACAAAACAAAATTCACAATGGATTTG
 GATTGAGATGAAGATTTCTCAGATTTTGTGAAAAACTGATGATGAAGATTTTGTCCCATCAGATGCTA
 GTCCACCTAAGACCAAACTTCCCCAACTTAGTAACAAAGAACTGAAACCACAGAAAAGTGTGCGTGTG
 AGACCTTGAAGCTGATGATGTTAAGGGCAGTGTACCAGTGTCTCAAGCCCTCCTGCTACACATTTCCCA
 GATGAAACTGAAATTAACAACCCAGTTCCTAAAAAGAATGTGACAGTGAAGAAGACAGCAGCAAAAAGTC
 AGTCTTCCACCTCACTACCGGTGCCAAAAAAGGGCTGCCCAAAAGGAACTAAAAGGGATCCAGCTTT
 GAATCTGGTGTCTCTAAAAGCCTGATCCTGCCAAAACCAAGAAATCGCCGCAAAAGGAAGCCATCCACT
 TCTGATGATTCTGACTCTAATTTTGAAGAAATGTTTCGAAAGCAGTCACAAGCAAGAAATCCAAGGGG
 AGAGTGTGACTTCCATATGGACTTTGACTCAGCTGTGGCTCCTCGGGCAAAATCTGTACGGGCAAGAA
 ACCTATAAAGTACCTGGAAGAGTCAGATGAAGATGATCTGTTTTAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja2193_h09.zip

Restriction Sites: NotI-NotI

ACCN:	NM_001067
Insert Size:	6000 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone may be unstable or toxic at high copy number in common E. coli strain. We recommend using a lower copy number E. coli strain, such as CopyCutter strain (http://www.epibio.com/item.asp?ID=435) for transformation and plasmid preparation. Please be aware that the DNA yield could be low. Additional aliquots of this clone can be ordered from OriGene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001067.2 , NP_001058.2
RefSeq Size:	5698 bp
RefSeq ORF:	4596 bp
Locus ID:	7153
UniProt ID:	P11388
Cytogenetics:	17q21.2
Domains:	DNA_gyraseB, DNA_topoisolV, HATPase_c
Protein Families:	Druggable Genome

Gene Summary:

This gene encodes a DNA topoisomerase, an enzyme that controls and alters the topologic states of DNA during transcription. This nuclear enzyme is involved in processes such as chromosome condensation, chromatid separation, and the relief of torsional stress that occurs during DNA transcription and replication. It catalyzes the transient breaking and rejoining of two strands of duplex DNA which allows the strands to pass through one another, thus altering the topology of DNA. Two forms of this enzyme exist as likely products of a gene duplication event. The gene encoding this form, alpha, is localized to chromosome 17 and the beta gene is localized to chromosome 3. The gene encoding this enzyme functions as the target for several anticancer agents and a variety of mutations in this gene have been associated with the development of drug resistance. Reduced activity of this enzyme may also play a role in ataxia-telangiectasia. [provided by RefSeq, Jul 2010]