

Product datasheet for **SC200131**

AMHR2 (NM_020547) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: AMHR2 (NM_020547) Human 3' UTR Clone
Symbol: AMHR2
Synonyms: AMHR; MISR2; MISRII; MRII
Mammalian Cell Selection: Neomycin
Vector: pMirTarget (PS100062)
ACCN: NM_020547
Insert Size: 229 bp
Insert Sequence: >SC200131 3'UTR clone of NM_020547
 The sequence shown below is from the reference sequence of NM_020547. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAACGATCGCC
CAGCCTGCCTGTACCCTTTCTCCTGTGAAATATGCAGTTTATGTGTCATCAATGTACATGCCAACATA
AATATGGCGATTGTATAGCTGTCTTGTCTGCCTCATCACTGCATTCCACCTGCCGAATCCTTGGATT
CTTCTGCGGGCATCCAGTCCACATCAGTTCTGACCAGTGACTTGGGGTAGGTGTGCACAGGAAAGAGAA
TAAAGTCAGCTTTCCTGATGCA
ACGCGTAAGCGGCCGCGGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI
OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).
Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq: [NM_020547.3](#)


[View online »](#)

Summary:

This gene encodes the receptor for the anti-Mullerian hormone (AMH) which, in addition to testosterone, results in male sex differentiation. AMH and testosterone are produced in the testes by different cells and have different effects. Testosterone promotes the development of male genitalia while the binding of AMH to the encoded receptor prevents the development of the mullerian ducts into uterus and Fallopian tubes. Mutations in this gene are associated with persistent Mullerian duct syndrome type II. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Sep 2009]

Locus ID:

269

MW:

8.4