

## **Product datasheet for SC200430**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Hemoglobin subunit gamma 2 (HBG2) (NM\_000184) Human 3' UTR Clone

**Product data:** 

**Product Type:** 3' UTR Clones

Product Name: Hemoglobin subunit gamma 2 (HBG2) (NM\_000184) Human 3' UTR Clone

**Vector:** pMirTarget (PS100062)

Symbol: HBG2

Synonyms: HBG-T1; TNCY ACCN: NM\_000184

**Insert Size:** 119 bp

Insert Sequence: >SC200430 3'UTR clone of NM\_000184

The sequence shown below is from the reference sequence of NM\_000184. The complete

sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

GCCAGTGCCCTGTCCTCCAGATACCACTGAGCTCACTGCCCATGATGCAGAGCTTTCAAGGATAGGCTT

TATTCTGCAAGCAATCAAATAATAAATCTATTCTGCTAAGAGATCACACA

 ${\tt CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG}$ 

**Restriction Sites:** Sgfl-Mlul

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

**RefSeg:** NM 000184.3





## Hemoglobin subunit gamma 2 (HBG2) (NM\_000184) Human 3' UTR Clone - SC200430

**Summary:** 

The gamma globin genes (HBG1 and HBG2) are normally expressed in the fetal liver, spleen and bone marrow. Two gamma chains together with two alpha chains constitute fetal hemoglobin (HbF) which is normally replaced by adult hemoglobin (HbA) at birth. In some beta-thalassemias and related conditions, gamma chain production continues into adulthood. The two types of gamma chains differ at residue 136 where glycine is found in the G-gamma product (HBG2) and alanine is found in the A-gamma product (HBG1). The former is predominant at birth. The order of the genes in the beta-globin cluster is: 5'- epsilon -- gamma-G -- gamma-A -- delta -- beta--3'. [provided by RefSeq, Jul 2008]

**Locus ID:** 3048

MW: 4.4