

Product datasheet for SC200507

ACTG2 (NM_001615) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: ACTG2 (NM_001615) Human 3' UTR Clone
Symbol: ACTG2
Synonyms: ACT; ACTA3; ACTE; ACTL3; ACTSG; VSCM; VSCM1
Mammalian Cell Selection: Neomycin
Vector: pMirTarget (PS100062)
ACCN: NM_001615
Insert Size: 320 bp
Insert Sequence: >SC200507 3'UTR clone of NM_001615
 The sequence shown below is from the reference sequence of NM_001615. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAACGATCGCC
CCCTCCATTGTCCACAGGAAGTGCTTCTAAGTCAGAACAGGTTCTCCAAGGATCCCCTCGAGACTACT
CTGTTACCAAGTCATGAACATTAACCTACAAGCCTTACTTCTGTGTGGGGCTCTTTTCTGCTGGG
CTATGTCTCATACACAGTGCTAAGGACTTTTACACATTACTTTAATCCATGCAATAGTGCTGTAAGG
TAGGTGCTATCATTATACCCATATTACAGATGAGGAAATTGAGGCTCAGAGAAGTCAAGGACTTGCGAA
GATCACACAGATTCCAGATTAATAATTCAAGTATCTGACTGCAAA
ACGCGTAAGCGGCCGCGGCATCTAGATTGAAAGAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
  
```

Restriction Sites: SgfI-MluI
OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).
Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq: NM_001615.4


[View online »](#)

Summary:

Actins are highly conserved proteins that are involved in various types of cell motility and in the maintenance of the cytoskeleton. Three types of actins, alpha, beta and gamma, have been identified in vertebrates. Alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. The beta and gamma actins co-exist in most cell types as components of the cytoskeleton and as mediators of internal cell motility. This gene encodes actin gamma 2; a smooth muscle actin found in enteric tissues. Alternative splicing results in multiple transcript variants encoding distinct isoforms. Based on similarity to peptide cleavage of related actins, the mature protein of this gene is formed by removal of two N-terminal peptides.[provided by RefSeq, Dec 2010]

Locus ID:

72

MW:

12.1