

## Product datasheet for SC200837

## PRSS21 (NM\_144956) Human 3' UTR Clone

**Product data:** 

Product Type: 3' UTR Clones

Symbol: PRSS21

**Synonyms:** ESP-1; ESP1; TESTISIN

Mammalian Cell Neomycin

Selection:

**Vector:** pMirTarget (PS100062)

**ACCN:** NM\_144956

Insert Size: 144 bp

Insert Sequence: >SC200837 3'UTR clone of NM\_144956

The sequence shown below is from the reference sequence of NM\_144956. The complete sequence of

this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

**TCAAAA** 

**ACGCGT**AAGCGGCCGCGCATCTAGATTCGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA

CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG

Restriction Sites: Safl-Mlul

Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms

(SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



## PRSS21 (NM\_144956) Human 3' UTR Clone | SC200837

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_144956.3</u>

Summary: This gene encodes a cell-surface anchored serine protease, which is a member of the trypsin

family of serine proteases. The encoded protein is predicted to be active on peptide linkages

involving the carboxyl group of lysine or arginine. The encoded protein localizes to the cytoplasm and the plasma membrane of premeiotic testicular germ cells and may be

involved in progression of testicular tumors of germ cell origin. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq,

Jul 2012]

**Locus ID:** 10942

**MW:** 5.1