

## Product datasheet for **SC200864**

### CCN4 (NM\_080838) Human 3' UTR Clone

#### Product data:

Product Type:	3' UTR Clones
Product Name:	CCN4 (NM_080838) Human 3' UTR Clone
Vector:	pMirTarget (PS100062)
Symbol:	CCN4
Synonyms:	WISP1; WISP1-OT1; WISP1-UT1; WISP1c; WISP1j; WISP1tc
ACCN:	NM_080838
Insert Size:	2000 bp



[View online »](#)

**Insert Sequence:**

>SC200864 3'UTR clone of NM\_080838

The sequence shown below is from the reference sequence of NM\_080838. The complete sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
TACCCTGACTTCTCAGAAATTGCCAACAGGCAGGCACAAATCTTGGGTCTTGGGACTAACCCAATGC
CTGTGAAGCAGTCAGCCCTTATGGCCAATAACTTTTACCAATGAGCCTTAGTTACCCTGATCTGGACC
CTTGGCCTCCATTTCTGTCTCTAACCATTCAAATGACGCCTGATGGTGTCTCAGGCCCATGCTATGA
GTTTTCTCCTTGATATCATTAGCATCTACTCTAAAGAAAAATGCCTGTCTCTAGCTGTTCTGGACTAC
ACCCAAGCCTGATCCAGCCTTTCCAAGTCACTAGAAGTCTGCTGGATCTTGCTAAATCCCAAGAAAT
GGAATCAGGTAGACTTTTAAATACCTAATTTCTCTTTAGATGCCAAACCACAAGACTCTTTGGGTCC
ATTCAGATGAATAGATGGAATTTGGAACAATAGAATAATCTATTATTTGGAGCCTGCCAAGAGGTACTG
TAATGGTAATTCTGACGTCAGCGCACCAAACTATCCTGATTCAAATATGTATGCACCTCAAGGTCA
TCAAACATTTGCCAAGTGAGTTGAATAGTTGCTTAATTTTGATTTTAAATGGAAAGTTGTATCCATTAA
CCTGGGCATTGTTGAGGTTAAGTTTCTTCCACCCTACACTGTGAAGGGTACAGATTAGTTTTGTCCC
AGTCAGAAATAAAATTTGATAAACATTCTGTTGATGGGAAAAGCCCCAGTTAACTCCAGAGACAG
GGAAAGGTGAGCCCGTTTCAGAAGGACCAATTGACTCTCACACTGAATCAGCTGCTGACTGGCAGGGCT
TTGGGCAGTTGGCCAGGCTCTTCTTGAATCTTCTCCCTGTCTGCTTGGGGTTCATAGGAATGGTA
AGGCCTCTGGACTGGCCTGTCTGGCCCCGAGAGTGGTGCCTGGAACACTCCTACTCTTACAGAGC
CTTGAGAGACCCAGCTGCAGACCATGCCAGACCACTGAAATGACCAAGACAGGTTGAGGTAGGGGTG
GGGTCAAACCAAGAAGTGGGTGCCCTTGGTAGCAGCCTGGGGTACCTTAGAGCTGGAGGCTGTGGGA
TCCAGGGGCCCCCGTGTTCAGGACACATCTATTGCAGAGACTCATTTCACAGCCTTTCGTCTGCTGA
CCAAATGGCCAGTTTTCTGGTAGGAAGATGGAGGTTTACCGGTTGTTTAGAAACGAAATAGACTTAAT
AAAGGTTTAAAGCTGAAGAGTTGAAGTAAAAGGAAAAGGTTGTTGTTAATGAATATCAGGCTATTAT
TTATTGTATTAGGAAATATAATTTTACTGTTAGAATCTTTTTATTTAGGGCCTTTTCTGTGCCAGAC
ATTGCTCTCAGTGCTTTGCATGTATTAGCTCACTGAATCTTACGACAATGTTGAGAAGTCCCATTAT
TATTTCTGTTCTTACAAATGTGAAACGGAAGCTCATAGAGGTGAGAAAACCAACCAGAGTCACCCAGT
TGGTGACTGGGAAAGTTAGGATTCAGATCGAAATTGGACTGTCTTTATAACCCATATTTTCCCCTGTT
TTTAGAGCTTCCAAATGTGTCAGAATAGGAAAACATTGCAATAAATGGCTTGATTTTTTAAATGTCATTT
TTCCCTCTTATAGTCTTTCTAGCTCCTTTTCAAAGACGAGAATATCTGATTTTCTGATAATTTAGGTG
CTTAAGCATCCAAATACATGGGACACAAAAATCCAGGAATCCCCTGTAGCTTATCCCTCTTTCCC
ATCGGAACCAGCTCTCATCACACATTTAAAAGATGATTCTGTTTACCCAATGCTGCATATTGAATGTTG
TGTAGTTATTCACAGGGAATTCTGTGCAGTGTGCAGAGAGATTCTTAAACGGGAAAAGGACTGGGAATA
CATCCTCCTTACTGTGACCTCCCCAAAACCTAGTCCAGTGCAAGGTATACAGTGGTGTCTATTAATA
ACGCGT AAGCGGCCGCGGCATCTAGATTCAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

**Restriction Sites:**

SgfI-MluI

**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

**Components:**

The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

**RefSeq:**

[NM\\_080838.3](#)

**Summary:**

This gene encodes a member of the WNT1 inducible signaling pathway (WISP) protein subfamily, which belongs to the connective tissue growth factor (CTGF) family. WNT1 is a member of a family of cysteine-rich, glycosylated signaling proteins that mediate diverse developmental processes. The CTGF family members are characterized by four conserved cysteine-rich domains: insulin-like growth factor-binding domain, von Willebrand factor type C module, thrombospondin domain and C-terminal cystine knot-like domain. This gene may be downstream in the WNT1 signaling pathway that is relevant to malignant transformation. It is expressed at a high level in fibroblast cells, and overexpressed in colon tumors. The encoded protein binds to decorin and biglycan, two members of a family of small leucine-rich proteoglycans present in the extracellular matrix of connective tissue, and possibly prevents the inhibitory activity of decorin and biglycan in tumor cell proliferation. It also attenuates p53-mediated apoptosis in response to DNA damage through activation of the Akt kinase. It is 83% identical to the mouse protein at the amino acid level. Multiple alternatively spliced transcript variants have been identified. [provided by RefSeq, Mar 2011]

**Locus ID:**

8840

**MW:**

75.5