

Product datasheet for SC200916

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BAT3 (BAG6) (NM_004639) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones

Product Name: BAT3 (BAG6) (NM 004639) Human 3' UTR Clone

Symbol: BAT3

Synonyms: BAG-6; BAT3; D6S52E; G3

Mammalian Cell

Selection:

Neomycin

Vector: pMirTarget (PS100062)

ACCN: NM_004639

Insert Size: 149 bp

Insert Sequence: >SC200916 3'UTR clone of NM_004639

The sequence shown below is from the reference sequence of NM_004639. The complete

sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

GCCCAGCGGGCCTTTGCTGATGATCCTTAGCTCTTTGCTCTATGGCCCTTCCTCATCAGGGGACCGTTTCCCCCCCTCTTCCTCACAGTATTTAAGAAATAAAAGTCGGATTTTTCTGGCTGCTTTCTCTCAAAAAA

AAAAAAAAA

CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG

Restriction Sites: Sgfl-Mlul

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

RefSeq: <u>NM 004639.3</u>





BAT3 (BAG6) (NM_004639) Human 3' UTR Clone - SC200916

Summary: This gene was first characterized as part of a cluster of genes located within the human major

histocompatibility complex class III region. This gene encodes a nuclear protein that is cleaved by caspase 3 and is implicated in the control of apoptosis. In addition, the protein forms a complex with E1A binding protein p300 and is required for the acetylation of p53 in response to DNA damage. Multiple transcript variants encoding different isoforms have been

found for this gene. [provided by RefSeq, Jul 2008]

Locus ID: 7917

MW: 5.6