

## Product datasheet for **SC200927**

### DcR3 (TNFRSF6B) (NM\_032945) Human 3' UTR Clone

#### Product data:

|                    |  |
|--------------------|--|
| Product Type:      | 3' UTR Clones  |
| Product Name:      | DcR3 (TNFRSF6B) (NM_032945) Human 3' UTR Clone   |
| Vector:            | pMirTarget (PS100062)  |
| Symbol:            | TNFRSF6B   |
| Synonyms:          | DCR3; decoy receptor 3; DJ583P15.1.1; M68; OTTHUMP00000031583; TR6; tumor necrosis factor receptor superfamily, member 6b; tumor necrosis factor receptor superfamily, member 6b, decoy  |
| ACCN:              | NM_032945  |
| Insert Size:       | 151 bp   |
| Insert Sequence:   | >SC200927 3'UTR clone of NM_032945<br>The sequence shown below is from the reference sequence of NM_032945. The complete sequence of this clone may contain minor differences, such as SNPs.<br><b>Blue</b> =Stop Codon <b>Red</b> =Cloning site<br><br>GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG<br>TAACAATTGGCAGAGCTCAGAATTCAA <b>CGATCGCC</b><br>GTCCGTGAGCGCTTCTCCCTGTGCAC <b>TGAT</b> CCTGGCCCCCTTATTTATTCTACATCCTTGGCACCC<br>CACTTGCACTGAAAGAGGCTTTTTTTTAAATAGAAGAAATGAGGTTTCTTAAAGCTATTTTTATAAAG<br>CTTTTTCATAAAA<br><b>ACGCGT</b> AAGCGGCCGCGGCATCTAGATTCTGAAGAAATGACCGACCAAGCGACGCCCAACCTGCCATCA<br>CGAGATTCGATTCCACCGCCCTTCTATGAAAGG |
| Restriction Sites: | Sgfl-MluI  |
| OTI Disclaimer:    | Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).  |
| Components:        | The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.   |
| RefSeq:            | <u><a href="#">NM_032945.2</a></u>   |



[View online »](#)

**Summary:** This gene belongs to the tumor necrosis factor receptor superfamily. The encoded protein is postulated to play a regulatory role in suppressing FasL- and LIGHT-mediated cell death. It acts as a decoy receptor that competes with death receptors for ligand binding. Over-expression of this gene has been noted in gastrointestinal tract tumors. Read-through transcription into this gene from the neighboring upstream gene, which encodes regulator of telomere elongation helicase 1 (RTEL1), generates a non-coding transcript. [provided by RefSeq, Feb 2011]

**Locus ID:** 8771

**MW:** 6.1