

Product datasheet for SC201480

LXR alpha (NR1H3) (NM_001130101) Human 3' UTR Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | 3' UTR Clones |
| Product Name: | LXR alpha (NR1H3) (NM_001130101) Human 3' UTR Clone |
| Symbol: | LXR alpha |
| Synonyms: | LXR-a; LXRA; RLD-1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pMirTarget (PS100062) |
| ACCN: | NM_001130101 |
| Insert Size: | 367 bp |
| Insert Sequence: | <p>>SC201480 3'UTR clone of NM_001130101</p> <p>The sequence shown below is from the reference sequence of NM_001130101. The complete sequence of this clone may contain minor differences, such as SNPs.</p> <p>Blue=Stop Codon Red=Cloning site</p> <pre> GGCAAGTTGGACGCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG TAACAATTGGCAGAGCTCAGAATTCAACGATCGCC CTCTCTGAGATCTGGGATGTGCACGAATGACTGTTCTGTCCCATATTTTCTGTTTTCTTGCCGGATG GCTGAGGCCTGGTGGCTGCCTCCTAGAAGTGAACAGACTGAGAAGGGCAAACATTCTGGGAGCTGGG CAAGGAGATCCTCCGTGGCATTAAAAGAGAGTCAAAGGGTTGCGAGTTTGTGGCTACTGAGCAGTGG AGCCCTCGCTAACTGTGCTGTGTCTGAAGATCATGCTGACCCACAAACGGATGGGCCTGGGGGCCA CTTTGCACAGGGTTCTCCAGAGCCCTGCCATCCTGCCTCCACCACTTCCTGTTTTCCACAGGGCCC CAAGAAAATTCTCCACTGTCA ACGCGTAAGCGGCCGCGGCATCTAGATTGGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG </pre> |
| Restriction Sites: | Sgfl-MluI |
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs). |
| Components: | The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials. |


[View online »](#)

RefSeq: [NM_001130101.3](#)

Summary: The protein encoded by this gene belongs to the NR1 subfamily of the nuclear receptor superfamily. The NR1 family members are key regulators of macrophage function, controlling transcriptional programs involved in lipid homeostasis and inflammation. This protein is highly expressed in visceral organs, including liver, kidney and intestine. It forms a heterodimer with retinoid X receptor (RXR), and regulates expression of target genes containing retinoid response elements. Studies in mice lacking this gene suggest that it may play an important role in the regulation of cholesterol homeostasis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2011]

Locus ID: 10062

MW: 13.5