

Product datasheet for **SC201734**

CCL14 (NM_032962) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: CCL14 (NM_032962) Human 3' UTR Clone
Vector: pMirTarget (PS100062)
Symbol: CCL14
Synonyms: CC-1; CC-3; CKB1; HCC-1; HCC-1(1-74); HCC-1/HCC-3; HCC-3; MCIF; NCC-2; NCC2; SCYA14; SCYL2; SY14
ACCN: NM_032962
Insert Size: 543 bp
Insert Sequence: >SC201734 3'UTR clone of NM_032962
The sequence shown below is from the reference sequence of NM_032962. The complete sequence of this clone may contain minor differences, such as SNPs.
Blue=Stop Codon **Red**=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
GACTATATCAAGGACATGAAGGAGAACTGAGTGACCCAGAAGGGGTGGCGAAGGCACAGCTCAGAGACA
TAAAGAGAAGATGCCAAGGCCCTCCTCCACCCACCGCTAACTCTCAGCCCCAGTCACCCTCTTGGAG
CTTCCCTGCTTTGAATTAAGACCACTCATGCTCTTCCCTGGCCTCATTCTTTCTACGGGATTTACTC
ATTGGCCATGCACTGAGGACACCAGGGTGTGGCACCCCTCGGCATCAAGCCTCGCTCTGCAGAAGTTTTG
CTGGAGCCTGGTACAAAAAATAGGTCAGGCCTGCAATGCAGGTAGTGAGAAGCAGAAAGTGAGAAAGAA
AAGCAGTGTAAGACCGTCTCCTCCTCAGCAACAACAGTAGCAGACCCCGTTTTTCTTAATGCTTTCTAT
ACTCCAAGCACTCTGCTAGGCAGTCTGTATGCATTATCTTATTTAAGCTTCATGACAAGTGTAAAAGCT
ACAAATCATCATTTGATTTTTTAGGTAACACTTCATAAAGGGCTCTATAGCAGTCAA
ACGCGTAAGCGGCCGCGGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCCTTCTATGAAAGG
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.



[View online »](#)

RefSeq: [NM_032962.5](#)

Summary: This gene, chemokine (C-C motif) ligand 14, is one of several CC cytokine genes clustered on 17q11.2. The CC cytokines are secreted proteins characterized by two adjacent cysteines. The cytokine encoded by this gene induces changes in intracellular calcium concentration and enzyme release in monocytes. Multiple transcript variants encoding different isoforms have been found for this gene. Read-through transcripts are also expressed that include exons from the upstream cytokine gene, chemokine (C-C motif) ligand 15, and are represented as GeneID: 348249. [provided by RefSeq, Dec 2009]

Locus ID: 6358

MW: 20.4