

Product datasheet for SC201898

IL4R (NM_001008699) Human 3' UTR Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	3' UTR Clones
Product Name:	IL4R (NM_001008699) Human 3' UTR Clone
Symbol:	
Synonyms:	CD124; IL4RA
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_001008699
Insert Size:	198 bp
Insert Sequence:	>SC201898 3' UTR clone of NM_001008699 The sequence shown below is from the reference sequence of NM_001008699. The complete sequence of this clone may contain minor differences, such as SNPs. Red=Cloning site Blue=Stop Codon
	CAATTGGCAGAGCTCAGAATTCAA <mark>GCGATCGC</mark>
	AGCACCAAGTGGCACAACTCAAATATTTGC TGA GTTCCTCCTACATGGCTAGCCCTGTGCTAGACACTGG GGAATCGGCGATGAACAAAGCAGATAGAAATCCCCACTCTTGTGGAGCTGACATTCTGGAGGGAG
	ACGCGTAAGCGGCCGCGGCATCTAGATTCGAAGAAAATGACCG
Restriction Sites:	Sgfl-Mlul
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM 001008699.1</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	IL4R (NM_001008699) Human 3' UTR Clone – SC201898
Summary:	This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Apr 2012]
Locus ID:	3566

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US