

Product datasheet for **SC201954**

AKR1C3 (NM_003739) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	AKR1C3 (NM_003739) Human 3' UTR Clone
Vector:	pMirTarget (PS100062)
Symbol:	AKR1C3
Synonyms:	DD3; DDX; HA1753; HAKRB; HAKRe; hluPGFS; HSD17B5; PGFS
ACCN:	NM_003739
Insert Size:	201 bp
Insert Sequence:	>SC201954 3' UTR clone of NM_003739 The sequence shown below is from the reference sequence of NM_003739. The complete sequence of this clone may contain minor differences, such as SNPs. Red =Cloning site Blue =Stop Codon
	 CAATTGGCAGAGCTCAGAATTCA ACGATCGC
	 GTTTTGCTAGCCACCCTAATTATCCATATTCAGATGAATAT TA CATGGAGGGCTTGCCTGATGTCTAC CAGAAGCCCTGTGTGGATGGTGACGCAGAGGACGTCTCTATGCCGGTGACTGGACATACACCTCTAC TTAAATCCGTCCTGTTTAGCGACTTCAGTCAACTACAGCTGAGTCCATAGGCCAGAAAGAC
	 ACGCGT AAGCGGCCGCGGCATCTAGATTCAAGAAAATGACCG
Restriction Sites:	SgfI-MluI
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_003739.4</u>



[View online »](#)

Summary:

This gene encodes a member of the aldo/keto reductase superfamily, which consists of more than 40 known enzymes and proteins. These enzymes catalyze the conversion of aldehydes and ketones to their corresponding alcohols by utilizing NADH and/or NADPH as cofactors. The enzymes display overlapping but distinct substrate specificity. This enzyme catalyzes the reduction of prostaglandin (PG) D₂, PGH₂ and phenanthrenequinone (PQ), and the oxidation of 9 α ,11 β -PGF₂ to PGD₂. It may play an important role in the pathogenesis of allergic diseases such as asthma, and may also have a role in controlling cell growth and/or differentiation. This gene shares high sequence identity with three other gene members and is clustered with those three genes at chromosome 10p15-p14. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2011]

Locus ID:

8644