

## Product datasheet for **SC202573**

### IL11RA (NM\_147162) Human 3' UTR Clone

#### Product data:

**Product Type:** 3' UTR Clones  
**Product Name:** IL11RA (NM\_147162) Human 3' UTR Clone  
**Vector:** pMirTarget (PS100062)  
**Symbol:** IL11RA  
**Synonyms:** CRSDA  
**ACCN:** NM\_147162  
**Insert Size:** 250 bp  
**Insert Sequence:** >SC202573 3'UTR clone of NM\_147162

The sequence shown below is from the reference sequence of NM\_147162. The complete sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
GCTGGGGCCCTGGCACTGGGGCTCTGGTAAGTGACTGCCATTGGTCCCTCAGCCTCTGATCCTCACACA
TGCTCTGATGCCCATAGACCACATTCATCTCCACCCTTCATGACTGCCCGCTGAACCTGTCTGATTCTG
GAACTACCTCCCCATACCTCCATCCCCCATGCCCACTTGATTTAACTGATTCTCTCTGACCCTTT
ACTAATAAACCCTTTGGCGGAGACTGAGATAACCCACAAAAAA
ACGCGTAAGCGGCCGCGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCCTTCTATGAAAGG
```

**Restriction Sites:** SgfI-MluI

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

**Components:** The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

**RefSeq:** [NM\\_147162.1](#)



[View online »](#)

**Summary:** Interleukin 11 is a stromal cell-derived cytokine that belongs to a family of pleiotropic and redundant cytokines that use the gp130 transducing subunit in their high affinity receptors. This gene encodes the IL-11 receptor, which is a member of the hematopoietic cytokine receptor family. This particular receptor is very similar to ciliary neurotrophic factor, since both contain an extracellular region with a 2-domain structure composed of an immunoglobulin-like domain and a cytokine receptor-like domain. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jun 2012]

**Locus ID:** 3590

**MW:** 8.9