

Product datasheet for SC203293

DDX19B (NM_001014449) Human 3' UTR Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	3' UTR Clones
Product Name:	DDX19B (NM_001014449) Human 3' UTR Clone
Symbol:	DDX19B
Synonyms:	DBP5; DDX19; RNAh
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_001014449
Insert Size:	261 bp
Insert Sequence:	>SC203293 3' UTR clone of NM_001014449 The sequence shown below is from the reference sequence of NM_001014449. The complete sequence of this clone may contain minor differences, such as SNPs. Red=Cloning site Blue=Stop Codon
	CAATTGGCAGAGCTCAGAATTCAAGCGATCGC
	GGACACAGATGATTTGGACGAGATTGAGAAAATAGCCAAC TGA GAAGCTCCACCAGCCACTGATGCCAGC CCTGGCACTGCCCCTGCACAGGAGACAAGTGCGTTCAGGGCACAGGCCCCGACATCACCCCCAAGGACAAC GGCACAAGTAGAGAGAAACTACCTACCTCACTTCAAATTATGTTTGGACTTGACAAAAATGTATGCAAAT GATGGGGGATGGTAGAAAAAAATTATTTACACAACCTTGGAAGATTAGGCA
	ACGCGTAAGCGGCCGCGCATCTAGATTCGAAGAAAATGACCG
Restriction Sites:	Sgfl-Mlul
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM 001014449.1</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	DDX19B (NM_001014449) Human 3' UTR Clone – SC203293
Summary:	DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene encodes a DEAD box protein, which exhibits RNA-dependent ATPase and ATP-dependent RNA-unwinding activities. This protein is recruited to the cytoplasmic fibrils of the nuclear pore complex, where it participates in the export of mRNA from the nucleus. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Locus ID:	11269

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US