

Product datasheet for **SC203560**

Nuclear Factor Erythroid Derived 2 (NFE2) (NM_001136023) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	Nuclear Factor Erythroid Derived 2 (NFE2) (NM_001136023) Human 3' UTR Clone
Symbol:	Nuclear Factor Erythroid Derived 2
Synonyms:	NF-E2; p45
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_001136023
Insert Size:	293 bp
Insert Sequence:	>SC203560 3'UTR clone of NM_001136023 The sequence shown below is from the reference sequence of NM_001136023. The complete sequence of this clone may contain minor differences, such as SNPs. Blue =Stop Codon Red =Cloning site GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG TAACAATTGGCAGAGCTCAGAATTCAA GCGATCGCC CGGGGGACCAAGATGGAGGCCACAGACT TGA GCTGGCCCAGAGGGGTGGAAGTCTGATGGGATTTTCCTT CATTCCCTTCTGATAAAGGTAAGTCCCAACCCTGAGTCCAGAAGGAGCTGAGTTCTCTAGACCAGAAG AGGATGACAATGGCAACAAGTGTGGAAAGTTCCAAGGTGTGTTCAAAGAGGCTTGCCTTGAGGGAGGG CTGGAATCTGTCTCCCTGACTCGGCTCCTCAGGTCTTTAGCCTCCACCTTGCTAAGCTTTGGTCTAT AAAGTGCCTACAGAAA ACGCGT AAGCGGCCGCGCATCTAGATTGGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
Restriction Sites:	Sgfl-MluI
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_001136023.3</u>



[View online »](#)

Summary: Component of the NF-E2 complex essential for regulating erythroid and megakaryocytic maturation and differentiation. Binds to the hypersensitive site 2 (HS2) of the beta-globin control region (LCR). This subunit (NFE2) recognizes the TCAT/C sequence of the AP-1-like core palindrome present in a number of erythroid and megakaryocytic gene promoters. Requires MAFK or other small MAF proteins for binding to the NF-E2 motif. May play a role in all aspects of hemoglobin production from globin and heme synthesis to procurement of iron. [UniProtKB/Swiss-Prot Function]

Locus ID: 4778

MW: 11