

Product datasheet for SC204146

USP16 (NM_006447) Human 3' UTR Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	3' UTR Clones
Product Name:	USP16 (NM_006447) Human 3' UTR Clone
Symbol:	USP16
Synonyms:	UBP-M; UBPM
Mammalian Cell Selection:	Neomycin
Vector:	pMirTarget (PS100062)
ACCN:	NM_006447
Insert Size:	331 bp
Insert Sequence:	<pre>>SC204146 3'UTR clone of NM_006447 The sequence shown below is from the reference sequence of NM_006447. The complete sequence of this clone may contain minor differences, such as SNPs. Blue=Stop Codon Red=Cloning site GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC TACCTCCTATTTTATGAGAGAATACTGTAATAATATCAAAAGCACTTTTTCTGGAAACACACTTTATGGC TTTTATAATGGCTGAAATAACGATAAAAAAGACTAATTAAAATCATGTTCACTTAACATTAACAT GCCAGAAGAAATCATGTTTATTTAAATATTGAAGGGAAAAATACCTAAAATGTACAAAGGTTTTATAT TGTCATAGTGGTTTTTATTCCTGCTTTGTTTCTGGAAAGGAAAATCCTGAATTACTTAAGTACTTTGTG TTAATATATCTGGGTGATGGATCACAACACACTCAATAAAACTGACTTACCTAAAA ACGCGTAAGCGGCCGCGGCATCTAGATTCGAAGAAAATGACCGACC</pre>
Restriction Sites:	Sgfl-Mlul
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM 006447.3</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

USP16 (NM_006447) Human 3' UTR Clone – SC204146
This gene encodes a deubiquitinating enzyme that is phosphorylated at the onset of mitosis and then dephosphorylated at the metaphase/anaphase transition. It can deubiquitinate H2A, one of two major ubiquitinated proteins of chromatin, in vitro and a mutant form of the protein was shown to block cell division. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008]
10600
13.2

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US