

Product datasheet for SC205565

BCKDHA (NM 000709) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones

Product Name: BCKDHA (NM 000709) Human 3' UTR Clone

Symbol:

BCKDE1A; MSU; MSUD1; OVD1A Synonyms:

Mammalian Cell

Selection:

Neomycin

pMirTarget (PS100062) Vector:

ACCN: NM 000709

Insert Size: 424 bp

Insert Sequence: >SC205565 3'UTR clone of NM_000709

The sequence shown below is from the reference sequence of NM_000709. The complete

sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

GAGAGGTAGCCCCACTCTAAGGGGAGCAGGGGGACCTGACAGCACCACTGTCTTCCCCAGTCAGCTC CCTCTAAAATACTCAGCGGCCAGGGCGGCTGCCACTCTTCACCCCTGCTCCCCGGCTGTTACATTGT CAGGGGACAGCATCTGCAGCAGTTGCTGAGGCTCCGTCAGCCCCCTCTTCACCTGTTGTTACAGTGCCT TCTCCCAGGGGCTGGGTGAGGGCACATTCAGGACTAGAAGCCCCTCTGGGCATGGGGTGGACATGGCAG GTCAGCCTGTGGAACTTGCGCAGGTGCGAGTGGCCAGCAGAGGTCACGAATAAACTGCATCTCTGCGCC

TGGCTCTCTA

CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG

Restriction Sites: Sgfl-Mlul

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



BCKDHA (NM_000709) Human 3' UTR Clone - SC205565

RefSeq: <u>NM 000709.4</u>

Summary: The branched-chain alpha-keto acid (BCAA) dehydrogenase (BCKD) complex is an innter

mitochondrial enzyme complex that catalyzes the second major step in the catabolism of the branched-chain amino acids leucine, isoleucine, and valine. The BCKD complex consists of three catalytic components: a heterotetrameric (alpha2-beta2) branched-chain alpha-keto acid decarboxylase (E1), a dihydrolipoyl transacylase (E2), and a dihydrolipoamide dehydrogenase (E3). This gene encodes the alpha subunit of the decarboxylase (E1)

component. Mutations in this gene result in maple syrup urine disease, type IA. Multiple transcript variants encoding different isoforms have been found for this gene.[provided by

RefSeq, Sep 2009]

Locus ID: 593 **MW:** 15.4