

# **Product datasheet for SC205634**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## NRIP (DCAF6) (NM\_018442) Human 3' UTR Clone

#### **Product data:**

**Product Type:** 3' UTR Clones

Product Name: NRIP (DCAF6) (NM\_018442) Human 3' UTR Clone

Symbol: NRIP

Synonyms: 1200006M05Rik; ARCAP; IQWD1; MSTP055; NRIP; PC326

**Mammalian Cell** 

Selection:

Neomycin

**Vector:** pMirTarget (PS100062)

**ACCN:** NM\_018442

**Insert Size:** 450 bp

Insert Sequence: >SC205634 3' UTR clone of NM\_018442

The sequence shown below is from the reference sequence of NM\_018442. The complete sequence of this clone may contain minor differences, such as SNPs. Red=Cloning site

Blue=Stop Codon

CAATTGGCAGAGCTCAGAATTCAAGCGATCGC

TTAAAGAAACTGGTTGTTTTAAGATACCCT

ACGCGTAAGCGGCCGCGGCATCTAGATTCGAAGAAAATGACCG

**Restriction Sites:** Sgfl-Mlul

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).





## NRIP (DCAF6) (NM\_018442) Human 3' UTR Clone - SC205634

**Components:** The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

RefSeq: <u>NM 018442.2</u>

**Summary:** The protein encoded by this gene is a ligand-dependent coactivator of nuclear receptors,

including nuclear receptor subfamily 3 group C member 1 (NR3C1), glucocorticoid receptor (GR), and androgen receptor (AR). The encoded protein and DNA damage binding protein 2 (DDB2) may act as tumor promoters and tumor suppressors, respectively, by regulating the

level of androgen receptor in prostate tissues. In addition, this protein can act with

glucocorticoid receptor to promote human papillomavirus gene expression. [provided by

RefSeq, Mar 2017]

**Locus ID:** 55827