

Product datasheet for **SC205795**

EMA (MUC1) (NM_001044393) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	EMA (MUC1) (NM_001044393) Human 3' UTR Clone
Vector:	pMirTarget (PS100062)
Symbol:	MUC1
Synonyms:	ADMCKD; ADMCKD1; ADTKD2; CA 15-3; CD227; EMA; H23AG; KL-6; MAM6; MCD; MCKD; MCKD1; MUC-1; MUC-1/SEC; MUC-1/X; MUC1/ZD; PEM; PEMT; PUM
ACCN:	NM_001044393
Insert Size:	444 bp
Insert Sequence:	>SC205795 3'UTR clone of NM_001044393 The sequence shown below is from the reference sequence of NM_001044393. The complete sequence of this clone may contain minor differences, such as SNPs. Blue =Stop Codon Red =Cloning site GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG TAACAATTGGCAGAGCTCAGAATTCAA GCGATCGCC CCACACCCATGGGCGCTATGTGCCCCCTAGCAGTACCGATCGTAGCCCCTATGAGAAGGTTTCTGCAGG TAATGGTGGCAGCAGCCTCTCTTACACAAACCCAGCAGTGGCAGCCACTTCTGCCAATTGTAGGGGCA CGTCGCCCGCTGAGCTGAGTGGCCAGCCAGTGCCATTCCACTCCACTCAGTTCTTCAGGGCCAGAGCC CCTGCACCCTGTTTGGGCTGGTGGAGTTCAGGTGGGCTGCTCACAGCCTCCTTCAGAGGCCCC ACCAATTTCTCGGACACTTCTCAGTGTGTGGAAGCTCATGTGGGCCCTGAGGGCTCATGCCTGGGAAG TGTTGTGGTGGGGCTCCCAGGAGGACTGGCCAGAGAGCCCTGAGATAGCGGGATCCTGAACTGGAC TGAATAAAACGTGGTCTCCCACTGCGCCAA ACGCGT AAGCGGCCGCGCATCTAGATTCAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA CGAGATTCGATTCCACCGCCCTTCTATGAAAGG
Restriction Sites:	Sgfl-MluI
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_001044393.3</u>



[View online »](#)

Summary:

This gene encodes a membrane-bound protein that is a member of the mucin family. Mucins are O-glycosylated proteins that play an essential role in forming protective mucous barriers on epithelial surfaces. These proteins also play a role in intracellular signaling. This protein is expressed on the apical surface of epithelial cells that line the mucosal surfaces of many different tissues including lung, breast stomach and pancreas. This protein is proteolytically cleaved into alpha and beta subunits that form a heterodimeric complex. The N-terminal alpha subunit functions in cell-adhesion and the C-terminal beta subunit is involved in cell signaling. Overexpression, aberrant intracellular localization, and changes in glycosylation of this protein have been associated with carcinomas. This gene is known to contain a highly polymorphic variable number tandem repeats (VNTR) domain. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Feb 2011]

Locus ID:

4582

MW:

16.2