

Product datasheet for **SC206364**

UBASH3A (NM_001001895) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: UBASH3A (NM_001001895) Human 3' UTR Clone
Symbol: UBASH3A
Synonyms: CLIP4; STS-2; TULA; TULA-1
Mammalian Cell Selection: Neomycin
Vector: pMirTarget (PS100062)
ACCN: NM_001001895
Insert Size: 520 bp
Insert Sequence: >SC206364 3'UTR clone of NM_001001895
 The sequence shown below is from the reference sequence of NM_001001895. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
AACTGGAGGAAGTGGATCTCAGGCAACTTGAGAGCCACGGTGATGTTGTCATAACCTCAGAGTGGAGAGG
CAGAAACCATGTGCAGAGGCTGGGAGATGCTGCTGTTCCAGAGGCGTCTTAGTCTACCCAATGTGAT
TTGTAGAAGCACGAGACGCACTTTTATATCCCGGAATATTTCCCTCCGGCTTTCGCCTTTGTAACCCC
ATCTGTGGACCCATCGTCCACCAGCCAGCTGCGGGGAGCACAGGGCAGGTGGCTGGGTGAGGATGCCG
CCCTGCAGCATGTACACCGAGTGTCTGCAGCTGGGGACACAACCTGCCCGGACTCTAACTCCAGGAAT
TAAAGACTCACACACGAAGGATCTAACCATTCTATTTCCATGGTCTAATCATTAAATTCCCAATC
GTTTTTCTTTTTCTGGGTCCATCACTCTTTAGCCATATCCACATGGGCTAAAACAGGTGTAATAGTCA
ATAAAATGGTCCCAGAAAACCATCGACCAGGTCAAAA
ACGCGTAAGCGGCCCGGCATCTAGATTCAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

Restriction Sites: SgfI-MluI
OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).



[View online »](#)

Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_001001895.3</u>
Summary:	This gene encodes one of two family members belonging to the T-cell ubiquitin ligand (TULA) family. Both family members can negatively regulate T-cell signaling. This family member can facilitate growth factor withdrawal-induced apoptosis in T cells, which may occur via its interaction with AIF, an apoptosis-inducing factor. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Aug 2011]
Locus ID:	53347
MW:	19.8