

## **Product datasheet for SC206418**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Parathyroid hormone related protein (PTHLH) (NM 198966) Human 3' UTR Clone

**Product data:** 

**Product Type:** 3' UTR Clones

**Product Name:** Parathyroid hormone related protein (PTHLH) (NM\_198966) Human 3' UTR Clone

**Vector:** pMirTarget (PS100062)

Symbol: PTHLH

Synonyms: BDE2; HHM; PLP; PTHR; PTHRP

**ACCN:** NM\_198966

**Insert Size:** 505 bp

Insert Sequence: >SC206418 3'UTR clone of NM\_198966

The sequence shown below is from the reference sequence of NM\_198966. The complete

sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

ATATAATCTAATTACATCATGA

CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG

**Restriction Sites:** Sgfl-Mlul

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).

**Components:** The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.

**RefSeg:** NM 198966.2





## Parathyroid hormone related protein (PTHLH) (NM\_198966) Human 3' UTR Clone - SC206418

**Summary:** The protein encoded by this gene is a member of the parathyroid hormone family. This

hormone, via its receptor, PTHR1, regulates endochondral bone development and epithelial-mesenchymal interactions during the formation of the mammary glands and teeth. It is responsible for most cases of humoral hypercalcemia of malignancy, and mutations in this gene are associated with brachydactyly type E2 (BDE2). Alternatively spliced transcript variants have been found for this gene. There is also evidence for alternative translation initiation from non-AUG (CUG and GUG) start sites, downstream of the initiator AUG codon, resulting in nuclear forms of this hormone. [provided by RefSeq, Nov 2013]

Locus ID: 5744

MW: 20.1