

Product datasheet for **SC206510**

TACI (TNFRSF13B) (NM_012452) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: TACI (TNFRSF13B) (NM_012452) Human 3' UTR Clone
Vector: pMirTarget (PS100062)
Symbol: TNFRSF13B
Synonyms: CD267; CVID; CVID2; IGAD2; RYZN; TACI; TNFRSF14B
ACCN: NM_012452
Insert Size: 496 bp
Insert Sequence: >SC206510 3'UTR clone of NM_012452
The sequence shown below is from the reference sequence of NM_012452. The complete sequence of this clone may contain minor differences, such as SNPs.
Blue=Stop Codon **Red**=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
CCTGCCAGGAGGGGGCCAGGTGCATAATGGGGTTCAGGGAGGGAAAGGAGGGGAGAGATGG
AGAGGAGGGGAGAGAGAAAGAGAGGTGGGAGAGGGGAGAGAGATATGAGGAGAGAGACAGAGGAGG
CAGAGAGGGAGAGAAACAGAGGAGACAGAGAGGGGAGAGAGACAGAGGGAGAGAGACAGAGGGGAA
GAGAGGCAGAGAGGGAAAGAGGCAGAGAAGGAAAGAGACAGGCAGAGAAGGAGAGAGGCAGAGAGGGAG
AGAGGCAGAGAGGGAGAGAGGCAGAGAGACAGAGAGGGGAGAGAGGGACAGAGAGATAGAGCAGGAGG
TCGGGGCACTCTGAGTCCCAGTCCCAGTGCAGCTGTAGGTGTCATCACCTAACACACGTGCAATAA
AGTCCTCGTGCCTGCTGCTCACAGCCCCGAGAGCCCCTCCTCTGGAGAATAAAACCTTTGGCAGCTG
CCCTTCCTCACTG
ACGCGTAAGCGCGCGGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCCTTCTATGAAAGG
```

Restriction Sites: SgfI-MluI

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

RefSeq: [NM_012452.3](#)



[View online >](#)

Summary: The protein encoded by this gene is a lymphocyte-specific member of the tumor necrosis factor (TNF) receptor superfamily. It interacts with calcium-modulator and cyclophilin ligand (CAML). The protein induces activation of the transcription factors NFAT, AP1, and NF-kappa-B and plays a crucial role in humoral immunity by interacting with a TNF ligand. This gene is located within the Smith-Magenis syndrome region on chromosome 17. [provided by RefSeq, Jul 2008]

Locus ID: 23495

MW: 19.6