

Product datasheet for **SC207080**

CD79B (NM_021602) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: CD79B (NM_021602) Human 3' UTR Clone
Symbol: CD79B
Synonyms: AGM6; B29; IGB
Mammalian Cell Selection: Neomycin
Vector: pMirTarget (PS100062)
ACCN: NM_021602
Insert Size: 516 bp
Insert Sequence: >SC207080 3'UTR clone of NM_021602
 The sequence shown below is from the reference sequence of NM_021602. The complete sequence of this clone may contain minor differences, such as SNPs.
 Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
TCTGTAGGTGAGCACCCAGGCCAGGAGTGAGAGCCAGGTCGCCCATGACCTGGGTGCAGGCTCCCTGG
CCTCAGTGACTGCTTCGGAGCTGCCTGGCTCATGGCCCAACCCCTTCTGGACCCCCAGCTGGCCTC
TGAAGCTGGCCACCAGAGCTGCCATTTGTCTCCAGCCCTGGTCCCAGCTCTTGCCAAAGGGCCTGG
AGTAGAAGGACAACAGGGCAGCAACTTGGAGGGAGTTCTCTGGGGATGGACGGGACCCAGCCTTCTGGG
GGTGCTATGAGGTGATCCGTCCCCACACATGGGATGGGGGAGGCAGAGACTGGTCCAGAGCCCGCAAT
GGACTCGGAGCCGAGGGCCTCCCAGCAGAGCTTGGGAAGGGCCATGGACCCAACCTGGGCCCCAGAAGAG
CCACAGGAACATCATTCTCTCCCGCAACCACTCCCACCCAGGGAGGCCTGGCCTCCAGTGCCTTCC
CCCGTGAATAAACGGTGTGTCTGAGAAACCA
ACGCGTAAGCGGCCGCGGCATCTAGATTCAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

Restriction Sites: SgfI-MluI
OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).



[View online »](#)

Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	<u>NM_021602.4</u>
Summary:	The B lymphocyte antigen receptor is a multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-beta protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]
Locus ID:	974
MW:	18