

Product datasheet for **SC207546**

SND1 (NM_014390) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Product Name:	SND1 (NM_014390) Human 3' UTR Clone
Vector:	pMirTarget (PS100062)
Symbol:	SND1
Synonyms:	p100; TDRD11; Tudor-SN
ACCN:	NM_014390
Insert Size:	565 bp
Insert Sequence:	>SC207546 3'UTR clone of NM_014390 The sequence shown below is from the reference sequence of NM_014390. The complete sequence of this clone may contain minor differences, such as SNPs. Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC
GATGCAGACGAATTTGGCTACAGCCGCTAAGGAGGGGATCGGTTTGGCCCCAGCCCCGCTCACGCCA
GTCCCTCTTCCTCTGCCGGGAGGGTGTTCCTCAACTCAAACCCAGAGAGGGTTGTAGATTGGGTCCA
GCTTTGCTTCAGTGTGTGAAATGTCTCGTGGGGTGGCATCGGGGCTGCGGGGTGGGACCCCAAGGCT
TTCTGGGGCAGACCCCTTGTCTCTGGGATGATGGGCACTGCTATCCACAGTCTCTGCCAGTTGGTTTAA
TTTGGAGGTTTGTGGGCTTTTTTAAAAAAAAAAGTCCTCAAATCAGGAAGAAACATCAAAGACTATG
TCCTAGTGGAGGGAGTAATCCTAACACCCAGGCTGGCCGCCAGCTGGCACCTGCCTCTATCCCAGACTG
CCCTCGTCCCAGCTCTGTCCAAGTGTGATTATGTGATTTTCTGATACGTCCATTCTCAAATGCCA
GTGTGTTACATCTTCGCTCTGGCCAGCCATTCTGTATTTAAAGCTTTGAGGCCCAATAAAATAGTA
CGTGCTGTCTGCA
ACGCGTAAGCGGCCGCGCATCTAGATTGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

Restriction Sites:	Sgfl-MluI
OTI Disclaimer:	Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).
Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.



[View online »](#)

RefSeq: [NM_014390.4](#)

Summary: This gene encodes a transcriptional co-activator that interacts with the acidic domain of Epstein-Barr virus nuclear antigen 2 (EBNA 2), a transcriptional activator that is required for B-lymphocyte transformation. Other transcription factors that interact with this protein are signal transducers and activators of transcription, STATs. This protein is also thought to be essential for normal cell growth. A similar protein in mammals and other organisms is a component of the RNA-induced silencing complex (RISC). [provided by RefSeq, Jul 2016]

Locus ID: 27044

MW: 20.8