

Product datasheet for **SC207806**

NUR77 (NR4A1) (NM_002135) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones
Product Name: NUR77 (NR4A1) (NM_002135) Human 3' UTR Clone
Symbol: NUR77
Synonyms: GFRP1; HMR; N10; NAK-1; NGFIB; NP10; NUR77; TR3
Mammalian Cell Selection: Neomycin
Vector: pMirTarget (PS100062)
ACCN: NM_002135
Insert Size: 589 bp
Insert Sequence: >SC207806 3'UTR clone of NM_002135
The sequence shown below is from the reference sequence of NM_002135. The complete sequence of this clone may contain minor differences, such as SNPs.
Blue=Stop Codon **Red**=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG  
TAAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC  
AAGATCTTCATGGACACGCTGCCCTTTGACCCCTGCCTGGGAACACGTGTGCACATGCGCACTCTCAT  
ATGCCACCCCATGTGCCTTTAGTCCACGGACCCCAAGCCTGGGCTTGAGCTGCAGAA  
TGACTCCACCTTCTCACCTGCTCCAGGAGTTTGCAGGGAGCTCAAGCCCTTGGGGAGGGGGATGCCTT  
CATGGGGGTGACCCACGATTTGTCTTATCCCCCAGCCTGGCCCGGCCTTTATGTTTTTTGTAAGA  
TAAACCGTTTTTAACACATAGCGCGTGTGTAATAAGCCAGTGTCTGTAAATACAGGAAGAAG  
AGCTTGAGGTGGAGCGGGCTGGGAGGAAGGGATGGGCCCGCCTTCTGGGCAGCCTTCCAGCCTC  
CTGCTGGCTCTCTTCTTACCCTCCTTCCACATGTACATAAACTGCTACTTAGGAAGAAGACAAATG  
ACAGATTCTGACATTTATATTTGTATTTCTGGATTATAGTATGTGACTTTTCTGATTAATATAT  
TTAATATATTGAATAAAAAATAGACATGTAGTTGGAA  
ACGCGTAAGCGGCCGCGGCATCTAGATTCGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA  
CGAGATTCGATTCCACCGCCGCTTCTATGAAAGG
```

Restriction Sites:

Sgfl-MluI

OTI Disclaimer:

Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences, e.g., single nucleotide polymorphisms (SNPs).



[View online »](#)

Components:	The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.
RefSeq:	NM_002135.5
Summary:	This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. Expression is induced by phytohemagglutinin in human lymphocytes and by serum stimulation of arrested fibroblasts. The encoded protein acts as a nuclear transcription factor. Translocation of the protein from the nucleus to mitochondria induces apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2011]
Locus ID:	3164
MW:	21.7