

Product datasheet for SC208397

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ENT1 (SLC29A1) (NM_001078177) Human 3' UTR Clone

Product data:

Product Type: 3' UTR Clones

Product Name: ENT1 (SLC29A1) (NM_001078177) Human 3' UTR Clone

Vector: pMirTarget (PS100062)

Symbol: SLC29A1

Synonyms: ENT1

ACCN: NM_001078177

Insert Size: 644 bp

Insert Sequence: >SC208397 3'UTR clone of NM_001078177

The sequence shown below is from the reference sequence of NM_001078177. The complete

sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAGGCCAAGAAGGGCGGAAAGATCGCCGTG

TAACAATTGGCAGAGCTCAGAATTCAAGCGATCGCC

AATAAACCTTTCTTGTTTTTTC

ACGCGTAAGCGGCCGCGCATCTAGATTCGAAGAAAATGACCGACCAAGCGACGCCCAACCTGCCATCA

CGAGATTTCGATTCCACCGCCGCCTTCTATGAAAGG

Restriction Sites: Sgfl-Mlul

OTI Disclaimer: Our molecular clone sequence data has been matched to the sequence identifier above as a

point of reference. Note that the complete sequence of this clone is largely the same as the

reference sequence but may contain minor differences, e.g., single nucleotide

polymorphisms (SNPs).

Components: The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The

package also includes 100 pmols of both the corresponding 5' and 3' vector primers in

separate vials.





RefSeq: <u>NM 001078177.2</u>

Summary: This gene is a member of the equilibrative nucleoside transporter family. The gene encodes a

transmembrane glycoprotein that localizes to the plasma and mitochondrial membranes and mediates the cellular uptake of nucleosides from the surrounding medium. The protein is categorized as an equilibrative (as opposed to concentrative) transporter that is sensitive to inhibition by nitrobenzylthioinosine (NBMPR). Nucleoside transporters are required for nucleotide synthesis in cells that lack de novo nucleoside synthesis pathways, and are also necessary for the uptake of cytotoxic nucleosides used for cancer and viral chemotherapies. Multiple alternatively spliced variants, encoding the same protein, have been found for this

gene. [provided by RefSeq, Jul 2008]

Locus ID: 2030 MW: 23.6