

Product datasheet for **SC209050**

C18orf32 (NM_001035005) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Symbol:	C18orf32
Mammalian Cell	Neomycin
Selection:	
Vector:	pMirTarget (PS100062)
ACCN:	NM_001035005
Insert Size:	2000 bp



Insert Sequence:

>SC209050 3'UTR clone of NM_001035005

The sequence shown below is from the reference sequence of NM_001035005. The complete sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

GGCAAGTTGGACGCCCAGCAAGATCCGCGAGATTCTCATTAAAGGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAGCGATCGCC
ACAGAAATCTGTGATAAAAGAAAGACTTAAAGAAATTTTCTAAAGGACCCCATCATTTAAAAAATGGA
CCTGATAATATGAAGCATCTTCTTGTAAATTGTCTCTGACCTTTTATCTGAGACCGGAATTCAGGATA
GGAGTCTAGATATTTACCTGATACTAATCAGGAAATATATGATATCCGATATTTAAAAATGATGTAGTTA
TATTTAATGACCTCATTCTCAAGTCTCTTTTCGTAAATGATAGCTTTTCATTTGCTGTTATGCTGTTTGA
ATAATATGATTAATAAGAAAGTTTGTGCCAGTAGACATTATGTTACTAAATCAGCACTTTAAAAATCTTT
GGTCTCTAATTCATATGAATTTGCTGTTTGTCTAATTTCTTTGGGCTCTTCTAATTTGAGTGAGGTA
CAATTTTGTGTGAAACAGTCCAGTGAACTGTGCAGGGAATGAAGTAGAATTTGGGAGGTAATA
TGATGTGAAACATAAAGATTTAATAATTACTGTCCAACACAGTGGAGCAGCTTGCCACAAATATAGTA
ATTACTATTTATTTGCTCTAAGGAAGATTAAGGAAAGATAGGGAAGGGGAAACTTCTTGAAAAATG
AAACATCTGTTACATTAATGTCTAATTATAAAATTTAATCCTTACTGCATTTCTTCTGTTCTACAAA
TGTATTAACATTCAGTTTAACTGGTAGTTCATTTCTTTTAAAGTCTATTGAAATATTCAAAAGGGAA
ATTTTACCACAGTCAGAAGGCGAATTTGGATGTTGTGATGGCATCTGTAGTGGTGGGACACAAT
TACTATTGTTGCGTAACAAGACACTCCAAATTTAGTGTTTTCAGCAGCAGTCACTGCATCGGCACT
TCTTTGCTGTTCTGGGCTCACTCATATGGCTGGCTGGGCTGGGCTGGACTGGGCCGCTATGTGATT
TTTATCTTTGGGCTTTGAAATTCAGTGTAGGGACCTATAAATATTCAAAGATGATGAGATGCATCCTTA
TATATTTTTGTATTCACTCTGAAGCTGGGAAAGATTAAGGAACTCTGCCCTTGGGTCCCTAATGA
AGTCTGGGTCTAACTCAGGCTCTAATAAGTCTGTGGCTGGTCAAGTCACTGATTACCTTGGGCTTT
ATTTGATATAAATCATGTAATCAGCAGGTCTCAGCTTTTCTGTCAAAGGCCACCTGAGGGATAAGATA
AATTCTCATTAGCAAAATAAATTTTTAAGGTATAAATACTATTATAAAAAAACAGATATTACAGTA
CAACAATGCAAGAGGATCTTAATGAAAGCGAATGTTTTTCTCAACTCTCATTTCCCTTATTCAGCT
CCACAGAGGTAAACCAATTTTTTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTT
TTCCTGAACAGTGTCTGCTCTTTGTGGAGCAAGGCTAATTCATAGGCAGTGCATCCAGAGTCGCGCCAG
TTGATTTTGTGTGAACCTTCTAGCAACTTTTTGAAAAATAATTTGTTCTTAAATATGCACATCATTTT
TATTTATTTATGTTTTTGAGACAGGGTCTCACTCTGTCAAGCTGGAGTGCAGCAGCATGATCAGC
GCTCTCTATGGCTCGACCTGCAGTCTGAAGTGATCCTCTCACCTAGCCTCTCAAGTAGCTGGGACT
ACAGGTGCACACCACCATGCCAGCTAATGTTTTTTGTAATTTTTTTTATAGAGACAGGGTTTCGTGAT
GTTGCTGGGCTGATCTCGATCTCCTGGGCTCAAGCGATCCTCCACTTTGGCTTCCCAAAGTGTGGGA
TTACAGGCATGAGCTACTACTGCACCTGGCCACACATCATTTTTAAAAATTAAGTAATATTGCAACG
TTTTCAATTTGCTCCCTACTCTTTGCTCTCAAGGTTTTTACCTACTGAGCTGTGGGCTTTTTAAATTT
ACGCGTAAAGCGCCGCGGCATCTAGATTGCAAGAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTTTCGATTCCACCGCGCCTTCTATGAAAGG

Restriction Sites:

Sgfl-MluI

OTI Disclaimer:

Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).

Components:

The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: NM_001035005.4

Summary: May activate the NF-kappa-B signaling pathway.[UniProtKB/Swiss-Prot Function]

Locus ID: 497661

MW: 76