

Product datasheet for **SC210267**

ZFP37 (NM_003408) Human 3' UTR Clone

Product data:

Product Type:	3' UTR Clones
Symbol:	ZFP37
Synonyms:	zfp-37; ZNF906
Mammalian Cell	Neomycin
Selection:	
Vector:	pMirTarget (PSI00062)
ACCN:	NM_003408
Insert Size:	2000 bp



Insert Sequence:

>SC210267 3'UTR clone of NM_003408

The sequence shown below is from the reference sequence of NM_003408. The complete sequence of this clone may contain minor differences, such as SNPs.

Blue=Stop Codon Red=Cloning site

```
GGCAAGTTGGACGCCCGCAAGATCCGCGAGATTCTCATTAAAGCCAAGAAGGGCGGAAAGATCGCCGTG
TAACAATTGGCAGAGCTCAGAATTCAGCGATCGCC
ACTCATTGAGAGATAAATCTCATGAGTGAAGTTAATGTGGGAAATTTGTTAACTAAATTTAAGGTTTT
GTTGAACCTTGGAAATATGCTGATTTTAAAGAGTGTAGAAAGCCTTTAGCAAGATGTCACACCTTGT
GTACATGAGAACTTTGAAAAATGGATCTTCATATAGAATCAGTGGATGGAACAAGGGTTTAACTTGA
TACAAAACCTTTTATAAAAAATATTGTTTAACTACTCAATTATTATAAATGATCTACATGTTGAGATT
GAAATTGAAAGCTTTAAAAATTTGTAATTATTTGAATATTCAAAGCAATGGAGAAACAAGTTATATATG
CTGACAGTTCTGTGTTTCTTCTGTTTGTACTTAAGCACCATATATTAGAGTTGAATTTGCATATCT
GTTTATTGCCTTATGTAATGAGTGTGGCCATCTGTATAAGCCTCTTTGACATTTTCACCCAGCTCTT
CTTAATGTCTGTGTTGGCTTCTGCATCAGCAGAAATCTTTTAAAGGGTGTATATATGAAAAAAT
GTTAACAGGAAAAATGAGAGAAAAATAAGCAGCTGAGGATACAAATGTGCTGGTAGGGAGCGATATTCAA
GATATATTGTGAAGTGTGAAAAAGTAGGTTGTGAACCATGTATATAGTATGTTCCCTTTGTGTACAA
AAGGGTATGTTTGTAAACCTCTGTCTCTTATCTGTATGTGTATGTATCTTGTATGCATATATACA
TGTATCTGTATGTAATAGACTTTGAAAAATACAGAATAAATTCATGGTGGTGGCATTGGGCAGAG
GAGTATAGGACTGGGGTCTAGGATAGGAGCAAGACTTCCTTGTATTTTGGATTTTAAATCATGCACA
TGTATTATTTTATAATTAATAATTTTAAATATGCATAAATCAACATTATTTAAGGTTGTCACTGAGCC
CCTCCACAACATGTGAGATCAACATGTGAGATCTCAGATTTTGACAGAGTTAAATCTTTGTATGCTTA
TTCATGAATGATGATGAATCTAAAGTATATAGTATGAACTGTATGTTGAATTCATAAAGACTTTTTCT
ATCACACACAAGTCTTTTCATTAAACATAGTGAATTATAACAGCACTGTTTCTACATTTGCCATTTTTTG
ATGTTGAATTGTGATTGCAGGTGATGATGAATTGTGATTGCAGGTGAATGAAAGTATTTATGAATAA
TCACCTGTTTTATCTCATATTCAAAGAACTAACACACAAACCTCAATCAGGGAATTGCAATGAAAC
AAATGTCACCCCTCCCTGTTCTCGCTCAATATTGGGCATTATTTACTGGATCACTGTACTCTTTCTGAG
TGAACCCAGAGTTGGCCTCAGAATCATTGTGCAGCGTGCATTCCAGAAGTACTATGCATCAACTTGA
CTGTACAGGAGACCTATTGGCATTGCACACCTGGATTTTTTTTACTCTTGAGCCATAGATTAAAAAT
ACTTCTGGCTGGGCATGGTGGTGCCTGTAATCTCCAGCACTGTGGGAGGCCAAGGTGGTGGATCACT
TGAGGCCAGGAGTTTGGATCAGACTAGCCAACACAATGAAACCCCATCTACTAAAAATACAAAAA
TTATCTGGGCATGCTGTAATCCCTGTAATCCCAGCCACTCAGGAGGCTGAGGCAAGAGAGTTGCTTGCA
CCCAGGAGATGGAGGTTACAGTGCCTCCAGCCTGGGCAGCAGAGTGAGGCTCTGTCTCAAAAAAAGA
AATACAAAAATGCACAAAACCTTCTGAATATTTGAAATCTAAGTTGTTACATAAAAGCAGAGACAT
AAGTACAGAAATGGTTTTCAAAAACATCATACCTTTATTTTAAACAATATTAATTTACATAATATAAA
ATATTATAATTTGGCATGTTATCTTTTATATTTTAAAGCACAAATCCCTACATTATTTTATTATTC
ACGCGTAAGCGGCCGCGCATCTAGATTGGAAGAAAATGACCGACCAAGCGACGCCAACCTGCCATCA
CGAGATTTGATTCCACCGCCGCTCTATGAAAGG
```

Restriction Sites:

Sgfl-MluI

OTI Disclaimer:

Our molecular clone sequence data has been matched to the sequence identifier above as a point of reference. Note that the complete sequence of this clone is largely the same as the reference sequence but may contain minor differences , e.g., single nucleotide polymorphisms (SNPs).

Components:

The cDNA clone is shipped in a 2-D bar-coded Matrix tube as 10 ug dried plasmid DNA. The package also includes 100 pmols of both the corresponding 5' and 3' vector primers in separate vials.

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: NM_003408.3

Summary: This gene encodes a transcription factor that belongs to a large family of zinc finger proteins. A similar protein in mouse is thought to play a role in regulating the structures of the nucleolus and centromere in neurons. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013]

Locus ID: 7539

MW: 78.1